

REFERENCES

A

A

[ABC] American Bird Conservancy. 2015. Rulemaking petition to the U.S. Fish & Wildlife Service for regulating the impacts of wind energy projects on migratory birds. Washington (DC); [accessed 2025 July]. 115 p. <http://www.windaction.org/posts/42831-abc-petition-for-new-regulations-governing-wind-energy-impacts-on-birds>.

[ABC] American Bird Conservancy. 2021. (website) How many birds are killed by wind turbines? [accessed 2025 July] <https://abcbirds.org/blog21/wind-turbine-mortality>.

[ACJV] Atlantic Coast Joint Venture. 2020. Eastern Black Rail Conservation Plan for the Atlantic Coast. Black Rail Working Group. 76 p. www.acjv.org.

[AFSI] Atlantic Flyway Shorebird Initiative. 2025. (website) Resources. [accessed 2025 July] <https://atlanticflywayshorebirds.org/resources>.

[AFT] American Farmland Trust. 2022. Farms Under Threat, 2040 Future Scenarios: North Carolina. [access 2025 Jan.] https://storage.googleapis.com/csp-fut2040.appspot.com/state-reports/FUT2040_NC.pdf.

[AFT] American Farmland Trust. 2025. Farms Under Threat 2040: Choosing an Abundant Future. [accessed 2025 Jan.] <https://farmlandinfo.org/publications/farms-under-threat-2040>.

[AFWA] Association of Fish and Wildlife Agencies. 2012. Best practices for state Wildlife Action Plans—voluntary guidance to states for revision and implementation. Washington (DC): Association of Fish and Wildlife Agencies, Teaming With Wildlife. 80 p. [accessed 2025 May] https://www.fishwildlife.org/application/files/3215/1856/0300/SWAP_Best_Practices_Report_Nov_2012.pdf.

[AFWA] Association of Fish and Wildlife Agencies. 2016. The Blue Ribbon Panel on Sustaining America's Diverse Fish & Wildlife Resources. [accessed 2025 June] <https://www.fishwildlife.org/afwa-informs/resources/blue-ribbon-panel>.

[AFWA] Association of Fish and Wildlife Agencies. 2022. Voluntary Guidance for States to Incorporate Climate Adaptation in State Wildlife Action Plans and Other Management Plans. 2nd edition. Editors: Climate Adaptation and Wildlife Diversity Conservation and Funding Committees, Voluntary Guidance Revision Work Group. Washington, DC. 84p. [accessed 2025 June] https://www.fishwildlife.org/application/files/6316/7336/2905/AFWA_Voluntary_Climate_Adaptation_Guidance_for_SWAPs_2nd_Edition.pdf.

[AHG] Aquatic Habitat Guides. 2015 . The Nature Conservancy; [accessed 2025 May]. <https://www.conservationgateway.org/ConservationByGeography/NorthAmerica/UnitedStates/edc/reportsdata/hg/Pages/default.aspx>.

References

[AMBC] Atlantic Marine Bird Cooperative. 2025. (website) Marine Bird Species Priority List July 2014.

[AMJV] Appalachian Mountains Joint Venture. N.d. Enhancing cerulean warbler habitat in the Appalachians: a guide for foresters fact sheet. 2 p. [accessed 2025 June]
[https://efotg.sc.egov.usda.gov/references/public/WV/Cerulean_FS_Foresters_Version_Final_\(1\).pdf](https://efotg.sc.egov.usda.gov/references/public/WV/Cerulean_FS_Foresters_Version_Final_(1).pdf)

[APNEP] Albemarle-Pamlico National Estuary Program. 2025. Comprehensive conservation and management plan 2025–2030. Albemarle-Pamlico National Estuary Partnership, Raleigh, NC. [accessed 2025 Aug.] <https://apnep.nc.gov/approved-2023-2027-apnep-ccmp-document/download?attachment>.

[ARMI] Amphibian Research and Monitoring Initiative. 2025. The State of Amphibians in the United States. U.S. Geological Survey (USGS), [accessed 2025 Feb.] <https://armi.usgs.gov/index.php>.

[AWWI] American Wind Wildlife Institute. 2021. Wind turbine interactions with wildlife and their habitats: a summary of research results and priority questions. (accessed 2025 July)
<https://rewi.org/wp-content/uploads/2020/07/AWWI-Wind-Power-Wildlife-Interactions-Summary-2021.pdf>. 12 p.

Abell RA, Olsen DM, Dinerstein E, Hurley PT, Diggs JT, Erichbaum W, Walters S, Wettengel W, Allnutt T, Loucks CJ, Hedao P. 2000. Freshwater ecoregions of North America: a conservation assessment. *Ecological Economics* 40(2). Washington (DC): Island Press. 368 pp. [https://doi.org/10.1016/S0921-8009\(01\)00262-2](https://doi.org/10.1016/S0921-8009(01)00262-2).

Abell R, Thieme ML, Revenga C, Bryer M, Kottelat M, Bogutskaya N, Coad B, Mandrak N, Balderas SC, Bussing W, et al. 2008. Freshwater ecoregions of the world: a new map of biogeographic units for freshwater biodiversity conservation. *BioSci* 58(5):403–414.

Abram PK, Boivin G, Moiroux J, Brodeur J. 2017. Behavioural effects of temperature on ectothermic animals: unifying thermal physiology and behavioural plasticity. *Biological Reviews* 92(4):1859–1876.

Acevedo MA, Villanueva-Rivera LJ. 2006. Using automated digital recording systems as effective tools for the monitoring of birds and amphibians. *Wildlife Society Bulletin* 34(1):211–214.

Adams J, Felis JJ, Czapanskiy M. 2020. Habitat affinities and at-sea ranging behaviors among main Hawaiian Island seabirds: Breeding seabird telemetry, 2013–2016. USGS Report. 2020:17.

Adams MJ, Miller DAW, Muths E, Corn PS, Grant EHC, Bailey LL, Fellers GM, Fisher RN, Sadinski WJ, Waddle HJ, Walls SC. 2013. Trends in amphibian occupancy in the United States. [accessed 2025 Fewb.] *PLoS ONE* 8(5):e64347 <https://doi.org/10.1371/journal.pone.0064347>.

Aldrich JR, Fries J, Haddock R, Ivey G, Lawson KJ, Laurenzi A, Lynett K, Myers J, Riordan RM, Vaughn C, et al. 1998. Rivers of life: critical watersheds for protecting freshwater biodiversity. Arlington (VA): The Nature Conservancy.

Alexander DE, Fairbridge RW, editors. 1999. Encyclopedia of environmental sciences. Kluwer Academic Publishers, Dordrecht The Netherlands, Hingham (MA). 685 pp. Springer. Vol. 20. Springer Science & Business Media.

Allan JD, Palmer M, Poff NL. 2005. Climate change and freshwater ecosystems. In: Lovejoy TE, Hannah L, editors. Climate change and biodiversity. New Haven (CT): Yale University Press. p. 272–290.

Allendorf FW, Lundquist LL. 2003. Introduction: population biology, evolution, and control of invasive species. *Conserv Biol.* 17:24–30.

Allison TD, Diffendorfer JE, Baerwald EF, Beston JA, Drake D, Hale AM, Hein CD, Huso MM, Loss SR, Lovich JE, Strickland MD. 2019. Impacts to wildlife of wind energy siting and operation in the United States. *Issues in Ecology* 21(1):2-18.
https://tethys.pnnl.gov/sites/default/files/publications/Allison_et_al_2019.pdf.

Amyot JP, Downing JA. 1991. Endo- and epibenthic distribution of the unionid mollusk *Elliptio complanata*. *J N Am Benthol Soc.* 10(3):280–285.

Amyot JP, Downing JA. 1997. Seasonal variation in vertical and horizontal movement of the freshwater bivalve *Elliptio complanata* (Mollusca: Unionidae). *Freshw Biol.* 37:345–354.

Anderson DM. 1994. Red tides. *Sci Am* 271(2):52–58.

Anderson MG, Barnett A, Clark M, Ferree C, Olivero Sheldon A, Prince J. 2014. Resilient sites for terrestrial conservation in the southeast region. Boston (MA): The Nature Conservancy, Eastern Conservation Science; [accessed 2025 June].
<http://www.conservationgateway.org/ConservationByGeography/NorthAmerica/UnitedStates/edc/reportsdata/terrestrial/resilience/se/Pages/default.aspx>.

Anderson MG, Clark M, and Olivero Sheldon A. 2012. Resilient sites for terrestrial conservation in the northeast and Mid-Atlantic region. Boston (MA): The Nature Conservancy, Eastern Conservation Science. 168 pp.

Anderson ORJ, Small CJ, Croxall JP, Dunn EK, Sullivan BJ, Yates O, Black A. 2011. Global seabird bycatch in longline fisheries. *Endanger Species Res.* 14:91–106.

Anderson RC, Prestwood AK. 1981. Lungworms. In: Davidson WR, Hayes FA, Nettles VF, Kellogg FE, editors. Diseases and parasites of white-tailed deer. Tallahassee (FL): Tall Timbers Research Station. p. 266–317.

Archambault JM, Gregory Cope W, Kwak TJ. 2013. Burrowing, byssus, and biomarkers: behavioral and physiological indicators of sublethal thermal stress in freshwater mussels (Unionidae). *Marine and Freshwater Behaviour and Physiology* 46(4):229-250.

Arida E, Bull CM. 2008. Optimising the design of artificial refuges for the Australian skink, *Egerniastokesii*. *Appl Herpetol.* 5:161–172.

References

Arponen A. 2012. Prioritizing species for conservation planning. *Biodivers Conserv.* 21:875–893.

Ascher JS et al. 2009. Checklist of World Bees, Apoidea species guide, United States. [accessed 2025 March] http://www.discoverlife.org/mp/20q?guide=Apoidea_species.

Au SY, Lee CM, Weinstein JE, van den Hurk P, Klaine SJ. 2017. Trophic transfer of microplastics in aquatic ecosystems: identifying critical research needs. *Integrated Environmental Assessment and Management* 13(3):505-9.

Aucott WR. 1996. Hydrology of the Southeastern Coastal Plain aquifer system in South Carolina and parts of Georgia and North Carolina [Report]. US Geological Survey Professional Paper 1410–E. Denver (CO): US Geological Survey 95 p.

Audubon North Carolina. 2024. “Warwick Mill Bay is Forever Protected for Wildlife Preservation.” [Accessed 2024 Dec.] <https://nc.audubon.org/news/warwick-mill-bay-forever-protected-wildlife-preservation>.

Augspurger T, Fischer JR, Thomas NJ, Sileo L, Brannian RE, Miller KJG, Rocke TE. 2003. Vacuolar myelinopathy in waterfowl from a North Carolina impoundment. *J Wildl Dis* 39:412–417.

B

B

[BCI and SBDN] Bat Conservation International and Southeastern Bat Diversity Network. 2013. A conservation strategy for Rafinesque’s Big-eared Bat (*Corynorhinus rafinesquii*) and Southeastern Myotis (*Myotis austroriparius*). Austin, TX: Bat Conservation International [accessed 2025 June]. http://sbdn.org/wp-content/uploads/2014/12/ConservationPlanforCORAandMYAU_2014.pdf. 101 p.

Bailey MA, Holmes JN, Buhlmann KA, Mitchell JC. 2006. Habitat management guidelines for amphibians and reptiles of the southeastern United States. Technical Publication HMG-2. Montgomery (AL): Partners in Amphibian and Reptile Conservation; [accessed 2013 May]. 88 p. <http://separc.files.wordpress.com/2013/04/se-hmg.pdf>.

Bailey MA, Holmes JN, Buhlmann KA. 2004. Habitat management guidelines for amphibians and reptiles of the southeastern United States [Draft]. Partners in Amphibian and Reptile Conservation.

Bailey RG. 1995. Description of the ecoregions of the United States. 2nd ed. (rev.). *Misc. Publ. No. 1391*. Washington (DC): US Department of Agriculture, Forest Service 108 p.

Bailey RG. 1998. Ecoregions: the ecosystem geography of the oceans and the continents. New York (NY): Springer-Verlag 192 p.

Bailey RG. 2009. Ecosystem geography: from ecoregions to sites. 2nd ed. New York (NY): Springer-Verlag 252 p.

References

Bakalowicz M. 2005. Karst groundwater: a challenge for new resources. *Hydrogeology Journal* 13:148–160.

Baker GB, Double MC, Gales R, Tuck GN, Abbott CL, Ryan PG, Petersen SL, Robertson CJR, Alderman R. 2007. A global assessment of the impact of fisheries-related mortality on shy and white-capped albatrosses: conservation implications. *Biol Conserv.* 137:319–333.

Bakke P. 2008. Physical processes and climate change: a guide for biologists [Unpublished report]. Washington (DC): US Department of Interior, Fish and Wildlife Service 28p.

Band L, Salvesen D, editors. 2009. The University of North Carolina at Chapel Hill: Climate Change Committee report. Chapel Hill (NC): UNC Institute for the Environment. [accessed 2025 Aug.] <https://bot.unc.edu/wp-content/uploads/sites/160/archives/PP%201108%20FB%20Climate%20change.pdf>.

Barges M, Morris V. 2023. Building safer cities for birds – how cities are leading the way on bird-friendly building policy. Yale Bird-Friendly Building Initiative.

Barnes-Svarney P, Svarney TE. 2004. Handy geology answer book. n.p.: Visible Ink Press. Chapter 1, Details of geology; p. 1–12

Barr Jr. TC, Holsinger JR. 1985. Speciation in cave faunas. *Annu Rev of Ecol Syst* 16:313–337.

Barrett K, Nibbelink NP, Maerz JC. 2014. Identifying priority species and conservation opportunities under future climate scenarios: amphibians in a biodiversity hotspot. *Journal of Fish and Wildlife Management* 5(2):282-97.

Bart J, Manning A, Dunn L, Fischer R, Eberly C. 2010. Coordinated Bird Monitoring: Technical Recommendations for Military Lands. Department of Defense Partners in Flight. US Geological Survey. [accessed 2025 Aug.] <https://pubs.usgs.gov/of/2010/1078/pdf/ofr20101078.pdf>.

Beane JC, Graham SP, Thorp TJ, Pusser LT. 2014. Natural history of the Southern Hognose Snake (*Heterodon simus*) in North Carolina, USA. *Copeia*. 2014(1):168–175.

Beane JC. 1998. Status of the river frog, *Rana heckscheri* (Anura: Ranidae). North Carolina. *Brimleyana* 25:69-79.

Belanger SE. 1991. The effect of dissolved oxygen, sediment, and sewage treatment plant discharges upon growth, survival and density of Asiatic clams. *Hydrobiol.* 218:113–126.

Benke AC, Cushing CE, editors. 2005. Rivers of North America. Elsevier. Chapter 1, Background and approach; p. 1–18.

Benner R, Barnett A, Sheldon AO, Hoenke K, Meitzen K, Fields M. 2014. North Carolina's freshwater resilience. Durham (NC): The Nature Conservancy. 33 p.

References

Bispo R, Bernardino J, Coelho H, Costa JL (eds). 2019. Wind Energy and Wildlife Impacts. Springer Nature, Springer International Publishing. Switzerland AG. ISBN 978-3-030-05519-6. 222 p.

Blaise C, Gagné F, Salazar M, Salazar S, Trottier S, Hansen PD. 2003. Experimentally-induced feminisation of freshwater mussels after long-term exposure to a municipal effluent. *Fresenius Environmental Bulletin* 12(8):865-70.

Blaustein AR, Walls SC, Bancroft BA, Lawler JJ, Searle CL, Gervasi SS. 2010. Direct and indirect effects of climate change on amphibian populations. *Diversity* 2(2):281-313. [accessed 2025 June] <https://doi.org/10.3390/d2020281>.

Blaustein L, Garb JE, Shebitz D, Nevo E. 1999. Microclimate, developmental plasticity and community structure in artificial temporary ponds. *Hydrobiol.* 392:187–196.

Blazer VS, Iwanowicz LR, Starliper CE, Iwanowicz DD, Barbash P, Hedrick JD, Reeser SJ, Mullican JE, Zaugg SD, Burkhardt MR, et al. 2010. Mortality of centrarchid fishes in the Potomac drainage: survey results and overview of potential contributing factors. *J Aquat Anim Health* 22:190–218.

Blehert DS, Hicks AC, Behr M, Meteyer CU, Berlowski-Zier BM, Buckles EL, Coleman JTH, Darling SR, Gargas A, Niver R, Okoniewski JC, Rudd RJ, Stone WB. 2009. Bat white-nose syndrome: an emerging fungal pathogen? *Science* 323(5911): 227.

Boddicker M, Rodriguez JJ, Amanzo J. 2002. Indices for assessment and monitoring of large mammals within an adaptive management framework. *Environmental Monitoring and Assessment* 76(1):105-23. [accessed 2025 Aug.] https://museohn.unmsm.edu.pe/docs/pub_masto/Boddicker_et_al_2002_Indices_for_assessment_and_monitoring_large_mammals.pdf.

Bodine, R. 2023. Proposed Delisting of the U.S. Breeding Population of the Wood Stork. U.S. Fish and Wildlife Service (USFWS). [Accessed 2024 Dec.] <https://www.fws.gov/story/2023-02/wood-stork-proposed-delisting>.

Bogan AE, Bowers-Altmann J, Raley ME. 2011. A new threat to conservation of North American freshwater mussels: Chinese Pond Mussel *Sinanodonta woodiana* in the United States. *Tentacle* 19:39-40.

Bogan AE. 1993. Freshwater bivalve extinctions: search for a cause. *American Zoologist* 33:599–609.

Bogan AE. 1996. Decline and decimation: the extirpation of the unionid bivalves in North America. *J Shellfish Res.* 15:484.

Bonin A, Bellemain E, Eidesen PB, Pompanon F, Brochmann C, Taberlet P. 2004. How to track and assess genotyping errors in population genetics studies. *Mol Ecol.* 13(11):3261–3273.

Bosch J, Rincon PA. 2008. Chytridiomycosis-mediated expansion of *bufobufo* in a montane area of central Spain: an indirect effect of the disease. *Divers Distrib.* 14(4):637–643.

Boschung HT, Mayden RL. 2004. Fishes of Alabama. Washington (DC): Smithsonian Press. 736 p.

References

Bost MC, Rodriguez AB, McKee BA. 2024. Impact of land-use change on salt marsh accretion. *Estuarine, Coastal and Shelf Science* 299:108693. <https://doi.org/10.1016/j.ecss.2024.108693>.

Bouchet P, Rocroi JP. 2005. Classification and nomenclator of gastropod families (Vol. 47, No. 1/2). Institute of Malacology. Conch Books. Hackenheim, Germany. 397 p.

Bourne GR. 1993. Differential snail-size predation by snail kites and limpkins. *Oikos*. 68:217–223.

Bradshaw JWS. 2006. The evolutionary basis for the feeding behavior of domestic dogs (*Canis familiaris*) and cats (*Felis catus*). *J. Nutr.* 136 (7 Suppl), 1927S–1931S. [accessed 2025 Feb.] <https://doi.org/10.1093/jn/136.7.1927S>.

Braswell AL. 1993. Status report on *Rana capito capito* LeConte, the Carolina gopher frog in North Carolina. Unpublished report to NC Wildlife Resources Commission Nongame and Endangered Wildlife Program. Raleigh, NC. 20 p.

Brewer SK, Orth DJ. 2015. Smallmouth Bass *Micropterus dolomieu* Lacepède, 1802. *Am Fish Soc Symp.* 82:9–26.

Brim-Box J, Williams JD. 2000. Unionid mollusks of the Apalachicola Basin in Alabama, Florida, and Georgia. *Bull Ala Mus Nat Hist.* 21:1–143.

Bringolf RB, Heltsley RM, Newton TJ, Eads CB, Fraley SJ, Shea D, Cope WG. 2010. Environmental occurrence and reproductive effects of the pharmaceutical fluoxetine in native freshwater mussels. *Environ Toxicol Chem.* 29(6):1311–1318.

Brinkley ES. 2012. Bermuda Petrel (*Pterodroma cahow*). In Schulenberger TS, editor. *Neotropical birds online*. Cornell Lab of Ornithology, Ithaca, NY. [accessed 2025 June] <https://birdsoftheworld.org/bow/home>.

Brinkmann R, Parise M. 2012. Karst environments: problems, management, human impacts, and sustainability – an introduction to the special issue. *J Cave Karst Stud* 74(2):135–136.

Brown KM, Alexander JE, Thorp JH. 1998. Differences in the ecology and distribution of lotic pulmonated and prosobranch gastropods. *Am Malacol Bull.* 14(2):91–101.

Brown KM, Devries GH. 2000. Habitat certainty and the structure of freshwater snail guilds. Paper presented at the 33rd Annual American Institute of Biological Sciences Meeting, University Park, PA.

Brown KM, Lang B, Perez KE. 2008. The conservation ecology of North American pleurocerid and hydrobiid gastropods. *Journal of the North American Benthological Society* 27(2):484-495.

Brown KM, Lydeard CE. 2010. Mollusca: Gastropoda. In: Thorpe JH, Covich AP, editors. *Ecology and classification of freshwater invertebrates of North America*. 3rd ed. Boston (MA): Academic Press. p. 277–307.

References

Brown KM. 2001. Gastropoda. In: Thorp JH, Covich AP, editors. *Ecology and classification of North American freshwater invertebrates*. 2nd ed. San Diego (CA): Academic Press. p. 297–330.

Brown SC, Schulte S, Harrington B, Winn B, Bart J, Howe M. 2005. Population size and winter distribution of eastern American Oystercatchers. *J Wildl Manag*. 69(4):1538–1545.

Brusca RC, Brusca GJ. 1990. *Invertebrates*. Sunderland (MA): Sinauer Associates. 922 p.

Bucci JP. 2007. Assessment of the feeding ecology of native and non-native freshwater bivalves in a North Carolina river basin [dissertation]. [Raleigh (NC)]: NC State University. 237 p.

Buehler DA, Giocomo JJ, Jones J, Hamel PB, Rogers CM, Beachy TA, Varble DW, Nicholson CP, Roth KL, Barg J, et al. 2008. Cerulean Warbler reproduction, survival, and models of population decline. *J Wildl Manag*. 72:646–653.

Burch JB. 1962. *How to know the eastern land snails; pictured-keys for determining the land snails of the United States occurring east of the Rocky Mountain divide*. Dubuque (IA): WC Brown Co. 214 pp.

Burch JB. 1989. *North American freshwater snails*. Hamburg (MI): Malacological Publications. 365 p.

Burke JS, Rohde FC. 2015. Diadromous fish stocks of America's southeastern Atlantic coast. NOAA Technical Memorandum NOS NCCOS 198. [accessed 2015 July]. <http://www2.coastalscience.noaa.gov/publications/detail.aspx?resource=GNbbbGhbsftgS9zE5HJOKBD4P2FDXI4iDogDgOeUJRQ=>. 55 p.

Burke MK, King SL, Gartner D, Eisenbies MH. 2003. Vegetation, soil, and flooding relationships in a blackwater floodplain forest. *Wetl* 23(4):988–1002.

Burns CE, Peoples C, Fields M, Barnett A. 2012. *Protecting North Carolina's freshwater systems: a state-wide assessment of biodiversity, condition and opportunity*. Durham, NC: The Nature Conservancy.

Butcher GS, Niven DK. 2007. Combining data from the Christmas Bird Count and the Breeding Bird Survey to determine the continental status and trends of North America birds. Ivyland, PA: National Audubon Society.

Butler RS. 2002a. *Crayfishes of the Southern Appalachian ecosystem, with emphasis on the imperiled fauna*. Asheville (NC): US Fish and Wildlife Service.

Butler RS. 2002b. *Imperiled fishes of the Southern Appalachian ecosystem, with emphasis on the non-federally listed fauna*. Asheville, NC: US Fish and Wildlife Service.

C

C

[CBD] Center for Biological Diversity. 2023. Petition to list the coastal (Wayne's) black-throated green warbler (*Setophaga virens waynei*) under the Endangered Species Act as an endangered or threatened species and to concurrently designate critical habitat. [accessed 2025 June] https://ecosphere-documents-production-public.s3.amazonaws.com/sams/public_docs/petition/10869.pdf. 71 pp.

[CDC] Centers for Disease Control and Prevention. 2025. About One Health [website] [accessed 2025 July] <https://www.cdc.gov/one-health/about/index.html>.

[CFI] Conservation Fisheries Incorporated. 2025. (Website) [Accessed 2025 Feb.] <https://www.conservationsfisheries.org>.

[CFRP] Cape Fear River Partnership. 2013. Cape Fear River Basin action plan for migratory fish. NOAA Habitat Conservation, Habitat Protection. 81 p.

[CITES] Convention on International Trade in Endangered Species of Wild Fauna and Flora. 2025. Appendices I, II and III, valid from 7 February 2025. 79 p. [accessed 2025 June] <https://cites.org/eng/app/appendices.php>.

[CITES] Convention on International Trade in Endangered Species of Wild Fauna and Flora. 1975. United Nations Environment Programme, CITES Secretariat. Geneva, Switzerland. Available online <https://cites.org/eng/disc/text.php>.

[CMP] Conservation Measures Partnership. 2016. CMP Direct Threats Classification v 2.0. [Accessed 2025 June]. <https://www.conservationstandards.org/library-item/threats-and-actions-taxonomies/>.

[CWA] Carolina Wetlands Association. 2022. Carolina Wetlands Past to Present: how wetlands have changed in the Carolinas and their current condition, stressors, and threats. [accessed 2025 June] <https://irp.cdn-website.com/13e22597/files/uploaded/2022-State-of-the-Wetlands-Carolina-Wetlands-Association-final-report.pdf>. 19 pp.

Caetano GH, Chapple DG, Grenyer R, Raz T, Rosenblatt J, Tingley R, et al. 2022. Automated assessment reveals that the extinction risk of reptiles is widely underestimated across space and phylogeny. PLoS Biol 20(5): e3001544. 24 pp. <https://doi.org/10.1371/journal.pbio.3001544>.

Cagle FR. 1952. The status of turtles *Graptemys pulchra* Baur and *Graptemys barbouri* Carr and Marchand, with notes on their natural history. Copeia. 1952:223–234.

Caissie D. 2006. The thermal regime of rivers: a review. Freshw Biol 51:1389–1406.

Calo F, Parise M. 2009. Waste management and problems of groundwater pollution in karst environments in the context of a postconflict scenario: the case of Mostar (Bosnia Herzegovina). Habitat International 33(1):63–72.

References

Cameron SA, Lozier JD, Strange JP, Koch JB, Cordes N, Solter LF, Griswold TL. 2011. Patterns of widespread decline in North American bumble bees. *Proc Natl Acad Sci*.108(2):662–667. [accessed 2025 June] <http://www.pnas.org/content/108/2/662.full.pdf>.

Cameron WM, Pritchard DW. 1963. Estuaries. In: Hill MN, editor. *The sea*. Vol. 2. New York (NY): John Wiley and Sons. p. 306–324.

Campbell BG, Coes AL, editors. 2010. Groundwater availability in the Atlantic Coastal Plain of North and South Carolina. US Geological Survey Professional Paper 1773. Denver (CO): USGS 241 p. [accessed 2015] <http://pubs.usgs.gov/pp/1773/pdf/pp1773.pdf>.

Campbell DC, Lydeard C. 2012. The genera of *Pleurobemini* (Bivalvia: Unionidae: *Ambleminae*). *American Malacological Bulletin* 30(1):19-38. <https://doi.org/10.4003/006.030.0102>.

Carolina Demography. 2024. The Carolina Population Center, University of North Carolina at Chapel Hill. [accessed 2025 Jan] <https://carolinademography.cpc.unc.edu/2021/04/26/census-2020-nc-gains-a-14th-seat-in-the-house-of-representatives>.

Carpenter, J. P., Worm, A. J., Boves, T. J., Wood, A. W., Poston, J. P., & Toews, D. P. 2022. Genomic variation in the Black-throated Green Warbler (*Setophaga virens*) suggests divergence in a disjunct Atlantic Coastal Plain population (*S. v. waynei*). *Ornithology*, 139(4), ukac033.

Chambers PA, Hanson JM, Burke JM, Prepas EE. 1990. The impacts of the crayfish *Orconectes virilis* on aquatic macrophytes. *Freshw Biol*. 24: 81–91.

Che J, Chen HM, Yang JX, Jin JQ, Jiang KE, Yuan ZY, Murphy RW, Zhang YP. 2012. Universal COI primers for DNA barcoding amphibians. *Molecular Ecology Resources* 12(2):247-58. [accessed 2025 June] <https://doi.org/10.1111/j.1755-0998.2011.03090.x>.

Chesser RT, Billerman SM, Burns KJ, Cicero C, Dunn JL, Hernández-Baños BE, Jiménez RA, Johnson O, Kratter AW, Mason NA, Rasmussen PC, Remsen Jr JV. 2024. Checklist of North American Birds (online). American Ornithological Society. [accessed 2025 Feb.] <https://checklist.americanornithology.org/taxa/>

Cheung WW, Frölicher TL, Lam VW, Oyinlola MA, Reygondeau G, Sumaila UR, Tai TC, Teh LC, Wabnitz CC. 2022. Marine high temperature extremes amplify the impacts of climate change on fish and fisheries. *Science Advances* 7(40):eab0895. [accessed 2025 March] https://scholar.google.com/scholar?output=instlink&q=info:x-YeQajK4asJ:scholar.google.com/&hl=en&as_sdt=0,34&scillfp=9204133268526995328&oi=lle

Chowdhury S, Jennions MD, Zalucki MP, Maron M, Watson JE, Fuller RA. 2023. Protected areas and the future of insect conservation. *Trends in Ecology & Evolution* 38(1):85-95.

Christensen DL, Herwig BR, Schindler DE, Carpenter SR. 1996. Impacts of lakeshore residential development on coarse woody debris in north temperate lakes. *Ecol Appl* 6:1143–1149.

References

Christensen NL, Bartuska AM, Brown JH, Carpenter S, D'Antonio C, Francis R, Franklin JF, MacMahon JA, Noss RF, Parsons DJ, et al. 1996. The report of the Ecological Society of America Committee on the scientific basis for ecosystem management. *Ecol Appl* 6:665–691

Christman MC, Culver DC. 2001. The relationship between cave biodiversity and available habitat. *Journal of Biogeography* 28:367–380.

Claggett PR, Hearn PP, Jr., and Donato DL. 2015. Historic and forecasted population and land-cover change in southeastern North Carolina, 1992–2030: U.S. Geological Survey Open-File Report 2014–1125, 23 pp. [accessed 2025 Jan.] <http://dx.doi.org/10.3133/ofr20141125>.

Cobb SP, Kaufman J. 1993. Clearing and snagging. In: Bryan CF, Rutherford DA, editors. *Impacts on warmwater streams: guidelines for evaluation*. Little Rock (AR): American Fisheries Society, Southern Division.p. 169–180

Coharie Tribe. 2025. Official website <https://coharietribe.org>. [accessed 2025 Jan.]

Cohen JB, Karpanty SM, Fraser JD, Truitt BR. 2010. The effect of benthic prey abundance and size on Red Knot (*Calidris canutus*) distribution at an alternative migratory stopover site on the US Atlantic Coast. *J Ornithol.* 151:355–364.

Colla SR, Otterstatter MC, Gegeare RJ, Thomson JD. 2006. Plight of the bumble bee: pathogen spillover from commercial to wild populations. *Biol Conserv.* 129:461–467.

Collins JP, Crump ML. 2009. *Extinction in our times: global amphibian declines*. New York, NY, , USA: Oxford University Press. 273 p.

Collins SM, Blackmore RJ, Lamarre J, Spiegel CS, Monteverchi WA. 2025. Altering gillnet soak duration and timing minimizes bycatch and maintains target catch. *PLoS one* 20(6):e0325725.

Colombano DD, Litvin SY, Ziegler SL, Alford SB, Baker R, Barbeau MA, Cebrián J, Connolly RM, Currin CA, Deegan LA, Lesser JS. 2021. Climate change implications for tidal marshes and food web linkages to estuarine and coastal nekton. *Estuaries and Coasts* 1-2.

Conant T, Cousins K, Katekaru A, Kerstetter DW, Rivera K, Swanson D, Tuttle R, Manville A, Wohl K, Tinkham S. 2000. A National Plan of Action for Reducing the Incidental Catch of Seabirds in Longline Fisheries. [accessed 2025 June] https://nsuworks.nova.edu/cgi/viewcontent.cgi?article=1277&context=occ_facpresentations

Congressional Record. 2011. Proceedings and Debates of the 112th Congress, First Session. Vol. 157, No. 169. Washington, DC. [accessed 2025 June] <http://www.gpo.gov/fdsys/pkg/CREC-2011-11-07/pdf/CREC-2011-11-07-pt1-PgH7401-7.pdf>.

Conn KE, Barber LB, Brown GK, Siegrist RL. 2006. Occurrence and fate of organic contaminants during onsite wastewater treatment. *Environ Sci & Technol* 40(23):7359–7366.

References

Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES). 2021. How CITES works. Available online <https://cites.org/eng/disc/how.php>.

Conway CJ, Sulzman C, Raulston BE. 2004. Factors affecting detection probability of California black rails. *J Wildl Manag* 68(2):360–370.

Coombs JA, Nislow KH. 2015. EBTJV salmonid catchment assessment and habitat patch layers. University of Massachusetts and USDA Forest Service Northern Research Station, Amherst, MA. [accessed 2025 Aug.] <https://easternbrooktrout.org/science-data/reports/ebtv-salmonid-catchment-assessment-and-habitat-patch-layers/view>.

Cooper J, Baker GB, Double MC, Gales R, Papworth W, Tasker MI, Waugh SM. 2006. The Agreement on the Conservation of Albatrosses and Petrels: rationale, history, progress and the way forward. *Marine Ornithology* 34:1-5.

Cooper JE, Cooper DG. 2003. A new crayfish of the genus *Cambarus* Erichson, 1846 (Decapoda: Cambaridae) from the Cape Fear River basin in the Sandhills of North Carolina. *Proc Biol Soc Wash.* 116(4):920–932.

Cooper JE, Cooper MR. 1995. A new species of crayfish of the genus *Orconectes*, subgenus *Procericambarus* (Decapoda: Cambaridae) endemic to the Neuse and Tar-Pamlico River Basins, North Carolina. *Brimleyana*. 23:65–87.

Cooper JE, Russ WR. 2013. Four crayfishes (Decapoda: Cambaridae) new to the North Carolina fauna, with notes on other species in the state. *J N C Acad Sci.* 129(2):53–57.

Cooper JE, Schofield KA. 2002. *Cambarus (Jugicambarus) tuckasegee*, a new species of crayfish (Decapoda: Cambaridae) from the Little Tennessee River basin, North Carolina. *Proc Biol Soc Wash.* 115(2):371–381.

Cooper JE. 1998. A new species of crayfish of the genus *Procambarus*, subgenus *Ortmannicus* (Decapoda: Cambaridae), from the Waccamaw River basin, North and South Carolina. *Proc Biol Soc Wash.* 111(1):81–91.

Cooper JE. 2000a. *Cambarus (Cambarus) davidi*, a new species of crayfish (Decapoda: Cambaridae) from North Carolina. *Proc Biol Soc Wash.* 113(2):431–442.

Cooper JE. 2000b. A new species of crayfish of the genus *Cambarus*, subgenus *Cambarus* (Decapoda: Cambaridae) from the Broad River Basin of North Carolina. *J Elisa Mitchell Sci Soc.* 116(1):1–12.

Cooper JE. 2004a. Guide to crayfishes of the Hiwassee River Basin, North Carolina. Raleigh (NC): NC Museum of Natural Sciences; [accessed 2015 August]; 88 pp.
http://www.hrcw.net/wap/lake_chatuge_watershed_action_plan.pdf.

Cooper JE. 2004b. Guide to crayfishes of the Little Tennessee River Basin, North Carolina. Raleigh (NC): NC Museum of Natural Sciences.

References

Cooper JE. 2005. A report on adventive crayfishes in North Carolina [Unpublished report]. Raleigh (NC): NC Museum of Natural Sciences.

Cooper JE. 2006a. A new species of crayfish of the genus *Cambarus* Erichson, 1846 (Decapoda: Cambaridae) from the eastern Blue Ridge foothills and western Piedmont Plateau of North Carolina. *Proc Biol Soc Wash.* 119(1):67–80.

Cooper JE. 2006b. A new species of crayfish of the genus *Cambarus* Erichson, 1846, subgenus *Puncticambarus* Hobbs, 1969 (Decapoda: Cambaridae), from the Hiwassee River Basin of North Carolina. *Proc Biol Soc Wash.* 119(1):81–90.

Cooper JE. 2007. *Corbicula fluminea* (Asian clam) in the Roanoke River, North Carolina: a stressed population? *Southeast Nat.* 6(3):413–434.

Cooper JE. 2010. Annotated checklist of the crayfishes of North Carolina, and correlations of distributions with hydrologic units and physiographic provinces. *J N C Acad Sci.* 126(3):69–76.

Cooper JE. 2011. Redescription and distribution of the crayfish, *Procambarus (Ortmannicus) pearsei* (Creaser, 1934) (Decapoda: Cambaridae), with notes on its biology. *Proc Biol Soc Wash.* 124(1):9–22.

Cooper TR. 2007. King rail conservation plan and status assessment, version 1.0. Fort Snelling (MN): US Fish and Wildlife Service.

Cormier B. 2020. Microplastic toxicity for fish : beyond simple vectors for pollutants?. *Ecotoxicology*. Université de Bordeaux, English. NNT : 2020BORD0036. Online <https://theses.hal.science/tel-03003489v1>.

Cornelissen T. 2011. Climate change and its effects on terrestrial insects and herbivory patterns. *Neotropical Entomology* 40:155-163.

Cornell Lab. 2025. All About Birds (online), FAQ: Outdoor Cats and Their Effects on Birds. {accessed 2025 Feb.] <https://www.allaboutbirds.org/news/faq-outdoor-cats-and-their-effects-on-birds/>.

Covich AP, Palmer MA, Crowl TA. 1999. The role of benthic invertebrate species in freshwater ecosystems. *BioSci* 49:119–127.

Cowardin LM, Carter V, Golet FC, LaRoe ET. 1979. Classification of wetlands and deepwater habitats of the United States. Washington (DC): US Department of the Interior, Fish and Wildlife Service; [accessed 2025 Aug.]. <https://doi.org/10.1093/iol/76.10.666>.

Crandall K, Buhay J. 2008. Global diversity of crayfish (Astacidae, Cambaridae, and Parastacidae: Decapoda). *Hydrobiol.* 595:295–301.

Crouch WB, Paton WC. 2000. Using egg-mass counts to monitor wood frog populations. *Wildlife Society Bulletin* 28(4):895-901.

References

Croxall JP, Butchart SH, Lascelles BE, Stattersfield AJ, Sullivan BE, Symes A, Taylor PH. 2012. Seabird conservation status, threats and priority actions: a global assessment. *Bird Conservation International* 22(1):1-34.

Culver DC, Holsinger JR, Christman MC, Pipan T. 2010. Morphological differences among eyeless amphipods in the genus *Stygobromus* dwelling in different subterranean habitats. *J Crustac Biol* 30:68–74.

Culver DC, Holsinger JR, Feller DJ. 2012. The fauna of seepage springs and other shallow subterranean habitats in the Mid-Atlantic Piedmont and Coastal Plain. *Northeast Nat* 19(m9):1–42.

Culver DC, Holsinger JR. 1969. Preliminary observations on sex ratios in the subterranean amphipod genus *Stygonectes* (*Gammaridae*). *Am Midl Nat* 82:631–633.

Culver DC, Master LL, Christman MC, Hobbs HH III. 2000. Obligate cave fauna of the 48 Contiguous United States. *Conservation Biology* 14:386–401.

Culver DC, Pipan T, Gottstein S. 2006. Hypotelminorheic: a unique freshwater habitat. *Subterr Biol* 4:1–7.

Culver DC, Pipan T. 2008. Superficial subterranean habitats: gateway to the subterranean realm? *Cave Karst Sci* 35:5–12.

Culver DC, Pipan T. 2009. The biology of caves and other subterranean habitats. Oxford (UK):Oxford University Press 254 p.

Culver DC, Poulsom TL. 1971. Oxygen consumption and activity in closely related amphipod populations from cave and surface habitats. *Am Midl Nat* 85:74–84. Culver DC, Šeregi I. 2004. Kenk's amphipod (*Stygobromus kenki*) and other amphipods in Rock Creek Park, Washington, DC. Unpublished report to the National Park Service. Environmental Studies Program, American University 147 p.

Cushman RM. 1985. Review of Ecological Effects of Rapidly Varying Flows Downstream from Hydroelectric Facilities. *North American Journal of Fisheries Management* 5(3A):330-339.

D

D

Davidson EW, Snyder J, Lightner D, Ruthig G, Lucas J, Gilley J. 2010. Exploration of potential microbial control agents for the invasive crayfish, *Orconectes virilis*. *Biocontrol Sci Technol*. 20:3, 297–310. [accessed 2025 Aug.] [Exploration of potential microbial control agents for the invasive crayfish, *Orconectes virilis* : Biocontrol Science and Technology: Vol 20, No 3](#).

Davis CA, Smith LM. 2001. Foraging strategies and niche dynamics of coexisting shorebirds at stopover sites in the southern Great Plains. *Auk* 118(2):484–495.

De Steven D, Toner MM. 2004. Vegetation of upper coastal plain depression wetlands: environmental templates and wetland dynamics within a landscape framework. *Wetlands* 24:23-42.

References

Delany S, Nagy S, Davidson N. 2010. State of the world's waterbirds 2010. Ede (Netherlands): Wetlands International. 24 p.

Denver JM, Ator SW, Fischer Jm, Harned DC, Schubert C, Szabo Z. 2014. The quality of our Nation's waters—Water quality in the Northern Atlantic Coastal Plain surficial aquifer system, Delaware, Maryland, New Jersey, New York, North Carolina, and Virginia, 1988–2009: U.S. Geological Survey Circular 1353, 88 p. [accessed 2025 June] <http://dx.doi.org/10.3133/cir1353>.

DeRose-Wilson A, Fraser JD, Karpanty SM, Catlin DH. 2013. Nest-site selection and demography of Wilson's Plovers on a North Carolina barrier island. *J Field Ornithol.* 84(4):329–344.

Deutsch CA, Tewksbury JJ, Huey RB, Sheldon KS, Ghalambor CK, Haak DC, Martin PR. 2008. Impacts of climate warming on terrestrial ectotherms across latitude. *Proceedings of the National Academy of Sciences* 105(18):6668–72. <https://doi.org/10.1073/pnas.0709472105>

DeWan AN, Dubois N, Theoharides K, Boshoven J. 2010. Understanding the impacts of climate change on fish and wildlife in North Carolina. Washington (DC): Defenders of Wildlife. [accessed 2025 July] https://defenders.org/sites/default/files/publications/understanding_the_impacts_of_climate_change_on_fish_and_wildlife_in_north_carolina.pdf. 209 p.

Di Gregorio A. 2005, Land cover classification system—Classification concepts and user manual (software version 2): Food and Agriculture Organization (FAO) of the United Nations, Rome, Italy. [accessed 2025 Jan] <http://www.fao.org/docrep/008/y7220e/y7220e00.HTM>.

Díaz S, Fargione J, Chapin III FS, Tilman D. Biodiversity loss threatens human well-being. 2006. *PLoS biology* 4(8):e277. [accessed 2025 June] <https://journals.plos.org/plosbiology/article?id=10.1371/journal.pbio.0040277>.

Dirzo R, Young HS, Galetti M, Ceballos G, Isaac NJB, Collen B. 2014. Defaunation in the Anthropocene. *Science* 345:401–406.

Doherty P, Grubb T. 2000. Habitat and landscape correlates of presence, density, and species richness of birds wintering in forest fragments in Ohio. *Wilson Bulletin* 112:388–394.

Domenico PA, Schwartz FW. 1998. Physical and chemical hydrogeology. 2nd ed. New York (NY): John Wiley & Sons 506 p.

Donovan TM, Beardmore CJ, Bonter DN, Brawn DJ, Cooper RJ, Fitzgerald JA, Ford R, Gauthreaux SA, George TL, Hunter WC, et al. 2002. Priority research needs for the conservation of neotropical migrant landbirds. *J Field Ornithol* 73(4):329–339.

Dourson DC. 2013. Land snails of the Great Smoky Mountains National Park and Southern Appalachians Tennessee and North Carolina. Bakersville (NC): Goatslug Publications. 336 p.

Downing JA, Watson SB, McCauley E. 2001. Predicting cyanobacteria dominance in lakes. *Can J Fish Aquat Sci* 58(10):1905–1908.

References

Drew CA, Wiersma YF, Huettmann F (eds.), 2011. Predictive species and habitat modeling in landscape ecology, concepts and applications. Springer Science + Business Media, New York.

Dunn EH, Francis CM, Blancher PJ, Drennan SR, Howe MA, Lepage D, Robbins CS, Rosenberg KV, Sauer JR, Smith KG. 2005. Enhancing the scientific value of the Christmas Bird Count. *Auk*. 122(1):338–346.

Dutzik T, Schneider J. 2012. Securing North Carolina's future: a five-year plan for investing in our land, water and quality of life. Raleigh (NC): Land for Tomorrow.

E

E

[EBCI] Eastern Band of Cherokee Indians. 2022. EBCI Wildlife Action Plan, A Social-Ecological Framework to Adaptively Manage and Conserve Fish and Wildlife. Natural Resources Program, Fisheries and Wildlife Management Office, Cherokee, NC. 62 pp.

[EBTJV] Eastern Brook Trout Joint Venture. 2018. Conserving the Eastern Brook Trout -Action Strategies. [accessed 2025 Aug.] https://easternbrooktrout.org/science-data/reports/eastern-brook-trout-roadmap-to-conservation-2018/at_download/file. 32 pp.

[EBTJV] Eastern Brook Trout Joint Venture. 2015. EBTJV Salmonid Catchment Assessment and Habitat Patch Layers.

[EBTJV] Eastern Brook Trout Joint Venture. 2011. Conserving the Eastern Brook Trout: Action Strategies. Conservation Strategy/Habitat Work Group, Eastern Brook Trout Joint Venture. [accessed 2025 Aug.] <https://easternbrooktrout.org/science-data/reports/ebtv-conservation-strategy-2011/view>. 91 pp.

Eanes, Z. 2024. The Triangle suburbs continued to see rapid growth in 2023. Axios Media, Raleigh Newsletter March 15, 2024. [Accessed 2024 Dec.]
<https://www.axios.com/local/raleigh/2024/03/15/the-triangle-suburbs-continued-to-see-rapid-growth-in-2023>.

Eaton JG, Scheller RM. 1996. Effects of climate warming on fish thermal habitat in streams of the United States. *Limnol Oceanogr* 41:1109–1115.

Eckblad JW, Lehtinen SF. 1991. Decline in fingernail clam populations (Family Sphaeriidae) from backwater lakes of the Upper Mississippi River. *JFreshw Ecol*. 6:353–362.

Eggleston JR, Kehn TM, Wood Jr. GH. 1999. Anthracite. In Schultz GH, editor. The geology of Pennsylvania. Special Publication 1. Pittsburgh (PA): Pennsylvania Geological Survey and Pittsburgh Geological Society. Pp. 458–469.

Elliott WR. 2004. Protecting caves and cave life. Pages 458-467 In Culver DC , White WB (editors) The Encyclopedia of Caves. Elsevier Academic Press, Amsterdam.

Ellis AM, Patton LL, Castleberry SB. 2002. Bat activity in upland and riparian habitats in the Georgia Piedmont. *Proc Annu Conf Southeast Assoc Fish Wildl Agencies* 56:210–218.

Elrod J, Huang YW, Nam P, Twidwell D. 2003b. Endocrine disruption study of Ozark hellbenders (*Cryptobranchus alleganiensis bishopi*) in Eleven Point and White Rivers. Online abstract in the Missouri Life Sciences Week, March 2003, Missouri, USA.

Elrod J, Twidwell D, Huang YW. 2003a. Assessment of water quality, endocrine disruption, and hematology of Ozark hellbenders (*Cryptobranchus alleganiensis bishopi*) in Eleven Point and White Rivers. Paper presented at: Semi-annual Hellbender Working Group Meeting; West Plain, Missouri.

Emery D, Myers KJ, editors. 1996. Sequence Stratigraphy. Blackwell Publishing: Oxford, Cambridge, MA. 297 pp.

Enviva. 2025. (website) [accessed 2025 July] <https://www.envivabiomass.com>.

Erwin RM, Blohm R. 2016. Migratory Bird Program at the U.S. Geological Survey Patuxent Wildlife Research Center/U.S. Fish and Wildlife Service Patuxent Research Refuge: Transformations in Management and Research. Publication of the US Geological Survey 142. [accessed 2025 May] <https://digitalcommons.unl.edu/cgi/viewcontent.cgi?article=1142&context=usgspubs>.

Erwin RM. 1989. Responses to human intruders by birds nesting in colonies: experimental results and management guidelines. *Colon Waterbirds*. 12(1):104–108.

Erwin RM. 2005. Management, monitoring and protection protocols for colonially nesting waterbirds at Cape Hatteras National Seashore, North Carolina. Final report to National Park Service. Laurel (MD): USGS Patuxent Wildlife Research Center. 29 p.

Eschmeyer RW. 1936. Essential considerations for fish management in lakes. In: Anonymous, editor. Proceedings from the North American Wildlife Conference. Washington (DC): US Government Printing Office. p. 332–339.

Etnier DA. 1997. Jeopardized southeastern freshwater fishes: a search for causes. Pages 87–104 in Benz GW, Collins DE, editors. Aquatic fauna in peril: the southeastern perspective. Southeast Aquatic Research Institute, Decatur, GA.

Evans LH, Edgerton BF. 2002. Pathogens, parasites and commensals; Chapter 10. In: Holdich, D.M. (ed.) Biology of Freshwater Crayfish. Blackwell Sciences Ltd., Oxford, England. pp. 377-438.

Ewing JM, Vepraskas MJ. 2006. Estimating primary and secondary subsidence in an organic soil 15, 20, and 30 years after drainage. *Wetlands* 26(1):119-30.

[FAO] Food and Agriculture Organization. 1999. International Plan of Action for reducing incidental catch of seabirds in longline fisheries. Rome (Italy): Food and Agricultural Organization of the United Nations.

References

[FAO] Food and Agriculture Organization. 2008. Report of the expert consultation on Best Practice Technical Guidelines for IPOA/NPOA—Seabirds. FAO Fisheries and Aquaculture Report 880. Bergen (Norway): Food and Agricultural Organization of the United Nations.

[FGDC] Federal Geographic Data Committee. 2013. Classification of wetlands and deepwater habitats of the United States. 2nd ed. FGDC-STD-004-2013. Wetlands Subcommittee, Federal Geographic Data Committee, and US Fish and Wildlife Service. Washington, DC. [Accessed 2024 November] <https://www.fgdc.gov/standards/projects/wetlands/nwcs-2013>.

[FMCS] Freshwater Mollusk Conservation Society. 2016. A National Strategy for the Conservation of Native Freshwater Mollusks. Freshwater Mollusk Biology and Conservation 19(1):1-21. <https://doi.org/10.31931/fmbc.v19i1.2016.1-21>.

Faber-Langendoen, D, Keeler-Wolf, T, Meidinger, D, Tart, D, Hoagland, B, Josse, C, Navarro, G, Ponomarenko, S, Saucier, JP, Weakley, A, Comer, P. 2014. EcoVeg: A new approach to vegetation description and classification. Ecological Monographs 84(4): 533–561. <https://doi.org/10.1890/13-2334.1>

Fahrig L, Pedlar JH, Pope SE, Taylor PD, Wegner JF. 1995. Effect of road traffic on amphibian density. Biol Conserv 73:177–182.

Farmer CJ, Goodrich LJ, Inzunza ER, Smith JP. 2008. Conservation status of North America’s birds of prey. State of North America’s birds of prey. Series in Ornithology 3:303-420.

Federal Register, Vol. 88, No. 31. 2023. Proposed Rules, 50 CFR Part 17. Endangered and Threatened Wildlife and Plants; Removal of the Southeast U.S. Distinct Population Segment of the Wood Stork from the List of Endangered and Threatened Wildlife. Published February 15, 2023. Accessed online 12/19/2024 <https://www.federalregister.gov/documents/2023/02/15/2023-03123/endangered-and-threatened-wildlife-and-plants-removal-of-the-southeast-us-distinct-population>.

Feinberg JA, Newman CE, Watkins-Colwell GJ, Schlesinger MD, Zarate B, Curry BR, Shaffer HB, Burger J. 2014. Cryptic diversity in metropolis: confirmation of a new leopard frog species (Anura: Ranidae) from New York City and surrounding Atlantic coast regions. PLoS one 9(10):e108213.

Ferree C, Anderson MG. A map of terrestrial habitats of the northeastern United States: methods and approach. Nature Conservancy. 2013;10:31.

Ferrer-Paris JR, Zager I, Keith DA, Oliveira-Miranda MA, Rodriguez JP, Jose C, Gonzalez-Gil M, Miller RM, Zambrana-Torrelio C, Barrow E. 2019. An ecosystem risk assessment of temperate and tropical forests of the Americas with an outlook on future conservation strategies. Conservation Letters 12:e12623. [accessed 2025 June] <https://doi.org/10.1111/conl.12623>.

Fetter CW. 2001. Applied Hydrogeology 4th edition. 598pp. Prentice Hall, Upper Saddle River, NJ.

Findlay CS, Lenton J, Zheng LG. 2001. Land-use correlates of anuran community richness and composition in southeastern Ontario wetlands. Ecosci 8:336–343.

References

Fischer JR, Neebling TE, Quist MC. 2012. Development and evaluation of a boat-mounted RFID antenna for monitoring freshwater mussels. *Freshwater Science* 31(1):148-153.

Fischer JR, Quist MC. 2014. Characterizing lentic freshwater fish assemblages using multiple sampling methods. *Environmental Monitoring and Assessment* 186(7):4461-4474.

Fleming WJ, Augspurger TP, Alderman JA. 1995. Freshwater mussel die-off attributed to anticholinesterase poisoning. *Environ Toxicol Chem*. 14(5):877–879.

Fleury S. 2009. Land use policy and practice on karst terrains. Springer. Chapter 1, Karst processes, landforms and issues; p. 1–18.

Florida Natural Areas Inventory. 1990. The natural communities of Florida. Florida Department of Natural Resources, Tallahassee, Florida, USA.

Ford WM, Dobony CA, Edwards JW. 2002. Shrews in managed northern hardwood stands in the Allegany Mountains of West Virginia. *Proc Annu Conf Southeast Assoc Fish Wildl Agencies* 56:374–384.

Ford WM, Evans AM, Odom RH, Rodrigue JL, Kelly CA, Abaid N, Diggins CA, Newcomb D. 2015. Predictive habitat models derived from nest-box occupancy for the endangered Carolina northern flying squirrel in the southern Appalachians. *Endangered Species Research* 27(2):131-40.
<https://doi.org/10.3354/esr00662>.

Ford WM, Kelly CA, Rodrigue JL, Odom RH, Newcomb D, Gilley LM, Diggins CA. 2014. Late winter and early spring home range and habitat use of the endangered Carolina Northern Flying Squirrel in western North Carolina. *Endangered Species Research* 23:73-82.

Forest Ethics, Greenpeace, Natural Resources Defense Council, and Rainforest Action Network. 2006. Ecological components of endangered forests. [accessed 2025 May]. Greenpeace.
<https://www.greenpeace.org/static/planet4-usa-stateless/2024/12/0f2cd70a-endangered-forests-technical-d.pdf>.

Fournie J, Chetail M. 1984. Calcium dynamics in land gastropods. *Am Zool*. 24(4):857–870.

Fox JE. 2005. Non-traditional targets of endocrine disrupting chemicals: The roots of hormone signaling. *Integr Comp Biol*. 45:179–188.

Franklin MA. 2001. Factors affecting seed production in natural populations of *Lysimachia asperulifolia* *poir.* (Primulaceae), a rare, self-incompatible plant species [thesis]. [Raleigh (NC)]: NC State University, Department of Botany.

Freeze RA, Cherry JA. 1979. Groundwater. Englewood Cliffs (NJ): Prentice-Hall 604 p.

Freyfogle E, Goble DD, Wildermuth TA. 2019. State Ownership and the Public Interest. In: *Wildlife Law*. Island Press, Washington, DC. https://doi.org/10.5822/978-1-61091-915-9_2.

References

Frick WF, Puechmaille SJ, Hayt JR, Nickel BA, Langwig KE, Foster JT, Barlow KE, Bartonicka T, Feller D, Haarsma AJ. 2015. Disease alters macroecological patterns of North American bats. *Global Ecol Biogeogr.* 24:741-749.

Friends of Plant Conservation. 2021. Plant Industry Division, Raleigh, North Carolina. Available online [accessed 2025 June] <https://www.ncplantfriends.org>.

Fussell JO, Webster WD, Hall SP, LeGrand HE, Schafale MP, Russo MJ. 1995. Ecosystem survey of Dare County Air Force Range, North Carolina. Report to NC Natural Heritage Program. Raleigh (NC): NC Department of Environment and Natural Resources.

G

G

[GWWG] Golden-winged Warbler Working Group. 2013. Best management practices for Golden-winged warbler habitats in the Appalachian Region: a guide for land managers and landowners. Golden-winged Warbler Working Group. 8 p. [accessed 2025 June].
http://www.allaboutbirds.org/bbimages/clo/pdf/GWWA-APPLRegionalGuide_130808_lo-res.pdf.

Gaff H, DeAngelis DL, Gross LJ, Salinas R, and Shorash M. 2000. Ecological Modeling 127:3352.

Gage E, Cooper DJ, Lichvar R. 2020. Comparison of USACE three-factor wetland delineations to national wetland inventory maps. *Wetlands* 40(5):1097-105.

Gagné F, Bouchard B, André C, Farcy E, Fournier M. 2011. Evidence of feminization in wild *Elliptio complanata* mussels in the receiving waters downstream of a municipal effluent outfall. *Comparative Biochemistry and Physiology Part C: Toxicology & Pharmacology* 153(1):99-106.

Gallant AL, Loveland TR, Sohl TL, Napton DE. 2004. Using an ecoregion framework to analyze land-cover and land-use dynamics. *Environ Manag* 34(supplement 1):S89–S110.

Gangloff MM, Siefferman L, Seesock W, Webber EC. 2009. Influence of urban tributaries on freshwater mussel populations in a biologically diverse piedmont (USA) stream. *Hydrobiol.* 636:191–201.

Ganser AM, Newton TJ, Haro RJ. 2013. The effects of elevated water temperature on native juvenile mussels: implications for climate change. *Freshwater Science* 32(4):1168-1177.

Garroway CJ, Bowman J, Cascaden TJ, Holloway GL, Mahan CG, Malcolm JR, Steele MA, Turner G, Wilson PJ. 2010. Climate change induced hybridization in flying squirrels. *Global Change Biology* 16(1):113-121.

Garvon JM, Bird J. 2005. Attraction of the land snail *Anguispira alternate* to fresh feces of white-tailed deer: implications in the transmission of *Parelaphostrongylus tenuis*. *Can J Zool.* 83:358–362.

Gascon C, Collins JP, Moore, RD, Church DR, McKay JE, Mendelson III JF (eds). 2007. *Amphibian Conservation Action Plan*. The World Conservation Union (IUCN), SSC Amphibian Specialist Group. Gland, Switzerland and Cambridge, UK. ISBN: 978-2-8317-1008-2. 64pp.

References

Gerber J. 2010. Leslie Hubricht (1908–2005), His Publications and New Taxa. *American Malacological Bulletin* 28(2):15-27.

Gibbons D, Morrissey C, Mineau P. 2015. A review of the direct and indirect effects of neonicotinoids and fipronil on vertebrate wildlife. *Environ Sci Pollut Res.* [accessed 2015 August];22:103–118. doi:10.1007/s11356-014-3180-5.

Gibbons JW, Scott DE, Ryan TJ, Buhlmann KA, Tuberville TD, Metts BS, Greene JL, Mills T, Leiden Y, Poppy S, et al. 2000. The global decline of reptiles, déjà vu amphibians. *BioSci* 50:653–666.

Gilley LM. 2013. Discovery and characterization of high-frequency calls in North American Flying Squirrels (*Glaucomys sabrinus* and *G.volans*): implications for ecology, behavior, and conservation [dissertation]. [Auburn (AL)]: Auburn University.

Gillies RR, Brim-Box J, Symanzik J, Rodemaker EJ. 2003. Effects of urbanization on the aquatic fauna of the Line Creek watershed, Atlanta – a satellite perspective. *Remote Sens Environ.* 86(3):411–422.

Gillieson D. 1996. Caves: processes, development and management. Wiley-Blackwell Publishing, Oxford, UK and Malden, MA. 336 pp.

Gillis PL. 2011. Assessing the toxicity of sodium chloride to the glochidia of freshwater mussels: implications for salinization of surface waters. *Environ Pollut.* 159(6):1702–1708.

Gitzen RA, Millspaugh JJ, Cooper AB, Licht DS (editors). 2012. Design and analysis of long-term ecological monitoring studies. Cambridge University Press, New York. 560 p.

Glen AS, Cockburn S, Nichols M, Ekanayake J, Warburton B. 2013. Optimising camera traps for monitoring small mammals. *PloS one* 8(6):e67940. [accessed 2025 Aug.] <https://journals.plos.org/plosone/article/file?id=10.1371/journal.pone.0067940&type=printable>.

Gordon ND, McMahon TA, Finlayson BL. 1992. Stream hydrology: an introduction for ecologists. West Sussex (UK): Wiley.

Gothe E, Friberg N, Kahlert M, Temnerud J, Sandin L. 2014. Headwater biodiversity among different levels of stream habitat hierarchy. *Biodivers. Conserv.* 23:63–80.

Goudreau SE, Neves RJ, Sheehan RJ. 1993. Effects of wastewater treatment plan effluents on freshwater mollusks in the upper Clinch River, Virginia, USA. *Hydrobiol.* 252:211–230.

Graf DL, Cummings KS. 2021. A ‘big data’ approach to global freshwater mussel diversity (Bivalvia: Unionoida), with an updated checklist of genera and species. *Journal of Molluscan Studies* 87(1):eyaa034. <https://doi.org/10.1093/mollus/eyab015>.

Graf DL, Cummings KS. Review of the systematics and global diversity of freshwater mussel species (Bivalvia: Unionoida). *Journal of Molluscan Studies* 73(4):291–314.

References

Graves GR. 2001. Factors governing the distribution of Swainson's Warbler along a hydrological gradient in Great Dismal Swamp. *The Auk* 118(3):650-664.

Greenberg CH, Neary DG, Harris LD. 1994. A comparison of herpetofauna sampling effectiveness of pitfall, single-ended, and double-ended funnel traps used with drift fences. *Journal of Herpetology* 28(3):319-324.

Greenwood KS, Thorp JH. 2001. Aspects of ecology and conservation of sympatric, prosobranch snails in a large river. *Hydrobiologia* 455(1-3):229-236.

Gregory JD, Watershed Hydrology Consultants. 2009. Headwaters streams & riparian corridors – the key to watershed management. Powerpoint presented at Lake George Watershed Conference, NY. unpublished.

Griffith JA. 2025. Understanding the Limits: Opportunities and Challenges in the Use of Web-Based Land Cover Analysis Tools by Conservation Groups. *Natural Areas Journal* 45(3):218-25.

Gunn J, Hardwick P, Wood PJ. 2000. The invertebrate community of the Peak-Speedwell Cave system, Derbyshire, England: pressures and considerations for conservation management. *Aquat Conserv: Mar Freshw Ecosyst* 10:353–369.

H

H

Haag WR, Williams JD. 2014. Biodiversity on the brink: an assessment of conservation strategies for North American freshwater mussels. *Hydrobiol.* 735:45–60.

Haag WR. 2012. North American freshwater mussels. Cambridge (England): Cambridge University Press. 505 p.

Hagen AB, Cangialosi JP, Chenard M, Alaka L, Delgado S. 2025. Tropical Cyclone Report: Hurricane Helene (AL092024), 24–27 September 2024.

Hahn HJ. 2009. A proposal for an extended typology of groundwater habitats. *Hydrogeol J* 17:77–81.

Hall LS, Krausman PR, Morrison ML. 1997. The habitat concept and a plea for standard terminology. *Wildl Soc Bull* 25(1):173–182.

Hall RO, Vanderloop MC, Dybdahl MF. 2003. Exotic snails dominate nitrogen and carbon cycling in a highly productive stream. *Front Ecol Environ.* 1:407–411.

Hall SP, Schweitzer DF. 1992. A survey of the moths, butterflies, and grasshoppers of four Nature Conservancy preserves in southeastern North Carolina. Report to The Nature Conservancy, North Carolina Chapter. 141 pp.

References

Hall SP, Sullivan JB. 2000. A rangewide status survey of the Venus flytrap moth *Hemipachnobia subporphyrea* (Lepidoptera: Noctuidae). Asheville (NC): US Fish and Wildlife Service, Region 6 Endangered Species Field Office.

Hall SP, Sullivan JB. 2004. Status survey for *Hemipachnobia subporphyrea*, based on larval presence and feeding sign. Raleigh (NC): US Fish and Wildlife Service, Raleigh Field Office.

Hall SP. 1999a. Inventory of lepidoptera of the Albemarle-Pamlico peninsular region of North Carolina, including Pettigrew, Goose Creek, and Jockey's Ridge State Parks and Nag's Head Woods Ecological Preserve. Raleigh (NC): NC Natural Heritage Program.

Hall SP. 1999b. Inventory of the moths and butterflies of the lower Roanoke River floodplain. Raleigh (NC): NC Natural Heritage Program.

Hall SP. 2003. Status survey for *Atrytonopsis* new species 1 in North Carolina. Raleigh, NC. US Fish and Wildlife Service, Raleigh Field Office.

Hallmann CA, Sorg M, Jongejans E, Siepel H, Hofland N, Schwan H, Stenmans W, Müller A, Sumser H, Hörren T, Goulson D. 2017. More than 75 percent decline over 27 years in total flying insect biomass in protected areas. *PLoS one* 12(10):e0185809.

Hamburg SP, Yanai RD, Arthur MA, Blum JD, Siccama TG. 2003. Biotic control of calcium cycling in northern hardwood forests: acid rain and aging forests. *Ecosyst.* 6:399–406.

Hampson PS, Treece Jr. MW, Johnson GC, Ahlstedt SA, Connell JF. 2000. Water quality in the Upper Tennessee River Basin, Tennessee, North Carolina, Virginia, and Georgia, 1994–1998. Washington (DC): US Geological Survey Circular 1205 32 p.

Hanson JM, Chambers PA, Prepas EE. 1990. Selective foraging by the crayfish *Orconectes virilis* and its impact on macroinvertebrates. *Freshw Biol.* 24:69–80.

Hanula JL, Franzred KE. 1995. Arthropod prey of nestling red-cockaded Woodpeckers in the upper Coastal Plain of South Carolina. *Wilson Bull.* [accessed 2015 August];107(3):485–495.
<https://sora.unm.edu/sites/default/files/journals/wilson/v107n03/p0485-p0495.pdf>.

Hatfield R, Jepsen S, Mader E, Hoffman Black S, Shepherd M. 2012. Conserving bumble bees: guidelines for creating and managing habitat for America's declining pollinators. Portland (OR): The Xerces Society for Invertebrate Conservation; [accessed 2015 July]. http://www.xerces.org/wp-content/uploads/2012/06/conserving_bb.pdf.

Hawkins CP, Furnish JK. 1987. Are snails important competitors in stream ecosystems? *Oikos.* 49:209–220.

Hayes MA. 2012. The *Geomyces* fungi: ecology and distribution. *BioSci.* 62(9):819-823.

Hayes TB, Case P, Chui S, Chung D, Haeffele C, Haston K. 2006. Pesticide mixtures, endocrine disruption, and amphibian declines: are we underestimating the impact? *Environ Health Perspect* 114(S1):40–50.

References

Haynes JM, Stewart TW, Cook GE. 1999. Benthic macroinvertebrate communities in southwestern Lake Ontario following invasion of *Dreissena*: continuing change. *Internat Assoc Great Lakes Res, J Great Lakes Res.* [accessed 2015 August];25(4):828–838.
http://www.reabic.net/publ/Haynes_et%20al_1999_Dreissena.pdf.

Hazelton PD, Cope WG, Mosher S, Pandolfo TJ, Belden JB, Barnhart MC, Bringolf RB. 2013. Fluoxetine alters adult freshwater mussel behavior and larval metamorphosis. *Sci Total Environ.* 445-446:94–100.

Hazelton PD, Cope WG, Pandolfo TJ, Mosher S, Strynar MJ, Barnhart MC, Bringolf RB. 2012. Partial life-cycle and acute toxicity of perfluoroalkyl acids to freshwater mussels. *Environ Toxicol Chem.* 31(7):1611-1620.

Heath RC, Spruill RK. 2003. Cretaceous aquifers in North Carolina: analysis of safe yield based on historical data. *Hydrogeol J* 11:249–258.

Heinrich B. 1996. The thermal warriors: strategies of insect survival. Cambridge, MA and London, England: Harvard University Press. Pp. 123-138. <https://doi.org/10.4159/harvard.9780674183773>.

Herman DW. 2003. Status of the bog turtle, *Clemmys muhlenbergii* Schoepff, in the southern United States. Final Report to the US Fish and Wildlife Service on the 1996-2002 Status Survey Conducted Under Grant Agreement #14480004-96-9126. US Fish and Wildlife Service. 93 p.

HerpMapper. 2025. HerpMapper - A Global Herp Atlas and Data Hub. Iowa, U.S.A.
<http://www.herpmapper.org>. (accessed March 2025).

Herrera DJ, Cove MV, McShea WJ, Flockhart DT, Decker S, Moore SM, Gallo T. 2022. Prey selection and predation behavior of free-roaming domestic cats (*Felis catus*) in an urban ecosystem: implications for urban cat management. *Biological Conservation* 268(109503). 10 pp.

Hickman CP, Roberts LS, Larson A. 2003. Animal diversity. 3rd ed. New York (NY): McGraw-Hill. 447 p.

Hickman Jr. CP, Roberts LS, Larson A. 2000. Animal diversity. 2nd ed. Boston (MA): McGraw-Hill. 429 p.

Higgins JV, Bryer M, Khoury M, Fitzhugh T. 2005. A freshwater classification approach for biodiversity conservation planning. *Conserv Biol* 9:432–445.

Hill EF, Fleming WJ. 1982. Anticholinesterase poisoning of birds, field monitoring and diagnosis of acute poisoning. *Environ Toxicol Chem.* 1:27–38.

Hobbs Jr. HH. 1942. The crayfishes of Florida. Biological Science Series no. 3. Gainesville (FL): University of Florida Publications.

Hobbs Jr. HH. 1981. The crayfishes of Georgia. Smithsonian Contributions to Zoology no. 318. Washington (DC): Smithsonian Institution Press.

References

Hofmann EP, Hall S, Howard T, LeGrand H. 2025. Reptiles of North Carolina. North Carolina Biodiversity Project and North Carolina State Parks. Raleigh, North Carolina.
<https://auth1.dpr.ncparks.gov/reptiles/index.php>.

Holdich DM, editor. 2002. Biology of freshwater crayfish. Ames (IA): Iowa State University Press. 702 p.

Homburg K, Drees C, Boutaud E, Nolte D, Schuett W, Zumstein P, von Ruschkowski E, Assmann T. 2019. Where have all the beetles gone? Long-term study reveals carabid species decline in a nature reserve in Northern Germany. *Insect Conservation and Diversity* 12(4):268-277.

Hood, Sharon M. 2010. Mitigating old tree mortality in long-unburned, fire dependent forests: a synthesis. Gen. Tech. Rep. RMRS-GTR-238. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 71 p.

Hopwood J, Black SH, Vaughn M, Lee-Mader E. 2013. Beyond the birds and the bees. Portland (OR): The Xerces Society for Invertebrate Conservation. 25 p.

Howe MA, Geissler PH, Harrington BA. 1989. Population trends of North American shorebirds based on the International Shorebird Survey. *Biol Conserv.* 49(3):185–199.

Hrodey PJ, Sutton TM, Frimpong EA, Simon TP. 2009. Land-use impacts on watershed health and integrity in Indiana warmwater streams. *Am Midl Nat* 161(1):76–95.

Hrodey PJ, Sutton TM. 2008. Fish community responses to half-log additions in warmwater streams. *N Am J Fish Manag.* [accessed];28(1):70–80. <http://dx.doi.org/10.1577/M06-168.1>.

Huang S, Budd W, Chan S, Lin Y. 2007. Stream order, hierarchy, and energy convergence of land use. *Ecol Model* 205:255–264.

Huang YW, Elrod J, Twidwell D, Solis M, Phillips J. 2003a. Finding possible causes of the population decline in Ozark hellbenders (*Cryptobranchus alleganiensis bishopi*): Water-quality analysis, endocrine disruption, and hematology. Paper presented at: Semi-annual Hellbender Working Group Meeting; Unicoi State Park, Helen, Georgia.

Huang YW, Twidwell DL, Elrod JC. 2003b. Occurrence and effects of endocrine disrupting chemicals in the environment. *Pract Period Hazard Toxic Radioact Waste Manag* 7(4):241–252.

Huisman J, Matthijs HCP, Visser PM, editors. 2005. Harmful cyanobacteria. Cyanobacteria, volume 3. Springer 241 p.

Humphrey SR. 1978. Status, winter habitat, and management of the endangered Indiana bat (*Myotis sodalis*). *Florida Scientist* 41:65–76.

Hunter WC. 2004a. Southeast U.S. waterbird conservation priorities. US Fish and Wildlife Service. Atlanta, GA.

References

Hunter WC. 2004b. Proposed state lists of priority bird species for FWS Southeast Region States, Commonwealth of Puerto Rico, and U.S. Virgin Islands. US Fish & Wildlife Service, Atlanta, GA.

Hunter WC, Buehler DA, Canterbury RA, Confer JL, Hamel PB. 2001a. Conservation of disturbance-dependent birds in eastern North America. *Wildl Soc Bull* 29(2):440–455.

Hunter WC, Golder W, Melvin S, Wheeler J. 2006. Southeast United States regional waterbird conservation plan. Atlanta (GA): US Fish and Wildlife Service Atlanta; Wilmington (NC): North Carolina Audubon Society. [accessed 2025 June].
https://static1.squarespace.com/static/5bb3865d2727be6f94acf2fc/t/5c79a2efe5e5f0214c34c48c/1551475442564/SE_US_Waterb_Plan_2006.pdf.

Hunter WC, Katz R, Pashley D, Ford B. 1999. Partners in Flight bird conservation plan for the Southern Blue Ridge. The Plains (VA): American Bird Conservancy.

Hunter WC, Peoples L, Collazo J. 2001b. Partners in Flight bird conservation plan for the South Atlantic Coastal Plain. The Plains (VA): American Bird Conservancy.

Hupp CR. 2000. Hydrology, geomorphology and vegetation of coastal plain rivers in the south-eastern USA. *Hydrol Process* 14:2991–3010.

Huso, M. 2019. Wildlife Mortality at Wind Facilities: How We Know What We Know How We Might Mislead Ourselves, and How We Set Our Future Course. In: Bispo, R., Bernardino, J., Coelho, H., Lino Costa, J. (eds) *Wind Energy and Wildlife Impacts*. Springer, Cham. https://doi.org/10.1007/978-3-030-05520-2_2.

Hutchinson M, Crear D, Griffiths S, Loor P, Lopez J. 2025. Progress towards the IATTC Seabird Action Plan: bycatch mitigation options, measures, and implementation. Inter-American Tropical Tuna Commission Ecosystem and Bycatch Working Group 3rd Meeting EB-03-03. La Jolla CA. [accessed 2025 July] https://www.iattc.org/GetAttachment/a97b82c6-3fa1-4e5e-b88f-10cbb63ed882/WGEB-03-03_Seabird-action-plan---A-review-of-bycatch-mitigation-options-measures-and-implementations.pdf.

Hygnstrom SE, Timm RB, Larson G (eds). 1994. Prevention and control of wildlife damage (Vol. 1 & 2). Washington (DC): Animal and Plant Health Inspection Service, US Department of Agriculture; Lincoln (NE): University of Nebraska Cooperative Extension, Great Plains Agriculture Council Wildlife Committee, Animal Damage Control. [accessed 2025 Aug.]
<https://digitalcommons.unl.edu/icwdmhandbook/>.

Hynes HBN. 1983. Groundwater and stream ecology. *Hydrobiologia* 100:93-99.

I, J

I, J

[ICCAT] International Commission for the Conservation of Atlantic Tunas. 2008. Report of the 2007 inter-sessional meeting of the sub-committee on ecosystems. Collect Vol Sci Pap ICCAT 62(6):1671–1720. [accessed 2025 July] https://www.iccat.int/Documents/CVSP/CV062_2008/n_6/CV062061671.pdf,

[ICCAT] International Commission for the Conservation of Atlantic Tunas. 2010. Report of the Standing Committee on Research and Statistics (SCRS). Madrid (Spain): International Commission for the Conservation of Atlantic Tunas; [accessed 2025 July]. http://www.iccat.int/Documents/BienRep/REP_EN_08-09_II_2.pdf.

[ICCAT] International Commission for the Conservation of Atlantic Tunas. 2014. Report of the Standing Committee on Research and Statistics (SCRS). Madrid (Spain): International Commission for the Conservation of Tunas; [accessed 2025 July]. http://www.iccat.int/Documents/BienRep/REP_EN_12-13_II_2.pdf.

[ICZN] International Commission on Zoological Nomenclature. 2021. International Code of Zoological Nomenclature, 4th Edition. [2025 May] Online <https://www.iczn.org/the-code/the-code-online>.

[IPBES] Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services. 2024. Summary for Policymakers of the Thematic Assessment Report on the Underlying Causes of Biodiversity Loss and the Determinants of Transformative Change and Options for Achieving the 2050 Vision for Biodiversity of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services. O'Brien, K., Garibaldi, L., Agrawal, A., Bennett, E., Biggs, O., Calderón Contreras, R., Carr, E., Frantzeskaki, N., Gosnell, H., Gurung, J., Lambertucci, S., Leventon, J., Liao, C., Reyes García, V., Shannon, L., Villasante, S., Wickson, F., Zinngrebe, Y., and Perianin, L. (eds.). IPBES secretariat, Bonn, Germany. DOI: <https://doi.org/10.5281/zenodo.11382230> [accessed 2025 Jan] <https://zenodo.org/records/14513975>.

[IUCN] International Union for Conservation of Nature. 2012. IUCN Red List categories and criteria: version 3.1. IUCN Species Survival Commission. Gland (Switzerland): International Union for Conservation of Nature; ISBN: 978-2-8317-1435-6. [accessed 2025 Feb.]. <https://portals.iucn.org/library/node/10315>.

[IUCN] International Union for Conservation of Nature. 2019. Scope of Assessment: Sub-global/Regional Longleaf Pine Woodland. [accessed 2025 Jan] <https://assessments.iucnrle.org/assessments/357>.

[IUCN] International Union for Conservation of Nature. 2024. Guidelines for the application of IUCN Red List of Ecosystems Categories and Criteria, Version 2.0. Keith, D.A., Ferrer-Paris, J.R., Ghoraba, S.M.M., Henriksen, S., Monyeki, M., Murray, N.J., Nicholson, E., Rowland, J., Skowno, A., Slingsby, J.A., Storeng, A.B., Valderrábano, M. & Zager, I. (Eds.). Gland, Switzerland: IUCN. [accessed 2025 Jan] <https://doi.org/10.2305/CJDF9122>.

[IUCN] International Union for Conservation of Nature. 2025. The Red List of Ecosystems, RLE Database. [accessed 2025 Jan.] <https://www.iucnrle.org/rle-database>.

References

Iberdrola. 2025. Onshore wind farm Amazon Wind US East (web site). Avangrid Renewables, The Iberdrola Group. Orange, CT. [accessed 2025 July] https://www.avangrid.com/w/amazon-wind-farm-us-east-powered-by-avangrid-renewables-north-carolina-s-first-wind-farm-now-fully-operational?p_l_back_url=%2Fsearch%3Fq%3DAmazon%2520Wind%2520US%2520east&p_l_back_url_title=search.

Iguchi T, Katsu Y. 2008. Commonality in signaling of endocrine disruption from snail to human. *BioSci.* 58(11):1061–1067.

Ion MC, Bloomer CC, Bărăscu TI, Oficialdegui FJ, Shoobs NF, Williams BW, Scheers K, Clavero M, Grandjean F, Collas M, Baudry T. 2024. World of Crayfish™ [website]: a web platform towards real-time global mapping of freshwater crayfish and their pathogens. *PeerJ.* 12:e18229. [accessed 2025 July] <https://world.crayfish.ro/>.

Jacobsen LA, Mather M. 2010. U.S. Economic and Social Trends Since 2000. *Population Bulletin* 65(1). Population Reference Bureau. Washington, DC. 20 pp.

Jantz CA, Goetz SJ, Donato D, Claggett P. 2009. Designing and implementing a regional urban modeling system using the SLEUTH cellular urban model. *Computers, Environment, and Urban Systems.* 34(1): 1–16.

Jarvis JD. 2011. Water quality in the Upper Little Tennessee River and its potential effects on the Appalachian Elktoe mussel (*Alasmidonta raveneliana*) [thesis]. [Cullowhee (NC)]: Western Carolina University, Department of Geosciences and Natural Resources.

Jelks H, Walsh S, Burkhead N, Contreras-Balderas S, Diaz-Pardo E, Hendrickson D, Lyons J, Mandrak N, McCormick F, Nelson J, et al. 2008. Conservation status of imperiled North American freshwater and diadromous fishes. *Fish.* 33:8, 372–407.

Jenkins RE, Favrot SD, Freeman BJ, Albanese B, Armbruster JW. 2025. Description of the Sicklefin Redhorse (Catostomidae: Moxostoma). *Ichthyology & Herpetology* 113(1):27-43. DOI: <https://bioone.org/journals/ichthyology-and-herpetology/volume-113/issue-1/i2024049/Description-of-the-Sicklefin-Redhorse-Catostomidae-Moxostoma/10.1643/i2024049.full>.

Jin S, Dewitz J, Danielson P, Granneman B, Costello C, Smith K, Zhu Z. 2023. National Land Cover Database 2019: A new strategy for creating clean leaf-on and leaf-off Landsat composite images. *Journal of Remote Sensing* 3:0022.

Jin S, Yang L, Danielson P, Homer C, Fry J, Xian G. 2013. A comprehensive change detection method for updating the National Land Cover Database to circa 2011. *Remote Sens Environ* 132:159–175.

Johns ME. 2004. North Carolina bird species assessment. NC Partners in Flight, Raleigh, NC.

Johnson PD, Bogan AE, Brown KM, Burkhead NM, Cordeiro JR, Garner JT, Hartfield PD, Lepitzki DAW, Mackie GL, Pip E, et al. 2013. Conservation status of freshwater gastropods of Canada and the United States. *Fish* 38(6):247–282. [accessed 2025 June]
http://fisheries.org/docs/fisheries_magazine_archive/fisheries_3806.pdf.

Johnson PD, Brown KM. 1997. The role of current and light in explaining the habitat distribution of the lotic snail *Elimia semicarinata* (Say). *J N Am Benthol Soc.* 16(3):545–561.

Johnson PD. 2009. Freshwater snail biodiversity and conservation. *Sustaining America's aquatic biodiversity*. Publication 420-530. Cohutta, GA. Virginia Cooperative Extension. 7 p.

Jones JW, Hallerman EM, Neves RJ. 2006. Genetic management guidelines for captive propagation of freshwater mussels (Unionoidea). *J Shellfish Res.* 25(2):527–535.

Joss A, Zabczynski S, Gobel A, Hoffmann B, Loffler D, McArdell CS, Ternes TA, Thomsen A, Siegrist H. 2006. Biological degradation of pharmaceuticals in municipal wastewater treatment: proposing a classification scheme. *Water Res* 40: 1686–1696.

K

K

Kaeser AJ, Watson E. 2011. A GIS-based Assessment of Land Cover within Stream and River Riparian Buffers of the Southeastern United States. A publication of the Science and Data Committee, Southeast Aquatic Resources Partnership. [accessed 2025 Aug.]
https://southeastaquatics.net/resources/pdfs/RiparianAssessmentWhitePaper-final.pdf/at_download/file.

Kalisz PJ, Powell JE. 2003. Effect of calcareous road dust on land snails (Gastropoda: Pulmonata) and millipedes (Diplopoda) in acid forest soils of the Daniel Boone National Forest of Kentucky, USA. *For Ecol Manag.* 186(1):177–183.

Karl TR, Melillo JM, Peterson TC. 2009. Global climate change impacts in the United States. Cambridge University Press, NY.

Karriker KS. 1993. Effects of intensive silviculture on breeding and wintering birds in North Carolina pocosins [thesis]. [Raleigh (NC)]: North Carolina State University.

Kasprzyk-Hordern B, Dinsdale RM, Guwy AJ. 2008. The occurrence of pharmaceuticals, personal care products, endocrine disruptors and illicit drugs in surface water in South Wales, UK. *Water Res* 42:3498–3518.

Katzner T, Smith BW, Miller TA, Brandes D, Cooper J, Lanzone M, Brauning D, Farmer C, Harding S, Kramar DE, Koppie C. 2012. Status, biology, and conservation priorities for North America's eastern Golden Eagle (*Aquila chrysaetos*) population. *The Auk.* 2012 Jan 1;129(1):168-76.

References

Kaushal SS, Likens GE, Jaworski NA, Pace ML, Sides AM, Seekell D, Belt KT, Secor DT, Wingate RL. 2010. Rising stream and river temperatures in the United States. *Front Ecol Environ.* 8:461–466.

Keeley BW, Fenton MB, Arnett E. 2003. A North American partnership for advancing research, education, and management for the conservation of bats and their habitats. *Wildl Soc Bull.* 31(1):80–86.

Kellison RC, Young MJ, Braham RR, Jones EJ. 1998. Major alluvial floodplains. Pages 291-323 in Messina MG, Conner WH, editors. *Southern forested wetlands: ecology and management.* Lewis Publishers, Boca Raton, Florida.

Kelly CA, Diggins CA, and Lawrence AJ. 2013. Crossing structures reconnect federally endangered flying squirrel populations divided for 20 years by road barrier. *Wildlife Society Bulletin* 37(2):375-379.

Kendrick MR, Williams BW. 2025. An integrative taxonomic assessment leads to the synonymy of the Waccamaw Crayfish *Procambarus braswelli* Cooper 1998 with the Cedar Creek Crayfish *Procambarus chacei* Hobbs 1958 (Decapoda: Cambaridae). *Zootaxa.* 2025 Jan 23; 5575(2):251-66.

Kenk R. 1935. Studies on Virginia triclad. *J Elisha Mitchell Sci Soc* 51:79–133.

Kenk R. 1972. Freshwater planarians (*Turbellaria*) of North America. *Biota of Freshwater Ecosystems Identification Manual No. 1.* Washington (DC): US Environmental Protection Agency 81 p.

Kenk R. 1977a. Freshwater triclad (*Turbellaria*) of North America, IX: the genus *Sphallopiana*. *Smithsonian Contributions to Zoology Series, No. 246.* Washington (DC): Smithsonian Institution Press 38 pp.

Kenk R. 1977b. Freshwater triclad (*Turbellaria*) of North America, X: three new species of *Phagocata* from the eastern United States. *Proc Biol Soc Wash* 56:645–652.

Kerans BL, Dybdahl MF, Gangloff MM, Jannot JE. 2005. Potamopyrgus antipodarum: distribution, density, and effects on native macroinvertebrate assemblages in the Greater Yellowstone Ecosystem. *J N Am Benthol Soc.* 24:123–138.

Kim SD, Cho J, Kim IS, Vanderford BJ, Snyder SA. 2007. Occurrence and removal of pharmaceuticals and endocrine disruptors in South Korean surface, drinking, and waste waters. *Water Res* 41:1013–1021.

King TL, Eackles MS, Gjetvaj B, Hoe WR. 1999. Intraspecific phylogeography of *Lasmigona subviridis* (Bivalvia: Unionidae): conservation implications of range discontinuity. *Mol Ecol.* 8:S65–S78.

Kirkman LK, Goebel PC, West L, Drew MB, Palik BJ. 2000. Depressional wetland vegetation types: a question of plant community development. *Wetlands* 20:373-385.

Klem D, Farmer CJ, Delacretaz N, Gelb Y, Saenger PG. 2009. Architectural and landscape risk factors associated with bird–glass collisions in an urban environment. *The Wilson Journal of Ornithology.* 121(1):126-34.

Knapp WM, Frances A, Noss R, Naczi RFC, Weakley A, Gann GD, Baldwin BG, Miller J, McIntyre P, Mishler BD, Moore G, Olmstead RG, Strong A, Kennedy K, Heidel B, Gluesenkamp D. 2021. Analysis of the extinct plants of North America north of Mexico provides a baseline for the Anthropocene. *Conservation Biology* 35:360–368. [accessed 2025 Jan.] <https://onbio.onlinelibrary.wiley.com/doi/pdfdirect/10.1111/cobi.13621>.

Kokkonen T, Koivusalo H, Stenberg L. 2011. Definition of groundwater. Computational methods for water resource assessments: an exercise kit. [accessed 2025 Aug.]; 65 p. https://www.iemss.org/wp-content/uploads/CMWRA_Text.pdf.

Kolpin DW, Furlong ET, Meyer MT, Thurman EM, Zaugg SD, Barber LB, Buxton HT. 2002. Pharmaceuticals, hormones, and other organic wastewater contaminants in US streams, 1999–2000: a national reconnaissance. *Environ Sci Technol* 36(6):1202–1211.

Kunkel KE, Easterling DR, Ballinger A, Bililign S, Champion SM, Corbett DR, Dello KD, Dissen J, Lackmann GM, Luettich Jr RA, Perry LB, Robinson WA, Stevens LE, Stewart BC, Terando AJ. 2020: North Carolina Climate Science Report. North Carolina Institute for Climate Studies, 233 pp. [accessed 2025 June] <https://ncics.org/nccsr>.

Kushlan JA, Steinkamp MJ, Parsons KC, Capp J, Cruz MA, Coulter M, Davidson I, Dickson L, Edelson N, Elliot R, et al. 2002. Waterbird Conservation for the Americas: the North American waterbird conservation plan, Version 1. Washington (DC): Waterbird Conservation for the Americas.

Kushlan JA. 1990. Freshwater marshes. Pages 324-363 in Myers RL, Ewel JJ, editors. *Ecosystems of Florida*. University of Central Florida Press, Orlando, USA.

L**L**

LaClaire LV. 2001. Endangered and threatened wildlife and plants; final rule to list the Mississippi gopher frog distinct population segment of dusky gopher frog as endangered. *Federal Register* 66, 62993-63001.

Land LA, Lautier Jc, Wilson NC, Chianese G, Webb S. 2004. Geophysical monitoring and evaluation of Coastal Plain aquifers. *Ground Water* 42(1):59–67.

Landers JL, Hamilton RJ, Johnson AS, Marchinton RL. 1979. Foods and habitat of black bears in southeastern North Carolina. *J Wildl Manage*. 43(1):143–153.

Langston WJ. 2020. Endocrine disruption and altered sexual development in aquatic organisms: an invertebrate perspective. *Journal of the Marine Biological Association of the United Kingdom* 100(4):495-515.

Lankester MW, Anderson RC. 1968. Gastropods as intermediate hosts of *Pneumostyngylus tenuis* dougherty of white-tailed deer. *Can J Zool*. 46:373–383.

References

Lannoo M (ed). 2005. *Amphibian declines: the conservation status of United States species*. Univ of California Press. 1115 p.

Larson JL, Redmond CT, Potter DA. 2013. Assessing insecticide hazard to bumble bees foraging on flowering weeds in treated lawns. *PLoS ONE*. [accessed 2015 August];8(6): e66375. doi:10.1371/journal.pone.0066375.

Laufkötter C, Zscheischler J, Frölicher TL. 2020. High-impact marine heatwaves attributable to human-induced global warming. *Science* 369(6511):1621-5. [accessed 2025 March] <https://doi.org/10.1126/science.aba0690>.

Lawler JJ, Shafer SL, Bancroft BA, Blaustein AR. 2010. Projected climate impacts for the amphibians of the Western Hemisphere. *Conservation Biology* 24(1):38-50. [accessed 2025 June] <https://doi.org/10.1111/j.1523-1739.2009.01403.x>.

Layzer JB, Scott EM. 2006. Restoration and colonization of freshwater mussels and fish in a southeastern United States tailwater. *River Res Appl*. 22:476–491.

Leff LG, Burch JL, McArthur JV. 1990. Spatial distribution, seston removal, and potential competitive interactions of the bivalves *Corbicula fluminea* and *Elliptio complanata*, in a coastal plain stream. *Freshw Biol*. 24:409–416.

Leidy RA, Moyle PB. 1998. Conservation status of the world's fish fauna: an overview. In: Fiedler PI, Kareiva PM, editors. *Conservation biology: for the coming decade*. 2nd ed. New York (NY): Chapman and Hall. 576 p.

Leigh DS, Srivastava P, Brook GA. 2004. Late Pleistocene braided rivers of the Atlantic Coastal Plain, USA. *Quat Sci Rev* 23:65–84.

Leigh DS. 2008. Late Quaternary climates and river channels of the Atlantic Coastal Plain, Southeastern USA. *Geomorphol* 101:90–108.

Leopold LB, Wolman MG, Miller JP. 1964. *Fluvial Processes in Geomorphology*. San Francisco: W. H. Freeman. 522 pp.

Lesmeister DB, Nielsen CK. 2011. Protocol for large-scale monitoring of riparian mammals. *Wildlife Biology in Practice*. 2011;7(2):55-70.

Lessard JL, Hayes DB. 2003. Effects of elevated water temperature on fish and macroinvertebrate communities below small dams. *River Res. Applic.* 19(7): 721-732.

Lettink M, Cree A. 2007. Relative use of three types of artificial retreats by terrestrial lizards in grazed coastal shrubland, New Zealand. *Appl Herpetol*. 4:227–243.

Leung B, Lodge DM, Finnoff D, Shogren JF, Lewis MA, Lamberti G. 2002. An ounce of prevention or a pound of cure: bioeconomic risk analysis of invasive species. *Proc Royal Soc Lond B*. 269:2407–2413.

References

Levin LA, Boesch DF, Covich A, Dahm C, Erséus C, Ewel KC, Kneib RT, Moldenke A, Palmer MA, Snelgrove P, et al. 2001. The function of marine critical transition zones and the importance of sediment biodiversity. *Ecosyst* 4:430–451.

Lieb DA, Bouchard RW, Carline RF, Nuttall TR, Wallace JR, Burkholder CL. 2011. Conservation and management of crayfishes: lessons from Pennsylvania. *Fish.* 36(10):489–507.

Lindenmayer DB, Likens GE. 2009. Adaptive monitoring: a new paradigm for long-term research and monitoring. *Trends in ecology & evolution* 24(9):482-6.

Linstone HA, Turoff M (Eds.). 1975. The Delphi method: Techniques and Applications. Reading, MA: Addison-Wesley; pp. 3-12. ISBN 0-201-04294-0.

Littlewood NA, Rocha R, Smith RK, Martin PK, Lockhart SL, Schoonover RF, Wilman E, Bladon AJ, Sainsbury KA, Pimm S, Sutherland WJ. 2020. Terrestrial Mammal Conservation: Global evidence for the effects of interventions for terrestrial mammals excluding bats and primates. Open Book Publishers. 1,096 pp. DOI 10.11647/OPB.0234.

Lobb III MD, Orth DJ. 1991. Habitat use by an assemblage of fish in a large warmwater stream. *Trans Am Fish Soc.* [accessed];120(1):65–78.

Lodge D, Taylor C, Holdich D, Skurdal J. 2000a. Nonindigenous crayfishes threaten North American freshwater biodiversity: lessons from Europe. *Fish.* 25:7–20.

Loeb SC, Rodhouse TJ, Ellison LE, Lausen CL, Reichard JD, Irvine KM, Ingersoll TE, Coleman JTH, Thogmartin WE, Sauer JR, et al. 2015. A plan for the North American Bat Monitoring Program (NABat). General Technical Report SRS-208. Asheville (NC): Southern Research Station; [accessed 2025 June]. http://www.srs.fs.usda.gov/pubs/gtr/gtr_srs208.pdf. 112 p.

Loeb SC, Tainter FH, Cazares E. 2000. Habitat associations of Hypogeous fungi in the southern Appalachians: implications for the endangered northern flying squirrel (*Glaucomys sabrinus coloratus*). *Am Midl Nat.* 144:286–296.

Logan JA, Régnière J, Powell JA. 2003. Assessing the impacts of global warming on forest pest dynamics. *Front Ecol Environ* 1:130–137.

Long JM, Nibbelink NP, McAbee KT, and Stahli JW. 2012. Assessment of freshwater fish assemblages and their habitats in the National Park Service system of the southeastern United States. *Fish.* 37(5):212–225.

Lorch JM, Meteyer CU, Behr MJ, Boyles JG, Cryan PM, Hicks AC, Ballmann AE, Coleman JTH, Redell DN, Reeder DM. 2011. Experimental infection of bats with *Geomyces destructans* causes white-nose syndrome. *Nat.* 480(73777):376-378.

Loss SR, Will T, Marra PP. 2013. The impact of free-ranging domestic cats on wildlife of the United States. *Nat Commun.* [accessed 2013 Jan 30];4(1396). <http://www.nature.com/doifinder/10.1038/ncomms2380>.

References

Lotts K, Naberhaus T, coordinators. 2015. Butterflies and moths of North America [website]. [accessed 2015 August]. <http://www.butterfliesandmoths.org>.

Lowe S, Browne M, Boudjelas S, De Poorter M. 2000. 100 of the world's worst invasive alien species: a selection from the global invasive species database. The Invasive Species Specialist Group (ISSG), Species Survival Commission of the World Conservation Union (IUCN); [accessed 2025 Aug.]. <https://portals.iucn.org/library/sites/library/files/documents/2000-126.pdf>.

Lukacs PM, Burnham KP. 2005. Review of capture–recapture methods applicable to noninvasive genetic sampling. *Mol Ecol*. 14(13):3909–3919.

Lydeard C, Cowie RH, Ponder WF, Bogan AE, Bouchet P, Clark SA, Cummings KS, Frest TJ, Gargominy O, Herbert DG, et al. 2004. The global decline of nonmarine mollusks. *BioSci*. 54(4):321–330.

Lydeard C, Mayden RL. 1995. A diverse and endangered aquatic ecosystem of the southeast United States. *Conserv Biol*. 9:800–805.

Lydeard C, Roe KJ. Phylogenetic systematics: The missing ingredient in the conservation of freshwater unionid bivalves. *Fisheries*. 1998;23(11):16-7.

Lysne SJ, Perez KE, Brown KM, Minton RL, Sides JD. 2008. A review of freshwater gastropod conservation: challenges and opportunities. *Journal of the North American Benthological Society* 27(2):463-470.

M

M

[MEA] Millennium Ecosystem Assessment. 2005. Ecosystems and human well-being: synthesis. Washington, DC. [accessed 2025 June] <https://www.millenniumassessment.org/en/index.html>.

[MRLC] Multi-Resolution Land Characteristics. 2011. National land cover database 2011 [online database]. Sioux Falls (SD): US Geological Survey, Earth Resources Observation and Science Center; [accessed 2025 Aug.]. <https://www.mrlc.gov/data/references/national-land-cover-database-2011-nlcd2011>.

Mace G, Purvis A. 2008. Evolutionary biology and practical conservation: bridging a widening gap. *Mol Ecol*. 17:9–19.

Machler E, Deiner K, Steinmann P, Altermatt F. 2014. Utility of environmental DNA for monitoring rare and indicator macroinvertebrate species. *Freshwater Science* 33(4):1174-1183.

Mallin MA, Cahoon LB. 2003. Industrialized animal production: a major source of nutrient and microbial pollution to aquatic systems. *Popul Environ* 24(5):369–385.

Mallin MA. 2003. Impacts of industrial animal production on rivers and estuaries. *Am Sci* 88(1):26–37.

Mallin MA. 2010. Potential environmental problems from building the proposed North Carolina International Terminal: preliminary report. Wilmington (NC): University of North Carolina Wilmington, Center for Marine Science; [accessed 2025 Aug.]. 31 p.
https://www.researchgate.net/publication/228711497_Potential_Environmental_Problems_from_Building_the_Proposed_North_Carolina_International_Terminal_Preliminary_Report.

Mansfield ME. A primer of public land law. Wash. L. Rev.. 1993;68:801. [accessed 2025 June]
<https://digitalcommons.law.uw.edu/cgi/viewcontent.cgi?article=4004&context=wlr>.

MarineBio. 2025. (website) MarineBio Conservation Society. [accessed 2025 July]
<https://www.marin.bio.org>.

Martin KW, Leslie Jr. DM, Payton ME, Puckette WL, Hensley SL. 2006. Impacts of passage manipulation on cave climate: conservation implications for cave-dwelling bats. Wildlife Society Bulletin 34(1):137-143.

Martin TE, Geupel GR. 1993. Nest-monitoring plots: methods for locating nests and monitoring success. Journal of Field Ornithology 64(4):507-519.

Maxwell JR, Edwards CJ, Jensen ME, Paustian SJ, Parrott H, Hill DM. 1995. A hierarchical framework of aquatic ecological units in North America (Nearctic Zone). General Technical Report NC-176. St. Paul (MN): Forest Service, North Central Forest Experiment Station. 78 p.

Mayasich JM, Grandmaison D, Phillips C. Eastern hellbender status assessment report. 2003. University of Minnesota Duluth.[accessed 2025 June]
<https://conservancy.umn.edu/server/api/core/bitstreams/d33b817e-22b1-4367-b641-7b738962c2d0/content>.

McBride A. 2012. Cornell Lab, All About Birds (online), Wildlife-Trafficking Bust Highlights Problems in Caged Bird Trade. [accessed 2025 Feb.] <https://www.allaboutbirds.org/news/wildlife-trafficking-bust-highlights-problems-in-caged-bird-trade/>.

McCall BL. 2023. The Potential Use of Madtom Catfishes (Ictaluridae: *Noturus*) as Conservation Tools for Headwater Streams of the Southeastern United States. Dissertation, Arkansas State University. [accessed 2025 June] <https://arch.astate.edu/cgi/viewcontent.cgi?article=1167&context=all-td>.

McClure CJ, Dunn L, Buechley ER, Juergens P, Oleyar D, Goodrich LJ, Therrien JF. 2022. Conservation assessment of raptors within the USA and Canada. Biological Conservation 272:109633.

McClure CJ, Schulwitz SE, Anderson DL, Robinson BW, Mojica EK, Therrien JF, Oleyar MD, Johnson J. 2019. Commentary: defining raptors and birds of prey. Journal of Raptor Research 53(4):419-30.

McComb WC, Bonney SA, Sheffield RM, Cost ND. 1986. Den tree characteristics and abundance in Florida and South Carolina. Journal of Wildlife Management 50(4):584–591.

References

McCullough DA, Bartholow JM, Jager HI, Beschta RL, Cheslak EF, Deas ML, Ebersole JL, Foott JS, Johnson SL, Marine KR, et al. 2009. Research in thermal biology: burning questions for coldwater stream fishes. *Rev Fish Sci* 17(1):90–115.

McDaniel MD. 1993. Point-source discharges. In: Bryan CF, Rutherford DA, editors. *Impacts on warmwater streams: guidelines for evaluation*. Little Rock (AR): American Fisheries Society, Southern Division.p. 1–56.

McDiarmid RW, Foster MS, Guyer C, Gibbons C, Chernoff N (eds.). 2011. *Reptile biodiversity, standard methods for inventory and monitoring* University of California Press, Berkeley and Los Angeles, CA. 424 p.

McDougal LA, Russell KM, Leftwich KN, editors. 2001. *A conservation assessment of freshwater fauna and habitat in the southern national forests*. US Department of Agriculture, Forest Service, Southern Region. 148 p.

McFaul EJ, Mason Jr. GT, Ferguson WB, Lipen BR. 2000. US Geological Survey mineral databases—MRDS and MAS/MILS. US Geological Survey Digital Data Series DDS-52. Washington (DC): US Geological Survey. [accessed 2025 June] http://pubs.er.usgs.gov/publication/ds52_and_mrdata.usgs.gov/mrds/.

McGinley M. 2013. Aquifer [encyclopedia article]. Encyclopedia of the Earth; [updated 2013 March 28]. <http://library.sns.org.sx/Encyclopedia%20of%20the%20Earth/editors.eol.org/eoearth/wiki/Aquifer.html> .

McGowan CP, Hines JE, Nichols JD, Lyons JE, Smith DR, Kalasz KS, Niles LJ, Dey AD, Clark NA, Atkinson PW, Minton CD. 2011. Demographic consequences of migratory stopover: linking red knot survival to horseshoe crab spawning abundance. *Ecosphere* 2(6):1-22. <https://doi.org/10.1890/ES11-00106.1>.

McNab BL. 1974. The behavior of temperate cave bats in a subtropical environment. *Ecology* 55:943–958.

McSwain KB, Gurley LN, Antolino DJ. 2014. Hydrogeology, hydraulic characteristics, and water-quality conditions in the surficial, Castle Hayne and PeeDee aquifers of the greater New Hanover County area, North Carolina, 2012–13: U.S. Geological Survey Scientific Investigations Report 2014–5169, 52 pp. <http://dx.doi.org/10.3133/sir20145169>.

Mejia N, Termignoni-Garcia F, Learned J, Penniman J, Edwards SV. 2024. Effects of plastic ingestion on blood chemistry, gene expression and body condition in wedge-tailed shearwaters (*Ardenna pacifica*). *PeerJ*. 12:e18566.

Melnyk LJ, Lazorchak JM, Kusnierz DH, Perlman GD, Lin J, Venkatapathy R, Sundaravadivelu D, Thorn J, Durant J, Pugh K, Stover MA. 2023. One Health assessment of persistent organic chemicals and PFAS for consumption of restored anadromous fish. *Journal of Exposure Science & Environmental Epidemiology* 1-100. [accessed 2025 March] <https://pmc.ncbi.nlm.nih.gov/articles/PMC11541783>.

Meyer J. 2006 Field methods for studying nutria. *Wildlife Society Bulletin* 34(3):850-852.

References

Meyer JL, Kaplan LA, Newbold D, Strayer DL, Woltemade CJ, Zedler JB, Beifuss R, Carpenter Q, Semlitsch R, Watzin MC, et al. 2003. Where rivers are born: the scientific imperative for defending small streams and wetlands. Sponsored by American Rivers and Sierra Club. [accessed 2025 Aug.]. <https://www.americanrivers.org/report/small-streams-wetlands/>

Meyer JL, Strayer DL, Wallace JB, Eggert SL, Helfman GS, Leonard NE. 2007. The contribution of headwater streams to biodiversity in river networks. *J Am Water Resour Assoc* 43(1):86–103.

Meyers JM. 2005. Management, monitoring, and protection protocols for American Oystercatchers at Cape Hatteras National Seashore, North Carolina. Laurel (MD): National Park Service. 24 p.

Milanovich JR, Peterman WE, Nibbelink NP, Maerz JC. 2010. Projected loss of a salamander diversity hotspot as a consequence of projected global climate change. *PLoS one* 5(8):e12189.

Miller PS, Parsons A, Faust L, Franklin A. 2023. Population viability analysis of the red wolf (*Canis rufus*): Integrated management of in situ and ex situ populations in support of species recovery in a mixed canid landscape. Final report 22 August 2023. Apple Valley, MN: IUCN SSC Conservation Planning Specialist Group. <https://iris.fws.gov/APPS/ServCat/DownloadFile/237369>.

Mitchell JC. 2002. Guide to inventory and monitoring of amphibians on Dare County Bombing Range, Cherry Point Marine Corps Air Station, and Marine Corps Base Camp Lejeune, North Carolina. Camp Lejeune (NC): Department of Defense; [accessed 2025 June].91 p. <https://www.denix.osd.mil/dodparc>.

Mitchell MS. 1994. Effects of intensive forest management on the mammal communities of selected North Carolina pocosin habitats. *NCASI Tech Bull* 665.

Mitsch WJ, Gosselink JG. 1993. Wetlands, 2nd edition. John Wiley & Sons, New York.

Mohseni O, Erickson TR, Stefan HG. 1999. Sensitivity of stream temperatures in the United States to air temperatures projected under a global warming scenario. *Water Resour Res.* 35:3723–3733.

MolluscaBase eds. 2024. (Website). [accessed 2025 March] <https://www.molluscabase.org>.

Montgomery GA, Belitz MW, Guralnick RP, Tingley MW. 2021. Standards and best practices for monitoring and benchmarking insects. *Frontiers in ecology and evolution* 8:579193. [accessed 2025 March] <https://doi.org/10.3389/fevo.2020.579193>.

Moore AA, Palmer MA. 2005. Invertebrate biodiversity in agricultural and urban headwater streams: implications for conservation and management. *Ecol Appl* 15(4):1169–1177.

Moore MJ, DiStefano RJ, Larson ER. 2013. An assessment of life-history studies for USA and Canadian crayfishes: identifying biases and knowledge gaps to improve conservation and management. *Freshw Sci.* 32(4):1276–1287.

References

Moorman MC, Ladin ZS, Tsai E, Smith A, Bessler A, Richter J, Harrison R, Van Druten B, Stanton W, Hayes C, Harris BW. 2024. Will they stay or will they go—understanding South Atlantic coastal wetland transformation in response to sea-level rise. *Estuaries and Coasts* 47(7):2011-26.

Moritz CM, Vepraskas MJ, Ricker MC. 2023. A rapid approach for ecological assessments in Carolina Bay wetlands that were previously converted to agriculture. *Frontiers in Forests and Global Change* 6:1148935.

Moritz CM, Vepraskas MJ, Ricker MC. 2022. Hydrology and vegetation relationships in a Carolina Bay Wetland 15 years after restoration. *Wetlands* 42(1):8.

Morrison ML, Marcot B, Mannan W. 2012. Wildlife–habitat relationships: concepts and applications. 3rd ed. Washington (DC): Island Press 520 p.

Morse HD. 1971. The insectivorous bird as an adaptive strategy. *Annual Review of Ecology and Systematics* pp. 177–200. <https://doi.org/10.1146/annurev.es.02.110171.001141>.

Morse, DH, Poston JP, Pyle P, Poole AF. 2024. Black-throated Green Warbler (*Setophaga virens*), version 1.2. In *Birds of the World* (P. G. Rodewald and N. D. Sly, Editors). Cornell Lab of Ornithology, Ithaca, NY, USA. <https://doi.org/10.2173/bow.btnwar.01.2>.

Mountaintrue. 2007. Lake Chatuge watershed action plan. Murphy (NC): Hiwassee River Watershed Coalition; [accessed 2025 May]; <https://mountaintrue.org/wp-content/uploads/2022/07/Lake-Chatuge-Watershed-Action-Plan.pdf>. 88 pp

Mulvey M, Lydeard C, Pyer DL, Hicks KM, Brim-Box J, Williams JD, Butler RS. 1997. Conservation genetics of North American freshwater mussels Amblema and Megalonaias. *Conserv Biol.* 11(4):868–878.

Murdock NA. 1996. Recovery plan for St. Francis' satyr. Atlanta (GA): US Fish and Wildlife Service, Southeast Region. [accessed 2025 June] https://ecos.fws.gov/docs/recovery_plan/960423.pdf.

Murphy M. 2004. Seabirds. South Atlantic Fishery Management Council, Charleston SC.

Murray TE, Coffey MF, Kehoe E, Horgan FG. 2013. Pathogen prevalence in commercially reared bumble bees and evidence of spillover in conspecific populations. *Biol Conserv.* 159:269–276.

Musick JA, Harbin MM, Berkeley SA, Burgess GH, Eklund AM, Findley L, Gilmore RG, Golden JT, Ha DS, Huntsman GR, et al. 2000. Marine, estuarine, anadromous fish stocks at risk of extinction in North America (exclusive of pacific salmonids). *Fish.* 25:6–30.

Muths E, Gallant AL, Grant EH, Battaglin WA, Green DE, Staiger JS, Walls SC, Gunzburger MS, Kearney RF. 2006. The amphibian research and monitoring initiative (ARMI): 5-year report. US Geological Survey Scientific Investigations Report 2006-5224, 77 p. [accessed 2025 July] <https://pubs.usgs.gov/sir/2006/5224/report.pdf>.

Myers N, Knoll AH. 2001. The biotic crisis and the future of evolution. *Proc Natl Acad Sci U S A.* 8;98(10):5389-92. doi: 10.1073/pnas.091092498. PMID: 11344283; PMCID: PMC33223. [accessed 2025 June] <https://pubmed.ncbi.nlm.nih.gov/11344283>.

N

N

[NABCI] North American Bird Conservation Initiative, US Committee. 2009. *The state of the birds: United States of America*. Washington (DC): US Department of Interior. 36 p.

[NABCI] North American Bird Conservation Initiative. 2021. *Bird Conservation Regions* (website) [accessed 2025 July] <https://nabci-us.org/resources/bird-conservation-regions>.

[NABCI] North American Bird Conservation Initiative. 2025. *The State of the Birds, United States of America*, 2025. [accessed 2025 April] www.StateoftheBirds.org. 11 p.

[NAS] National Audubon Society. 2020. *The Christmas Bird Count Historical Results* [Online]. Available <http://www.christmasbirdcount.org>.

[NCAC] North Carolina Administrative Code. 1979. General Statute Article 19B, Chapter 106, Sections 202.12–202.22: Plant Protection and Conservation Act. Available online [accessed 2025 May] https://www.ncleg.net/EnactedLegislation/Statutes/HTML/ByArticle/Chapter_106/Article_19B.html

[NCAC] North Carolina Administrative Code. 1985. General Statute Article 2, Chapter 143B, Sections 49–135.273: Nature Preserves Act. Available online [accessed 2025 May] https://www.ncleg.gov/EnactedLegislation/Statutes/HTML/ByArticle/Chapter_143B/Article_2.html.

[NCAC] North Carolina Administrative Code. 2014. General Statute Article 22, Chapter 14, Sections 126–159.4: Damages and Other Offenses to Land and Fixtures. Available online [accessed 2025 May] https://www.ncleg.gov/EnactedLegislation/Statutes/HTML/ByArticle/Chapter_14/Article_22.html.

[NCAC] North Carolina Administrative Code. 2019. 15A NCAC 2B.0225 Water Quality Standards for Outstanding Resource Waters. Readopted November 1, 2019. [accessed 2025 May]. <http://ncrules.state.nc.us/ncac/title%2015a%20-%20environmental%20quality/chapter%2002%20-%20environmental%20management/subchapter%20b/15a%20ncac%2002b%20.0225.pdf>.

[NCAC] North Carolina Administrative Code. SubChapter 02B Surface Water and Wetland Standards. [accessed 2025 March] <http://reports.oah.state.nc.us/ncac/title%2015a%20-%20environmental%20quality/chapter%2002%20-%20environmental%20management/subchapter%20b/subchapter%20b%20rules.pdf>.

[NCAC] North Carolina Administrative Code. SubChapter 10I Endangered and Threatened Species. [accessed 2025 March] <http://reports.oah.state.nc.us/ncac/title%2015a%20-%20environmental%20quality/chapter%2010%20-%20wildlife%20resources%20and%20water%20safety/subchapter%20i/subchapter%20i%20rules.pdf>

References

[NCANSMP] North Carolina Aquatic Nuisance Species Management Plan. NC Department of Agriculture and Consumer Services, NC Department of Environmental Quality, and NC Wildlife Resources Commission. October 1, 2015. 96 pp. Online [accessed 2025 May] <https://www.ncwildlife.org/aquatic-nuisance-species-management-plan-finalpdf/open>.

[NCBP] North Carolina Biodiversity Project. 2025. Taxonomic Groups. North Carolina Division of Parks and Recreation, Raleigh NC. [accessed 2025 Feb.] <https://nc-biodiversity.com/taxonomic-groups>.

[NCCF] North Carolina Coastal Federal. 2024. North Carolina Salt Marsh Action Plan. South Atlantic Salt Marsh Initiative and NCCF, Newport, NC. [accessed 2025 July] <https://www.nccoast.org/resource/nc-salt-marsh-action-plan-2024>. 55 pp.

[NCCIA] North Carolina Commission on Indian Affairs, Department of Administration. 2025. [accessed 2025 Jan.] <https://www.doa.nc.gov/divisions/american-indian-affairs>

[NCDCM] North Carolina Division of Coastal Management. 2007. State of North Carolina Coastal and Estuarine Land Conservation Program (CELCP) Plan. Department of Environment and Natural Resources, Raleigh, NC. 63 pp.

[NCDCM] North Carolina Division of Coastal Management. 2011. North Carolina's Coastal Habitat Protection Plan 2011-2013, Biennial Implementation Plan. Department of Environment and Natural Resources, Raleigh, NC. 17 pp.

[NCDCM] North Carolina Division of Coastal Management. 2014. Living Shorelines Strategy; with NC Division of Marine Fisheries. North Carolina Department of Environmental Quality, Raleigh NC. [accessed 2025 May] <https://www.deq.nc.gov/documents/estuarine-shorelines/final-living-shorelines-strategy-feb-5-2014/download>.

[NCDCM] North Carolina Division of Coastal Management. n.d. Draft North Carolina Management Program Assessment and Strategy 2026 to 2030, Section 309. Department of Environmental Quality, Raleigh, NC. 72 pp. [accessed 2025 June] <https://www.deq.nc.gov/draft-nc-section-309-assessment-and-strategy-2026-2030pdf/open>.

[NCDEQ] North Carolina Department of Environmental Quality. 2010. North Carolina aquifers. Division of Water Quality, Raleigh NC. [accessed 2025 May]. <https://www.ncwater.org/?page=525>.

[NCDEQ] North Carolina Department of Environmental Quality. 2011. State Water Supply Plan. Division of Water Quality, Raleigh NC. [accessed 2025 May] <https://www.deq.nc.gov/north-carolina-state-water-supply-plan-january-2001>.

[NCDEQ] North Carolina Department of Environmental Quality. 2020. North Carolina Natural and Working Lands Action Plan. [accessed 2025 July] <https://www.deq.nc.gov/environmental-assistance-and-customer-service/climate-change/natural-working-lands/nwl-action-plan-final-copy/download>.

[NCDEQ] North Carolina Department of Environmental Quality. 2020. North Carolina Climate Risk Assessment and Resilience Plan - Impacts, Vulnerability, Risks, and Preliminary Actions. [accessed 2025 May] <https://www.deq.nc.gov/energy-climate/climate-change/nc-climate-change-interagency>.

[council/climate-change-clean-energy-plans-and-progress/nc-climate-risk-assessment-and-resilience-plan.](https://www.ncdeq.gov/climate-change-clean-energy-plans-and-progress/nc-climate-risk-assessment-and-resilience-plan)

[NCDEQ] North Carolina Department of Environmental Quality. 2021. North Carolina Coastal Habitat Protection Plan, 2021 Amendment. Division of Coastal Management and Division of Marine Fisheries, Raleigh, NC. 266 pp. [accessed 2025 March] <https://www.deq.nc.gov/about/divisions/marine-fisheries/habitat-information/coastal-habitat-protection-plan>.

[NCDEQ] North Carolina Department of Environmental Quality. 2022. Climate Strategy Reports. NC Climate Change Interagency Council. Raleigh, NC. [accessed 2025 July] <https://www.deq.nc.gov/energy-climate/climate-change/nc-climate-change-interagency-council/climate-strategy-reports>.

[NCDEQ] North Carolina Department of Environmental Quality. 2023. 20-Year Neuse and Tar-Pamlico Nutrient Management Strategy Retrospective (draft). Division of Water Resources, Raleigh NC. [accessed 2025 May] https://lnba.net/system/files/2024-02/DRAFT%2020-Year%20Neuse%20and%20Tar-Pamlico%20NMS%20Retrospective%20Report_5_16_2023.pdf.

[NCDEQ] North Carolina Department of Environmental Quality. 2024a. North Carolina Wetlands Information. Division of Water Resources, Water Sciences Section, Raleigh, NC. [accessed 2024 Oct.] <https://www.ncwetlands.org/learn/aboutncwetlands/types>.

[NCDEQ] North Carolina Department of Environmental Quality. 2024b. North Carolina Wetlands Threats & Impacts. Division of Water Resources, Raleigh, NC. [Accessed 2024 November] https://www.ncwetlands.org/wp-content/uploads/Wetland_Impacts_and_Threats_ncwetlands.pdf

[NCDEQ] North Carolina Department of Environmental Quality. 2024c. Animal Facility Map, Confined Animal Feeding Operations (CAFOs). (Website). Division of Water Resource, Water Quality Permitting, Raleigh, NC. [accessed 2025 July] <https://www.deq.nc.gov/about/divisions/water-resources/water-quality-permitting/animal-feeding-operations>

[NCDEQ] North Carolina Department of Environmental Quality. 2024d. Eno River Hydrilla Management Project. Division of Water Resources, Aquatic Weed Control Program. Raleigh, NC. [accessed May 2025] <https://www.deq.nc.gov/about/divisions/water-resources/water-planning/water-supply-planning/aquatic-weed-control-program/eno-river-hydrilla-management-project>.

[NCDEQ] North Carolina Department of Environmental Quality. 2024e. North Carolina Priority Climate Action Plan. NC Department of Environmental Quality, Raleigh, NC. [accessed 2025 July] <https://www.deq.nc.gov/north-carolina-priority-climate-action-plan-climate-pollution-reduction-grant/open>. 189 p.

[NCDEQ] North Carolina Department of Environmental Quality. 2025. NPDES Wastewater. Division of Water Resources (web page). Raleigh NC. [accessed 2025 May]. <https://www.deq.nc.gov/about/divisions/water-resources/water-quality-permitting/npdes-wastewater>.

References

[NCDEQ] North Carolina Department of Environmental Quality. 2025. NCDEQ Online GIS (website) NC dam inventory (last updated 4/1/2025). Division of Energy, Mineral, and Land Resources, Dam Safety Program. Raleigh, NC. [accessed 2025 July] <https://data-ncdenr.opendata.arcgis.com/datasets/north-carolina-dam-inventory/explore>.

[NCDEQ] North Carolina Department of Environmental Quality. 2025. Shellfish Sanitation and Recreational Water Quality. Division of Marine Fisheries, Raleigh, NC [accessed 2025 June] <https://www.deq.nc.gov/about/divisions/marine-fisheries/shellfish-sanitation-and-recreational-water-quality>.

[NCDEQ] North Carolina Department of Environmental Quality. 2025. Mitigation Services (Website). Division of Mitigation Service, Raleigh, NC. [accessed 2025 July] <https://www.deq.nc.gov/about/divisions/mitigation-services>.

[NCDEQ] North Carolina Department of Environmental Quality. 2025a. Groundwater Data (Website). Division of Water Resources, Raleigh, NC. [accessed 2025 July] <https://www.ncwater.org/?page=20>.

[NCDEQ] North Carolina Department of Environmental Quality. 2025b. Groundwater Management-Data, Tools, Technical Reports. Division of Water Resources, Raleigh NC. [accessed 2025 May]. <https://www.deq.nc.gov/about/divisions/water-resources/groundwater-resources/groundwater-management-data-tools-technical-reports>.

[NCDEQ] North Carolina Department of Environmental Quality. 2025c. Aquatic weed control (Website). Division of Water Resources, Water Supply Planning, Raleigh NC. [accessed 2025 May]. <https://www.deq.nc.gov/about/divisions/water-resources/water-planning/water-supply-planning/aquatic-weed-control-program>.

[NCDEQ] North Carolina Department of Environment Quality. 2025d. Coastal Management Rules & Regulations (Website). Division of Coastal Management, Raleigh, NC. [accessed 2025 July] <https://www.deq.nc.gov/about/divisions/division-coastal-management/coastal-management-rules-regulations>

[NCDEQ] North Carolina Department of Environmental Quality. 2025e. River Basins, Basin Summaries (Website). Division of Water Resources, Basin Planning Branch, Raleigh NC. [accessed 2025 May]. <https://www.deq.nc.gov/about/divisions/water-resources/water-planning/basin-planning-branch>.

[NCDEQ] North Carolina Department of Environmental Quality. 2025f. Surface water classifications. Division of Water Resources, Water Planning Section, Raleigh, NC. [accessed 2025 June]. <https://www.deq.nc.gov/about/divisions/water-resources/water-planning/classifications-standards>.

[NCDEQ] North Carolina Department of Environmental Quality. 2025g. Classifications & Standards. Division of Water Resources, Raleigh, NC. [accessed 2025 June] <https://www.deq.nc.gov/about/divisions/water-resources/water-planning/classifications-standards>.

[NCDEQ] North Carolina Department of Environmental Quality. 2025h. Integrated Report Files, draft 303(d) Listing and Delisting (Website). Division of Water Resources, Water Planning, Raleigh, NC.

[accessed 2025 May] <https://www.deq.nc.gov/about/divisions/water-resources/water-planning/modeling-assessment/water-quality-data-assessment/integrated-report-files>

[NCDHHS] North Carolina Department of Health and Human Services. 2025. North Carolina Fish Consumption Advisories (website). Division of Public Health, Raleigh, NC. [accessed 2025 March] <https://epi.dph.ncdhs.gov/oee/fish/arcg.html>.

[NCDEQ] North Carolina Department of Environmental Quality. 2024. Fishery Management Plan Review (2023). Division of Marine Fisheries, Raleigh, NC. [accessed 2025 March] <https://www.deq.nc.gov/about/divisions/marine-fisheries/managing-fisheries>.

[NCDNCR] North Carolina Department of Natural and Cultural Resources. 2025. Natural Resources Inventory Database (Website). Division of Parks and Recreation, Raleigh, NC. [accessed 2025 May] <https://auth1.dpr.ncparks.gov/nrid/public.php>.

[NCDPS] North Carolina Department of Public Safety. 2025. NC Floodplain Mapping Program (Website). North Carolina Floodplain Mapping Program Raleigh, NC. [accessed 2025 July]. <https://flood.nc.gov/ncflood/index.html>.

[NCDACS] North Carolina Department of Agriculture and Consumer Services. 2020. North Carolina Forest Action Plan. Forest Service, Raleigh, NC. [accessed 2025 June] <https://www.ncagr.gov/divisions/nc-forest-service/ncfap-2020/open>.

[NCGAP] NC Gap Analysis Project. 2009. Geo-data server online tool. [accessed 2015 March]. <http://www.gapserv.ncsu.edu/ncgap/ncgap/>.

[NCGIA] National Center for Geographic Information and Analysis. 2011. Project Gigapolis [webpage]. [accessed 2025 June] <http://www.ncgia.ucsb.edu/projects/gig/index.html>.

[NCGS] NC General Statute. N.d. Article 24 Chapter 143,. Wildlife Resources Commission. [accessed 2025 March] https://house.ncleg.gov/EnactedLegislation/Statutes/PDF/ByArticle/Chapter_143/Article_24.pdf.

[NCGS] North Carolina General Statute. N.d. Article 12, Chapter 113,. Subchapter Iv. Conservation Of Marine and Estuarine and Wildlife Resources. General Definitions. [accessed 2025 March]. https://www.ncleg.gov/EnactedLegislation/Statutes/PDF/ByArticle/Chapter_113/Article_12.pdf.

[NCGS] North Carolina General Statute. N.d. Article 13, Chapter 113,. Jurisdiction of Conservation Agencies. [accessed 2025 March]. https://www.ncleg.gov/EnactedLegislation/Statutes/PDF/ByArticle/Chapter_113/Article_13.pdf.

NCGS] North Carolina General Statute. N.d. Article 20, Chapter 113,. Miscellaneous regulatory provisions. [accessed 2025 March]. https://library.ncleg.gov/EnactedLegislation/Statutes/PDF/ByArticle/Chapter_113/Article_20.pdf.

References

[NCGS] North Carolina General Statute. N.d. Article 21, Chapter 113,. Licenses and permits issued by the Wildlife Resources Commission. [accessed 2025 March].
https://www.ncleg.gov/enactedlegislation/statutes/pdf/byarticle/chapter_113/article_21.pdf

[NCGS] North Carolina General Statute. N.d. Article 22, Chapter 113,. Regulation of wildlife. [accessed 2025 March].
https://www.ncleg.gov/enactedlegislation/statutes/pdf/byarticle/chapter_113/article_22.pdf.

[NCGS] North Carolina General Statute. N.d. Article 24, Chapter 106 -65,. Definitions. Structural Pest Control Act (1977). [accessed 2025 March]. https://www.ncleg.gov/enactedlegislation/statutes/pdf/bysection/chapter_106_gs_106-65.24.pdf.

[NCGS] North Carolina General Statute. N.d. Article 25, Chapter 113,. Endangered and threatened wildlife and wildlife species of special concern. [accessed 2025 March].
https://www.ncleg.gov/enactedlegislation/statutes/pdf/byarticle/chapter_113/article_25.pdf.

[NCMEF] North Carolina Marine & Estuary Foundation. 2025. North Carolina Wildlife Resources Commission, Fisheries Management in Inland & Coastal Waters. [accessed 2025 May)
<https://www.ncmefoundation.org/management-map/ncwrc>.

[NCDNCR] North Carolina Department of Natural and Cultural Resources. 2025. Collections (Website). Museum of Natural Sciences Raleigh, NC. [accessed 2025 Feb.] <https://naturalsciences.org/research-collections/collections>.

[NCDNCR] North Carolina Department of Natural and Cultural Resources. 2001. Descriptions of the biological themes of North Carolina. 2nd ed. Natural Heritage Program, Raleigh NC.

[NCNHP] North Carolina Natural Heritage Program. 2010. North Carolina ecosystem response to climate change: DENR assessment of effects and adaptation measures. Department of Environment and Natural Resources, Raleigh, NC.

[NCDNCR] North Carolina Department of Natural and Cultural Resources. 2024a. List of Rare Plant Species of North Carolina (Walker A, Amoroso J, eds.). Natural Heritage Program, Raleigh, NC. 63 pp.
[accessed 2025 Aug.] <https://www.ncnhp.org/publications/natural-heritage-program-publications>.

[NCDNCR] North Carolina Department of Natural and Cultural Resources. 2024b. Ecosystem Vulnerability Assessments (draft). Office of Land and Water Stewardship, Natural Heritage Program, Raleigh, NC.

[NCDNCR] North Carolina Department of Natural and Cultural Resources. 2025. River Basin Brochures (Website). Office of Environmental Education, Raleigh, NC. [accessed 2025 May]
<https://www.eenortheastcarolina.org/resources/river-basin-program>.

[NCOG] North Carolina Office of the Governor. 2024. Executive Order No. 305, An order to protect and restore North Carolina's critical natural and working lands. [accessed 2025 July]
<https://governor.nc.gov/executive-order-no-305/open>.

[NCOG] North Carolina Office of the Governor. 2024. Press release: Governor Cooper signs Executive Order setting statewide conservation goals for forests and wetlands. [accessed 2025 Jan] <https://governor.nc.gov/news/press-releases/2024/02/12/governor-cooper-signs-executive-order-setting-statewide-conservation-goals-forests-and-wetlands>.

[NCOSBM] North Carolina Office of State Budget and Management. 2022. Three Key Takeaways in Latest Population Projections by Michael Cline (Author), North Carolina State Demographer. [accessed 2025 June] <https://www.osbm.nc.gov/blog/2022/12/30/ncs-population-reach-140-million-2050>.

[NCOSBM] North Carolina Office of State Budget and Management. 2025a. State demographer county and state population estimates and projections. [accessed 2024 Dec.] <https://www.osbm.nc.gov/facts-figures/population-demographics/state-demographer/countystate-population-projections>.

[NCOSBM] North Carolina Office of State Budget and Management. 2025b. North Carolina's Municipalities Among Fastest Growing in the Nation. [accessed 2025 July] <https://www.osbm.nc.gov/blog/2025/05/16/north-carolinas-municipalities-among-fastest-growing-nation>.

[NCOSBM] North Carolina Office of State Budget and Management. 2024(a). North Carolina to become 7th most populated state in early 2030s. [Accessed 2024 Dec.]. <https://www.osbm.nc.gov/blog/2024/01/23/nc-become-7th-most-populated-state-early-2030s>.

[NCPCP] North Carolina Plant Conservation Program Preserve Steward Manual. 2021. North Carolina Plant Conservation Program and Friends of Plant Conservation. 22 pp. Available online https://www.ncplantfriends.org/uploads/5/7/1/0/57102531/preserve_steward_manual.pdf.

[NCWRC and USFWS] North Carolina Wildlife Resources Commission and United States Fish and Wildlife Service. 2016. North Carolina's White-nose Syndrome Surveillance and Response Plan. Raleigh, NC. 43 pp. [Accessed 2025 May]. <https://www.ncwildlife.gov/nc-wns-surveillance-response-plan-2016pdf/download?attachment>.

[NCWRC] North Carolina Wildlife Resources Commission. 2002. Guidance memorandum to address and mitigate secondary and cumulative impacts to aquatic and terrestrial wildlife resources and water quality. Raleigh (NC): NC Wildlife Resources Commission.

[NCWRC] North Carolina Wildlife Resources Commission. 2005. North Carolina wildlife action plan. NC Wildlife Resources Commission, Raleigh NC. 700 p.

[NCWRC] North Carolina Wildlife Resources Commission. 2012. Conservation recommendations for priority terrestrial wildlife species and habitats in North Carolina. [accessed 2025 June] <https://www.ncwildlife.gov/conserving/conservingterrestrialhabitatsandspeciespdf/download?attachment>. 96 pp.

[NCWRC] North Carolina Wildlife Resources Commission. 2021. Protected Wildlife Species of North Carolina. Raleigh, NC. 10 p. [accessed 2025 June] <https://www.ncwildlife.gov/protected-wildlife-species-north-carolina/open>.

References

[NCWRC] North Carolina Wildlife Resources Commission. 2022. Recovering America's Wildlife Act, Sustaining North Carolina's diverse fish and wildlife resources. 24 pp. Raleigh, NC. <https://www.ncwildlife.org/wildlife-habitat/wildlife-action-plan/recovering-americas-wildlife-act>.

[NCWRC] North Carolina Wildlife Resources Commission. 2023. Southern Hognose Snake Conservation Plan for North Carolina. Raleigh, NC. [accessed 2025 July] <https://www.ncwildlife.gov/southern-hognose-snake-conservation-plan-final-071323pdf/open>.

[NCWRC] North Carolina Wildlife Resources Commission. 2024a. Resolution of the North Carolina Wildlife Resources Commission on Red Wolves. Raleigh, NC. [accessed 2025 July] <https://www.ncwildlife.gov/resolution-red-wolves/open>.

[NCWRC] North Carolina Wildlife Resources Commission. 2024b. Loggerhead, Green, Kemp's Ridley, Leatherback, and Hawksbill Sea Turtle Conservation Plan for North Carolina. Raleigh, NC. [accessed 2025 July] <https://www.ncwildlife.gov/conserving/sea-turtle-species-conservation-plan-2024/open>.

[NCWRC] North Carolina Wildlife Resources Commission. 2025. Restoring Aquatic Species to North Carolina. [accessed 2025 Jan.] <https://www.ncwildlife.org/wildlife-habitat/conservation-restoration-programs/restoring-aquatic-species-north-carolina>.

[NCWRC]. North Carolina Wildlife Resources Commission. 2025. Wildlife and Habitat, Species, American Alligator. Detailed overview of American Alligator. Raleigh, NC. [accessed 2025 March] <https://www.ncwildlife.gov/media/1363/open>.

[NMFS] National Marine Fisheries Service. 2011. Listing endangered and threatened wildlife and plants; 90-day finding on a petition to list alewife and blueback herring as threatened under the endangered species act. Fed Regist. [accessed 2015 August];76(212):67652–67656. www.federalregister.gov/articles/2011/11/02/2011-28430/listing-endangered-and-threatened-wildlife-and-plants-90-dayfinding-on-a-petition-to-list-alewife.

[NMFS] National Marine Fisheries Service. 2012. River herring climate change workshop report. Gloucester (MA): National Marine Fisheries Service, Northeast Regional Office.

[NOAA] National Oceanic and Atmospheric Administration. 2025. C-CAP Regional Land Cover (website). Office for Coastal Management, Digital Coast. [accessed 2025 July] <https://coast.noaa.gov/digitalcoast/data/ccapregional.html>.

[NOAA] National Oceanic and Atmospheric Administration, Fisheries. 2025. Recovery of Species Under the Endangered Species Act. [accessed 2025 March] <https://www.fisheries.noaa.gov/national/endangered-species-conservation/recovery-species-under-endangered-species-act>.

[NCBIWA] National Oceanic Atmospheric Administration. 2011. Table 360: Coastline and shoreline of the United States by state. The national atlas of the United States, coastline and shoreline. [accessed 2025 July]. <https://www2.census.gov/library/publications/2010/compendia/statab/130ed/tables/11s0360.pdf>.

Nastase, E.A. 2024. Status Assessment of Henslow's Sparrows in North Carolina: a Multidisciplinary Framework for Conservation. Final Report, NC Wildlife Resources Commission Cooperative Agreement WM-0342. North Carolina Cooperative Fish and Wildlife Research Unit, Department of Applied Ecology, North Carolina State University, Raleigh, NC, 258 pp.

Native Land Digital. 2024. Vancouver, Canada. [accessed 2025 Jan.] <https://native-land.ca>.

NatureServe. 2023. Biodiversity in Focus: United States Edition. NatureServe, Arlington, VA. [accessed 2025 Jan] <https://www.natureserve.org/bif>

NatureServe. 2024. Faber-Langendoen, D., J. Drake, S. Gawler, M. Hall, C. Josse, G. Kittel, S. Menard, C. Nordman, M. Pyne, M. Reid, L. Sneddon, K. Schulz, J. Teague, M. Russo, K. Snow, and P. Comer, editors. 2010-2019a. Divisions, Macrogroups and Groups for the Revised U.S. National Vegetation Classification. NatureServe, Arlington, VA. [Accessed 2024 November] <https://www.natureserve.org/projects/us-national-vegetation-classification>.

NatureServe. 2025. NatureServe Explorer: an online encyclopedia of life [web application]. Version 7.1. Arlington (VA): NatureServe; [accessed 2012 March]. <https://explorer.natureserve.org>.

Nekola JC, Smith TA. 1999. Terrestrial gastropod richness patterns in Wisconsin carbonate cliff communities. *Malacol.* 41:253–269.

Nekola JC. 1999. Paleorefugia and neorefugia: the influence of colonization history on community pattern and process. *Ecol.* 80(8):2459–2473.

Nekola JC. 2014. Overview of the North American terrestrial gastropod fauna. *American Malacological Bulletin.* 2014 Sep;32(2):225-35.

Nettleship DN. 1977. Seabird resources of eastern Canada: status, problems and prospects. In: Mosquin T, Suchal C (eds). Canada's threatened species and habitats. Special Publication Number 6, Canadian Nature Federation. Ottawa, Canada. pp. 96–108.

Nettleship DN. 1991. Seabird management and future research. *Colon Waterbirds* 14(2):77–215.

Neuendorf KKE, Mehl Jr. JP, Jackson JA. 2005. Glossary of geology. 5th ed. Alexandria (VA): American Geological Institute 779 p.

Neves RJ, Angermeier PL. 1990. Habitat alteration and its effects on native fishes in the upper Tennessee River system, east-central USA. *J Fish Biol.* 37:45–52.

Neves RJ, Bogan AE, Williams JD, Ahlstedt SA, Hartfield PW. 1997. Status of aquatic mollusks in the southeastern United States: a downward spiral of diversity. *In Aquatic Fauna in Peril: The Southeastern Perspective.* Benz GW, Collins DE eds. Special Publication 1, Southeast Aquatic Research Institute, Decatur, GA. 44 pp.

Neves RJ, Odum MC. 1989. Muskrat predation on endangered freshwater mussels in Virginia. *J Wildl Manage.* 53:934–941.

References

Neves RJ. 1993. A state-of-the-unionids address. In Cummings KW, Buchanan AC, Koch LM, editors. Conservation and management of freshwater mussels. Rock Island (IL): Upper Mississippi River Conservation Committee. p. 1–10.

Newton TJ, Johnson NA, Hu DH. 2023. U.S. Geological Survey science vision for native freshwater mussel research in the United States: U.S. Geological Survey Circular 1511, 15 p. [accessed 2025 Aug.] <https://www.usgs.gov/publications/us-geological-survey-science-vision-native-freshwater-mussel-research-united-states>.

Nicholas NS, Eager C, Peine JD. 1999. Threatened ecosystem: high-elevation spruce-fir forest. In: Peine JD, editor. Ecosystem management for sustainability: principles and practices. Boca Raton, FL. Lewis Publishers. p. 431–454

Nicholson KE (Editor). 2025. Scientific and Standard English Names of Amphibians and Reptiles of North America North of Mexico, with Comments Regarding Confidence in Our Understanding, 9th Edition. Society for the Study of Amphibians and Reptiles, Lawrence, Kansas. 87 pp. [accessed 2025 April] <https://ssarherps.org/2025/04/ssar-press-release-the-9th-edition-of-the-scientific-and-standard-english-names>.

Normandeau Associates. 2025. (website) Remote Marine and Onshore Technology (ReMOTe), Normandeau-Ocean Tech Services LLC. Alachua, FL. [accessed 2025 July] https://remote.normandeau.com/buoy_overview.php.

North Carolina Clean Energy. 2025. (web site) NC Clean Energy Technology Center. [accessed 2025 July] <https://nccleantech.ncsu.edu>.

North Carolina Renewable Energy and Energy Efficiency Portfolio Standard (REPS) [web page]. 2007. NC Utilities Commission; [accessed 2025 July]. <https://www.ncuc.gov/Reps/reps.html>.

Noss R, Aplet G, Comer P, Enquist C, Franklin J, Riley J, Safford H. 2024. Natural Areas in the Twenty-First Century. Natural Areas Journal. 2024 Jan;44(1):35-40. [accessed 2025 June] <https://doi.org/10.3375/2162-4399-44.1.35>.

Noss RF, LaRoe ET, Scott JM. 1995. Endangered ecosystems of the United States: a preliminary assessment of loss and degradation. Biological Report 28. US Department of the Interior National Biological Service. Washington, DC.

Noss RF, Peters RL. 1995. Endangered ecosystems: a status report on America's vanishing habitat and wildlife. Washington (DC): Defenders of Wildlife.

Nowotny N, Epp B, Von Sonntag C, Fahlenkamp H. 2007. Quantification and modeling of the elimination behavior of ecologically problematic wastewater micropollutants by adsorption on powdered and granulated activated carbon. Environ Sci Technol 41(6):2050–2055.

Nur N, Jones SL, Geupel GR. 1999. Statistical guide to data analysis of avian monitoring programs. USFWS Biological Technical Publication BTP-R6001-1999, Washington DC.

Nystrom P. 2002. Ecology. In: Holdich DM, editor. *Biology of freshwater crayfish*. Oxford (England): Blackwell Science. p. 192–235.

O

O

[OBSN] Occaneechi Band of the Saponi Nation. 2025. The Occaneechi Band of the Saponi Nation website <https://obsn.org> [accessed 2025 Feb.].

Olivero A, Anderson M. 2008. Northeast aquatic habitat classification. Boston (MA): The Nature Conservancy 88 p.

Olivero-Sheldon A, Anderson M. 2013. Stream classification framework for the SARP region. Boston (MA): The Nature Conservancy 30 p.

Ollerton J, Winfree R, Tarrant S. 2011. How many flowering plants are pollinated by animals? *Oikos* 120(3):321–326. [accessed 2025 March] <https://doi.org/10.1111/j.1600-0706.2010.18644.x>.

Omernik J, Griffith G. 2008. Ecoregions of North Carolina and South Carolina. Encyclopedia of the Earth; [updated 2008 July 6] https://web.archive.org/web/20140121215353/http://www.epa.gov:80/wed/pages/ecoregions/ncsc_eco.htm#content.

Omernik JM. 1987. Map supplement: ecoregions of the conterminous United States. *Ann Assoc Am Geogr* 77(1):118–125.

One Health Initiative. 2025. About One Health. (website) [accessed 2025 July] <https://www.onehealthinitiative.com>.

Opdam P, Wascher D. 2004. Climate change meets habitat fragmentation: linking landscape and biogeographical scale levels in research and conservation. *Biol Conserva* 117:285–297.

Organ J, Mahoney S. 2007. The future of the public trust. *The Wildlife Professional* 1(2):18-22.

Orr MC, Hughes AC, Chesters D, Pickering J, Zhu CD, Ascher JS. 2021. Global patterns and drivers of Bee distribution. *Current Biology* 31(3):451-458. <https://doi.org/10.1016/j.cub.2020.10.053>.

Otterstatter MC, Thomson JD. 2008. Does pathogen spillover from commercially reared bumble bees threaten wild pollinators? *PLoS ONE* 3(7):e2771. [doi:10.1371/journal.pone.0002771](https://doi.org/10.1371/journal.pone.0002771).

P

P

Palka D, Aichinger Dias L, Broughton E, Chavez-Rosales S, Cholewiak D, Davis G, DeAngelis A, Garrison L, Haas H, Hatch J, Hyde K. Atlantic Marine Assessment Program For Protected Species: Fy15-fy19.

References

[accessed 2025 March] <https://www.fisheries.noaa.gov/new-england-mid-atlantic/population-assessments/atlantic-marine-assessment-program-protected>.

Palmer, W.M. and A.L. Braswell. 1995. Reptiles of North Carolina. University of North Carolina Press, Chapel Hill. 412 pp

Pandolfo TJ, Cope WG, Arellano C, Bringolf RB, Barnhart MC, Hammer E. 2010. Upper thermal tolerances of early life stages of freshwater mussels. *Journal of the North American Benthological Society* 29(3):959-969.

Pandolfo TJ, Cope WG, Arellano C, Bringolf RB, Barnhart MC, Hammer E. 2010. Upper thermal tolerances of early life stages of freshwater mussels. *J N Am Benthol Soc* 29(3):959–969.

Pashley DN, Beardmore CJ, Fitzgerald JA, Ford RP, Hunter WC, Morrison MS, Rosenberg KV. 2000. Partners in Flight: Conservation of the land birds of the United States. The Plains (VA): American Bird Conservancy.

Patronek GJ. 1998. Free-roaming and feral cats—their impact on wildlife and human beings. *Journal of the American Veterinary Medical Association*, 212(2), pp.218-226.

Patton D, DeHan B. 1998. Water issues: global, national, state, ecosystem. *Water Resources Atlas of Florida*. Fernald EA, Purdum ED, eds. Florida State University, Tallahassee.

Perez KE, Minton RL. 2008. Practical applications for systematics and taxonomy in North American freshwater gastropod conservation. *J N Am Benthol Soc*. 27(2):471–483.

Perkins MA, Johnson NA, Gangloff MM. 2017. Molecular systematics of the critically-endangered North American spiny mussels (Unionidae: *Elliptio* and *Pleurobema*) and description of *Parvaspina* gen. nov. *Conservation Genetics* 18:745–757. <https://doi.org/10.1007/s10592-017-0924-z>.

Perkins MW, Johnson RJ, Blankenship EE. 2003. Response of riparian avifauna to percentage and pattern of woody cover in an agricultural landscape. *Wildlife Society Bulletin* 31(3):642–660.

Persinger JW, Orth DJ, Averett AW. 2011. Using habitat guilds to develop habitat suitability criteria for a warmwater stream fish assemblage. *River Res Appl* 27: 956–966. DOI: 10.1002/rra.1400.

Petersen CE, Lovich RE, Stallings S. 2018. Amphibians and reptiles of United States Department of Defense Installations. US Navy Research, US Department of Defense. *Herpetological Conservation and Biology* 13(3):652–661. [accessed 2025 Aug.]
<https://digitalcommons.unl.edu/cgi/viewcontent.cgi?article=1172&context=usnavyresearch>.

Peterson BJ, Wollheim WM, Mulholland PJ, Webster JR, Meyer JL, Tank JL, Martí E, Bowden WB, Valett HM, Hershey AE, et al. 2001. Control of nitrogen export from watersheds by headwater streams. *Sci* 292(5514):86–90.

Peterson CD and Walter JF. 2023. Southeast Fisheries Science Center Management Strategy Evaluation Plan Strategic Plan. [accessed 2025 March] <https://doi.org/10.25923/khnf-vh41>. 32 pp.

References

Peterson CD, Walter III JF. 2023. Southeast Fisheries Science Center Management Strategy Evaluation Strategic Plan. NOAA Technical Memorandum NMFS-SEFSC-766. NOAA National Marine Fisheries Science Center. Miami, FL. 32 pp. doi:10.25923/khnf-vh41.

Peterson JT, Rabeni CF. 1996. Natural thermal refugia for temperate warmwater stream fishes. *N Am J Fish Manag* 16:738–746.

Petraska JW, Hall S, Howard T, LeGrand H. 2025. Amphibians of North Carolina. NC Biodiversity Project and NC State Parks. Raleigh, NC. [accessed 2025 Feb.] <https://auth1.dpr.ncparks.gov/amphibians/index.php>.

Petrasova, A., Sanchez, G.M., Lawrimore, M.A., Vogler, J.B., Collins, E.L., Petras, V., Harper, T., Butzler, E., and Meentemeyer, R.K., 2023. FUTURES v2: Status Quo Projections of Future Patterns of Urbanization Across the Conterminous United States from 2020 to 2100: U.S. Geological Survey data release, <https://doi.org/10.5066/P94N3ICH>.

Pfleiger WL. 1996. The crayfishes of Missouri. Jefferson City (MO): Missouri Department of Conservation. 152 p.

Pleasants JM, Oberhauser KS. 2012. Milkweed loss in agricultural fields because of herbicide use: effect on the monarch butterfly population. *R Entomol Soc: Insect Conserv Divers.* doi:10.1111/j.1752-4598.2012.00196.x.

Pritchard DW. 1967. What is an estuary: a physical viewpoint. In: Lauff GH, editor. *Estuaries*. Washington (DC): American Association for the Advancement of Science. p. 3–5.

Puig-Gironès R, Santos X, Bros V. 2023. Long-interval effects of wildfires on the functional diversity of land snails. *Science of The Total Environment* 876:162677.

Pyle C. 1984. Pre-park disturbance in the spruce-fir forests of Great Smoky Mountains National Park. In: White PS, editor. *The southern Appalachian spruce-fir ecosystem: its biology and threats*. Research/Resource Management Report SER-71. Atlanta, GA. US Department of the Interior National Park Service.

Pyron RA, Beamer DA. 2022. Allocation of *Salamandra auriculata* Holbrook, 1838, with a new species of Swamp-dwelling Dusky Salamander (Plethodontidae: *Desmognathus*) from the Atlantic Coastal Plain. *Zootaxa* 5188(6):587-595. DOI: 10.11646/zootaxa.5188.6.6.

Pyron RA, Beamer DA. 2022. Systematics of the Ocoee Salamander (Plethodontidae: *Desmognathus ocoee*), with description of two new species from the southern Blue Ridge Mountains. *Zootaxa* 5190: 207–240 <https://doi.org/10.11646/zootaxa.5190.2.3>.

Pyron RA, Beamer DA. 2023. Systematic revision of the Spotted and Northern Dusky Salamanders (Plethodontidae: *Desmognathus conanti* and *D. fuscus*), with six new species from the eastern United States. *Zootaxa* 5311: 451–504. <https://doi.org/10.11646/zootaxa.5311.4.1>.

References

Q, R

Q, R

Quinlan JA, Muñoz RC, Burton M, Cavanaugh J, Cudney J, Doerr J, Gore KR, Leo J, Livergood A, O'Donnell K, Opay P, Sasso C, Waters L. 2023. Southeast Regional Action Plan to Implement the NOAA Fisheries Climate Science Strategy Through 2024. 59 pp [accessed 2025 March] <https://www.fisheries.noaa.gov/s3/2023-06/508-SERAP-Final-May23.pdf>.

Quinter EL, Sullivan JB. 2014. A new apameine genus and species from the southern Appalachian Mountains, USA (Lepidoptera, Noctuidae, Noctuinae). *ZooKeys* (421):181. <http://dx.doi.org/10.3897/zookeys.421.7727>.

Rabelo MM, Dimase M, Paula-Moraes SV. 2022. Ecology and management of the invasive land snail *Bulimulus bonariensis* (Rafinesque, 1833) (Stylommatophora: Bulimulidae) in row crops. *Frontiers in Insect Science* 2:1056545.

Rabeni CF, Smale MA. 1995. Effects of siltation on stream fishes and the potential mitigating role of the buffering riparian zone. *Hydrobiol.* 303(1-3):211–219.

Rabeni CF. 1992. Trophic linkage between stream Centrarchids and their crayfish prey. *Can J Fish Aquat Sci.* 49:1714–1721.

Radcliffe C, Norris S, Ambrose J, Knapp W, Rice T, Treher Eberly A, Weakley A, Terwilliger K, Coffey EED, 2023. Southeastern Plants Regional Species of Greatest Conservation Need. Atlanta, Georgia: Southeastern Plant Conservation Alliance. 33 pp. [accessed 2025 Feb.] https://www.se-pca.org/wp-content/uploads/2023/10/SE-PCA_publication_final_Booklet_23.pdf

Radeloff VC, Helmers DP, Kramer HA, Mockrin MH, Alexander PM, Bar-Massada A, Butsic V, Hawbaker TJ, Martinuzzi S, Syphard AD, Stewart SI. 2018. Rapid growth of the US wildland-urban interface raises wildfire risk. *Proceedings of the National Academy of Sciences of the United States of America* 115(13):3314-3319. [accessed 2025 June] <https://www.pnas.org/doi/full/10.1073/pnas.1718850115>.

Raesly RL, Gates JE. 1987. Winter habitat selection by north temperate cave bats. *American Midland Naturalist* 118:15–31.

Ralph CJ, Droege S, Sauer JR. 1995. Managing and monitoring birds using point counts: standards and applications. USDA Forest Service General Technical Report PSW-GTR-149. Arcata, CA. [accessed 2025 Aug.] https://www.fs.usda.gov/psw/publications/documents/psw_gtr149/psw_gtr149_pg161_168.pdf.

Ralph CJ, Sauer JR, Droege S (eds.). 1997. Monitoring Bird Populations by Point Counts. General Technical Report PSW-GTR-149 USDA Forest Service Pacific Southwest Research Station, Albany, CA. [accessed 2025 Aug.] https://www.fs.usda.gov/psw/publications/documents/psw_gtr149/psw_gtr149_fm.pdf.

Ralph DJ, Geupel GR, Pyle P, Martin TE, DeSante DF. 1993. Handbook of field methods for monitoring landbirds. USDA Forest Service/UNL Faculty Publications 105. Pacific Southwest Research Station, Albany, CA. [accessed 2025 Aug.] <https://pubs.usgs.gov/of/2010/1078/pdf/ofr20101078.pdf>.

Ratcliffe J, Hamon L, East M. 2024. Natural Heritage Program List of Rare Animal Species of North Carolina. North Carolina Natural Heritage Program, NC Department of Natural and Cultural Resources, Raleigh, NC. 65 pp. <https://www.ncnhp.org/publications/natural-heritage-program-publications>.

Ray KL. 2011. Factors affecting Wilson's Plover (*Charadrius wilsonia*) demography and habitat use at Onslow Beach, Marine Corps Base Camp Lejeune, North Carolina[thesis]. Virginia Polytechnic Institute and State University, Blacksburg, VA.

Ray KL, Karpanty SM, Fraser JD. 2011. Habitat characteristics affecting nest hatching success, brood territory establishment, and foraging site selection of Wilson's Plovers (*Charadrius wilsonia*) in southeastern North Carolina. Virginia Polytechnic Institute and State University, Blacksburg, VA.

Rentch JS, Schuler TM, Ford WM, Nowacki GJ. 2007. Red spruce stand dynamics, simulations, and restoration opportunities in the Central Appalachians. *Restor Ecol* 15:440–452.

Revenga C, Campbell I, Abell R, de Villiers P, Bryer M. 2005. Prospects for monitoring freshwater ecosystems towards the 2010 targets. *Philos Trans Royal Soc B*360:397–413.

Reynolds J, Souty-Grosset C. 2012. Management of freshwater biodiversity: Crayfish as bioindicators. Cambridge (England): Cambridge University Press. 384 p.

Reynolds WW, Casterline ME. 1979. Behavioral thermoregulation and the final preferendum paradigm. *Am Zool* 19:211–224.

Ricciardi A, Palmer ME, Yan ND. 2011. Should biological invasions be managed as natural disasters? *BioSci.* 61(4):312–317.

Rice TM, Crisfield E, Terwilligen K. 2019. Regional Species of Greatest Conservation Need in the Southeastern United States. Southeast Association of Fish and Wildlife Agencies, Wildlife Diversity Committee. Prepared by Terwilligen Consulting, Inc. 138 pp.

Rich TD, Beardmore CJ, Berlanga H, Blancher PJ, Bradstreet MSW, Butcher GS, Demarest DW, Dunn EH, Hunter WC, Inigo-Elias EE, et al. 2004. Partners in Flight North American landbird conservation plan. Ithaca (NY): Cornell Lab of Ornithology.

Richards DC. 2004. Competition between the threatened Bliss Rapids snail, *Taylorconcha serpentiscola* (Hershler et al.) and the invasive, aquatic snail *Potamopyrgus antipodarum* (Gray) [dissertation]. [Bozeman (MT)]: Montana State University. [accessed 2015 August]. 177 p.
[https://www.researchgate.net/publication/326300730_Competition_between_the_threatened_Bliss_Rapids_Snail_Taylorconcha_serptenticola_and_the_invasive_aquatic_snail_Potamopyrgus_antipodarum.](https://www.researchgate.net/publication/326300730_Competition_between_the_threatened_Bliss_Rapids_Snail_Taylorconcha_serptenticola_and_the_invasive_aquatic_snail_Potamopyrgus_antipodarum)

Richardson CJ. 1991. Pocosins: an ecological perspective. Duke University School of the Environment. Durham, NC. *Wetlands* (Suppl 1):335-54. 20 p.

References

Richardson DM, Le Roux JJ, Wilson JR. 2015. Australian acacias as invasive species: lessons to be learnt from regions with long planting histories. *Southern Forests: a Journal of Forest Science* 2;77(1):31-9.

Richman NI, Bohm M, Adams SB, Alvarez F, Bergey EA, Bunn JJS, Burnham Q, Cordeiro J, Coughran J, Crandall KA, et al. 2015. Multiple drivers of decline in the global status of freshwater crayfish (Decapoda: Astacidea). *Philos Trans B*. 370(1662). doi:10.1098/rstb.2014.0060.

Ricketts TH, Dinerstein E, Olson DM, Loucks C. 1999. Who's where in North America? Patterns of species richness and the utility of indicator taxa for conservation. *BioSci* 49(5):369-381.

Ripley J, Iwanowicz L, Blazer V, Foran C. 2008. Utilization of protein expression profiles as indicators of environmental impairment of Smallmouth Bass (*Micropterus dolomieu*) from the Shenandoah River, Virginia, USA. *Environ Toxicol Chem*. 27:1756-1767.

Rittenhouse TAG, Harper EB, Rehard LE, Semlitsch RD. 2008. The role of microhabitats in the desiccation and survival of amphibians in recently harvested oak-hickory forest. *Copeia*. 4:807-814.

Robbins CS, Dawson DK, Dowell BA. 1989. Habitat area requirements of breeding forest birds of the middle Atlantic states. *Wildlife Monographs* 103:3-34.

Rodewald AM, Yahner RH. 2001. Avian nesting success in forested landscapes: influence of landscape composition, stand and nest-patch microhabitat, and biotic interactions. *The Auk* 118(4):1018-1028.

Roe, C. 2021. Million-acre land protection goal finally met. *Coastal Review*, NC Coastal Federation. [accessed 2025 Jan]. <https://coastalreview.org/2021/03/million-acre-land-protection-goal-finally-met>.

Roe KJ, Hartfield PD. 2005. *Hamiota*, a new genus of freshwater mussel (Bivalvia: Unionidae) from the Gulf of Mexico drainages of the southeastern United States. *The Nautilus* 119:1-10.

Roe KJ, Lydeard C. 1998. Molecular systematics of the freshwater mussel genus *Potamilus* (Bivalvia: Unionidae). *Malacol*. 39(1-2):195-205.

Roll U, Feldman A, Novosolov M, Allison A, Bauer AM, Bernard R, Böhm M, Castro-Herrera F, Chirio L, Collen B, Colli GR. 2017. The global distribution of tetrapods reveals a need for targeted reptile conservation. *Nature ecology & evolution* 1(11):1677-82.

Romey WL, Ascher JS, Powell DA, Yanek M. 2007. Impacts of logging on midsummer diversity of native bees (Apoidea) in northern hardwood forest. *Journal of the Kansas Entomological Society* 80(4):327-338.

Rosa, L, Nunes, L, Niederman, T. 2022. Biodiversity In Crisis: Exploring Threats to America's Most Imperiled Species. Defenders of Wildlife, Washington, DC. 19 pp. [accessed 2025 Jan] https://defenders-cci.org/files/5_Drivers_Report.pdf.

Rosenberg KV, Kennedy JA, Dettmers R, Ford RP, Reynolds D, Alexander JD, Beardmore CJ, Blancher PJ, Bogart RE, Butcher GS, Camfield AF, Couturier A, Demarest DW, Easton WE, Giocomo JJ, Keller RH,

Mini AE, Panjabi AO, Pashley DN, Rich TD, Ruth JM, Stabins H, Stanton J, Will T. 2016. Partners in Flight Landbird Conservation Plan: 2016 Revision for Canada and Continental United States. Partners in Flight Science Committee. 119 pp. [accessed 2025 Feb.] <https://www.partnersinflight.org/wp-content/uploads/2016/08/pif-continental-plan-final-spread-single.pdf>.

Rosgen DL. 1994. A classification of natural rivers. *Catena* 22:169–199.

Russ WT, Fraley SJ. 2014. Status update for six rare crayfishes (Decapoda: Cambaridae) in western North Carolina. *J N C Acad Sci.* 130(2):25–39.

S

S

[SAMAB] Southern Appalachian Man and the Biosphere. 1996a. The Southern Appalachian assessment terrestrial technical report. Report 5 of 5. Atlanta (GA): US Department of Agriculture, Forest Service, Southern Region.

[SAMAB] Southern Appalachian Man and the Biosphere. 1996b. Southern Appalachian Assessment Report, Aquatic Resources Technical Report. 146 p.

[SAMBI] South Atlantic Migratory Bird Initiative. 2004. South Atlantic Migratory Bird Initiative Pelagic Conservation Plan [draft]. US Fish and Wildlife Service, Charleston, SC. 10 p.

[SARP] Southeast Aquatic Resources Partnership. 2024. National Aquatic Barrier Inventory & Prioritization Tool. (Internet version 3.18.0, updated May 20, 2025) [accessed 2025 July] <https://aquaticbarriers.org>.

[SARP] Southeast Aquatic Resources Partnership. 2025. Aquatic Connectivity Program. [accessed 2025 June] <https://southeastaquatics.net/sarps-programs/aquatic-connectivity-program-act/act-new-home>.

[SASMI] South Atlantic Salt Marsh Initiative. 2023. Marsh Forward: A Regional Plan for the Future of the South Atlantic Coast's Million-Acre Salt Marsh Ecosystem. [accessed 2025 Aug.] <https://marshforward.org/sasmi-plan>. 52 pp.

[SASRI] Southern Appalachian Spruce Restoration Plan. 2015. Tennessee chapter of The Nature Conservancy. 49pp. https://southernspruce.org/wp-content/uploads/2018/07/final_southern-appalachian-spruce-restoration-plan1.pdf

[SCO] State Climate Office of North Carolina. 2014. Overview. Raleigh (NC): State Climate Office of NC; [accessed 2025 Aug.]. <https://climate.ncsu.edu>.

[SEAFWA] Southeast Association of Fish and Wildlife Agencies. 2023. Recommendations to improve the identification, assessment, and prioritization of Species of Greatest Conservation Need (SGCN) in the SEAFWA region. SEAFWA Wildlife Diversity Committee. 50 pp. [accessed 2025 Feb.] https://georgiabiodiversity.org/sgcn_development/supp/SEAFWA_SGCN_Recommendation_Report_2022.pdf.

References

[SECAS] Southeast Conservation Adaptation Strategy. 2025a. The Southeast Blueprint Indicators. [accessed 2025 May] <https://secassoutheast.org/blueprint-indicators>.

[SECAS] Southeast Conservation Adaptation Strategy. 2025b. North Carolina: A regional perspective.

[SECOORA] Southeast Coastal Ocean Observing Regional Association. 2024. Surface Elevation Table (SET) Community of Practice. <https://secoora.org>.

Sabine JB, Meyers JM, Moore CT, Schweitzer SH. 2008. Effects of human activity on behavior of breeding American Oystercatchers, Cumberland Island National Seashore, Georgia, USA. *Waterbirds*. 31(1):70–82.

Saiz-Jimenez C. 2012. Microbiological and environmental issues in show caves. *World J Microbiol Biotechnol* 28:2453-2464.

Salafsky N, Relton C, Young BE, Lamarre P, Böhm M, Chénier M, Cochrane E, Dionne M, He KK, Hilton-Taylor C, Latrémouille C. 2024. Classification of direct threats to the conservation of ecosystems and species 4.0. *Conservation Biology* e14434. DOI: 10.1111/cobi.14434.

Salafsky N, Salzer D, Sattersfield A, Hilton-Taylor C, Neugarten R, Butchart S, Collen B, Cox N, Master L, O'Connor S, Wilkie D. 2008. A standard lexicon for biodiversity conservation: unified classifications of threats and actions. *Conserv. Biol.* 22(4): 897-911. [accessed 2025 Aug.] <https://onlinelibrary.wiley.com/doi/full/10.1111/j.1523-1739.2008.00937.x>.

Sappony. 2023. Sappony Indian Tribe website [accessed 2025 Feb.] <https://www.sappony.org>.

Sauer JR, Link WA, Fallon JE, Pardieck KL, Ziolkowski Jr. DJ. 2013. The North American Breeding Bird Survey 1966–2011: summary analysis and species accounts. *N Am Fauna* 79:1–32. doi:10.3996/nafa.79.0001.

Sawicz K, Wagener T, Sivapalan M, Troch PA, Carrillo G. 2011. Catchment classification: empirical analysis of hydrologic similarity based on catchment function in the eastern USA. *Hydrol Earth Syst Sci* 15: 2895–2911.

Schafale MP, Weakley AS. 1990. Classification of the natural communities of North Carolina, third approximation. North Carolina Natural Heritage Program. Department of Environment and Natural Resources, Raleigh, NC.

Schafale MP. 2012. Guide to the natural communities of North Carolina, Fourth Approximation. North Carolina Natural Heritage Program. Department of Environment and Natural Resources, Raleigh, NC. 217 pp.

Schafale MP. 2024. Classification of the natural communities of North Carolina, Fourth Approximation. North Carolina Natural Heritage Program. Department of Natural and Cultural Resources, Raleigh, NC. 1244 pp.

References

Schiesari L. 2006. Pond canopy cover: a resource gradient for anuran larvae. *Freshwater Biology* 51:412–423.

Schindler EE, Scheuerell MD. 2002. Habitat coupling in lake ecosystems. *Oikos* 98:177–189.

Scholl MA, McCabe GJ, Olson CG, Powlen KA. 2025. Climate change and future water availability in the United States. US Geological Survey; Chapter E of the USGS Integrated Water Availability Assessment 2010-20. 72 p. [accessed 2025 July] <https://pubs.usgs.gov/pp/1894/e/pp1894E.pdf>.

Schug, F., Bar-Massada, A., Carlson, A.R. et al. 2023. The global wildland–urban interface. *Nature* 621, 94–99.[accessed 2025 Jan] <https://doi.org/10.1038/s41586-023-06320-0>

Schuster GA. 1997. Resource management of freshwater crustaceans in the southeastern United States. Pages 269–282. in Benz GW, Collins DE, editors. *Aquatic fauna in peril: the southeastern perspective*. Southeast Aquatic Research Institute, Decatur, GA.

Schwalb AN, Pusch MT. 2007. Horizontal and vertical movements of unionid mussels in a lowland river. *J N Am Benthol Soc.* 26(2):261–271.

Schwartz MK, Luikart G, Waples RS. 2007. Genetic monitoring as a promising tool for conservation and management. *Trends Ecol Evol.* 22(1):25–33.

Schweitzer SH, Gillin CM (editors). 2024. Toolkit to Address Free-ranging Domestic Cats on Agency Lands Managed for Native Wildlife and Ecosystem Health. Human-Wildlife Interactions Monograph 4:1-56. [accessed 2025 July] https://digitalcommons.usu.edu/cgi/viewcontent.cgi?article=1003&context=hwi_monographs.

Scott JW, Gunderson KG, Green LA, Rediske RR, Steinman AD. 2021. Perfluoroalkylated substances (PFAS) associated with microplastics in a lake environment. *Toxics*, 9(5):106.

Seavy NE, Gardali T, Golet G, Thomas Griggs F, Howell CA, Kelsey R, Small S, Viers J, Weigand J. 2009. Why climate change makes riparian restoration more important than ever: recommendations for practice and research. *Ecol Rest* 27:3.

Serb JM. 2006. Discovery of genetically distinct sympatric lineages in the freshwater mussel *Cyprogenia aberti* (Bivalvia: Unionidae). *J Mollus Stud.* 72(4):425–434.

Shannon L, Biggins RG, Hylton RE. 1993. Freshwater mussels in peril: perspectives of the US Fish and Wildlife Service. In: Cummings KS, Buchanan AC, Koch LM, editors. *Conservation and management of freshwater mussels*. Rock Island (IL): Upper Mississippi River Conservation Committee. p.66–68.

Sheldon AO, Anderson M. 2013. Stream classification framework for the Southeast Aquatic Resources Partnership (SARP) region, a summary report to complete Grant Agreement 070111-01 between the SARP and The Nature Conservancy. 30 pp.

Sheppard C, Lenz B. 2023. Getting clear on birds and glass. American Bird Conservancy (website) [accessed 2025 Aug.] <https://abcbirds.org/blog/truth-about-birds-and-glass-collisions>.

References

Shields MA, Parnell JF. 1990. Marsh nesting by American oystercatchers in North Carolina. *J Field Ornithol.* 61(4):431–433.

Shochat E, Lerman SB, Andries JM, Warren PS, Faeth SH, Nilon CH. 2010. Invasion, competition, and biodiversity loss in urban ecosystems. *BioSci.* 60(3):199–208.

Shoo LP, Olson DH, McMenamin SK, Murray KA, Van Sluys M, Donnelly MA, Stratford D, Terhivuo J, Merino-Viteri A, Herbert SM, et al. 2011. Engineering a future for amphibians under climate change. *J Appl Ecol* 48:487–492.

Silk N, Ciruna K, editors. 2006. A practitioner's guide to freshwater biodiversity conservation. Washington (DC): Island Press. 408 p.

Simmons JW, Fraley SJ. Distribution, status, and life-history observations of crayfishes in western North Carolina. *Southeastern Naturalist.* 2010 Jan;9(sp3):79-126. <https://doi.org/10.1656/058.009.s316>.

Skeldon MA, Vadeboncoeur MA, Hamburg SP, Blum JD. 2007. Terrestrial gastropod responses to an ecosystem-level calcium manipulation in a northern hardwood forest. *Can J Zool.* 85(9):994–1007. [accessed 2025 June] <http://scholars.unh.edu/cgi/viewcontent.cgi?article=1017&context=ersc>.

Skelly DK, Freidenburg LK, Kiesecker JM. 2002. Forest canopy and the performance of larval amphibians. *Ecology* 83:983-992.

Skelly DK, Golon J. 2003. Assimilation of natural benthic substrate by two species of tadpoles. *Herpetologica* 59:37-42.

Skelly DK. 2004. Microgeographic countergradient variation in the wood frog, *Rana sylvatica*. *Evolution* 58:160-165.

Slapcinsky J, Furr D, Devender AV, Devender RW. 2023. A river runs through it: The unusual distribution of a new *Paravitrea* (Gastropoda: Stylommatophora: Oxylilidae) from the Piedmont of North Carolina, with the description of a new species. *The Nautilus.* 2023;137:91-7.

Slomke AM, Lankester MW, Peterson WJ. 1995. Infrapopulation dynamics of *Parelaphostrongylus tenuis* in white-tailed deer. *J Wildl Dis.* 31(2):125–135.

Smallwood JA, Causey MF, Mossop DH, Klucsarits JR, Robertson B, Robertson S, Mason J, Maurer MJ, Melvin RJ, Dawson RD, et al. 2009. Why are American kestrel (*Falco sparverius*) populations declining in North America? Evidence from nest box programs. *J Raptor Res.* 43(4):274–282.

Smith AO, Gallagher EE, Danner RM. 2025. Breeding *Sternula antillarum* (Least Terns) disturbance distances and duration of escape behaviors: Pedestrians necessitate larger conservation buffers than do passing vehicles. *Ornithological Applications: duaf026.* <https://doi.org/10.1093/ornithapp/duaf026>.

Smith DG, Chapman MJ. 2005. Hydraulic properties of the surficial aquifer at five selected sites in the Little Contentnea Creek basin, North Carolina, 2002–03: U.S. Geological Survey Scientific Investigations Report 2005–5238, 104 p.

Smith GF, O'Donoghue P, O'Hora K, Delaney E. 2011. Best practice guidance for habitat survey and mapping. The Heritage Council, Kilkenny, Ireland. 2-90 pp.

Smith PA, Smith AC, Andres B, Francis CM, Harrington B, Friis C, Guy Morrison RI, Paquet J, Winn B, Brown S. 2023. Accelerating declines of North America's shorebirds signal the need for urgent conservation action. *Ornithological Applications* 125:1-14.
<https://doi.org/10.1093/ornithapp/duad003>.

Smith RK, Freeman PL, Higgins JV, Wheaton KS, FitzHugh TW, Ernstrom KJ, Das AA. 2002. Priority areas for freshwater conservation action: a biodiversity assessment of the Southeastern United States. The Nature Conservancy.

Smith VH, Joye SB, Howarth RW. 2006. Eutrophication of freshwater and marine ecosystems. *Limnol Oceanogr* 51(1):351–355.

Smith VH, Tilman GD, Nekola JC. 1999. Eutrophication: impacts of excess nutrient inputs on freshwater, marine, and terrestrial ecosystems. *Environ Pollut* 100(1):179–196.

Smock LA, Wright AB, Benke AC. 2005. Atlantic Coast rivers of the Southeastern United States. In: Benke AC, Cushing CE, editors. *Rivers of North America*. Elsevier. p. 72–122.

Snyder NFR, Derrickson SR, Beissinger SR, Wiley WJ, Smith TB, Toone WD, Miller B. 1996. Limitations of captive breeding in endangered species recovery. *Conserv Biol*. [accessed 2025 Aug.];10:338–348.
<https://onlinelibrary.wiley.com/doi/abs/10.1046/j.1523-1739.1996.10020338.x>.

Somers AB, Bridle KA, Herman DW, Nelson AB. 2000. The restoration and management of small wetlands of the mountains and piedmont in the southeast: a manual emphasizing endangered and threatened species habitat with a focus on bog turtles. A joint publication of the Watershed Science and Wetland Science Institutes of the US Department of Agriculture, Natural Resources Conservation Service, The University of North Carolina at Greensboro, and Pilot View Resource Conservation and Development, Inc. [accessed 2025 June]. 152 p.
http://libres.uncg.edu/ir/uncg/f/A_Somers_Restoration_2000_intro-toc.pdf.

Somers AB, Mansfield-Jones J, Braswell J. 2007. In stream, streamside, and under stream bank movements of a bog turtle, *Glyptemys muhlenbergii*. *Chelonian Conserv Biol*. 6(2):286–288.

Somers AB, Matthews CE. 2006. The box turtle connection: a passageway into the natural world. Greensboro (NC); [accessed 2015 August]. 127 p.
<https://boxturtle.dreamhosters.com/files/Box%20turtle%20connection%20book.pdf>.

Sorg L. 2024. Enviva declares bankruptcy, operates four wood pellet plants in NC. NC Newsline (website). Raleigh, NC [accessed 2025 July] <https://ncnewsline.com/briefs/enviva-declares-bankruptcy-operates-four-wood-pellet-plants-in-nc>.

References

Sprunt, Jr., A. (1953). Wayne's Black-throated Green Warbler. In A. C. Bent (Ed.), Bulletin 203 of the United States National Museum. Washington, D.C.: U.S. Government Printing Office. (pp. 308–316).

Statzner B, Peltret O, Tomanova S. 2003. Crayfish as geomorphic agents and ecosystem engineers: effect of a biomass gradient on baseflow and flood-induced transport of gravel and sand in experimental streams. *Freshw Biol.* 48:147–163.

Steffy LY, Kilham SS. 2006. Effects of urbanization and land use on fish communities in the Valley Creek watershed, Chester County, Pennsylvania. *Urban Ecosyst.* 9:119–133.

Stein BA. 2002. States of the Union: ranking America's biodiversity. Arlington, VA: NatureServe.

Stenroth P, Nystrom P. 2003. Exotic crayfish in a brown water stream: effects on juvenile trout, invertebrates and algae. *Freshw Biol.* 48:466–475.

Stevenson R. 2015. North Carolina waterfalls (web page). [accessed 2025 June] <http://www.ncwaterfalls.com>.

Stewart A, Komers PE, Bender DJ. 2010. Assessing landscape relationships for habitat generalists. *Ecosci* 17(1):28–36.

Storfer A. 2003. Amphibian declines: future directions. *Diversity and distributions* 9(2):151-63. [accessed 2025 June] <https://doi.org/10.1046/j.1472-4642.2003.00014.x>.

Strahler AN. 1957. Quantitative analysis of watershed geomorphology. *Trans Am Geophys Union* 38(6):913–920.

Stuart BL, Beamer DA, Farrington HL, Beane JC, Check DL, Pusser LT, Sam HE, Stephan DL, Sever DM, Brasswell AL. 2020. A new Two-lined Salamander (*Eurycea bislineata* Complex) from the Sandhills of North Carolina. *Herpetologica* 76(4):423-444 (9 December 2020). <https://doi.org/10.1655/0018-0831-76.4.423>.

Sturbois A, Ponsero A, Desroy N, Le Mao P, Fournier J. 2015. Exploitation of intertidal feeding resources by the red knot *Calidris canutus* under mega tidal conditions (Bay of Saint-Brieuc, France). *J Sea Res.* 96:23–30.

Sun G, McNulty SG, Shepard JP, Amatya DM, Riekerk H, N.B. Comerford, W. Skaggs, and L. Swift, Jr. 2001. Effects of timber management on the hydrology of wetland forests in the southern United States. *Forest Ecology and Management* 143: 227-236.

Suryan RM, Arimitsu ML, Coletti HA, Hopcroft RR, Lindeberg MR, Barbeaux SJ, Batten SD, Burt WJ, Bishop MA, Bodkin JL, Brenner R. 2021. Ecosystem response persists after a prolonged marine heatwave. *Scientific reports* 11(1):6235. [accessed 2025 March] <https://doi.org/10.1126/sciadv.abh0895>.

Suski JG, Salice CJ, Patiño R. 2012. Species-specific and transgenerational responses to increasing salinity in sympatric freshwater gastropods. *Environ Toxicol Chem* 31(11):2517–2524.

Suter II GW, Cormier SM. 2014. Why care about aquatic insects: uses, benefits, and services. *Integr Environ Assess Manag.* 11(2):188–194.

Sweet WV, Hamlington BD, Kopp RE, Weaver CP, Barnard PL, Bekaert D, Brooks W, Craghan M, Dusek G, Frederikse T, Garner G. 2022. Global and Regional Sea Level Rise Scenarios for the United States: Updated Mean Projections and Extreme Weather Level Probabilities along US Coastlines. [accessed 2025 June] <https://digitalcommons.unl.edu/noaatr/9/>.

Swift BL, Larson JS, DeGraaf RM. 1984. Relationship of breeding bird density and diversity to habitat variables in forested wetlands. *Wilson Bulletin* 96(1):48–59.

T

T

[TNC and SAFC] The Nature Conservancy and Southern Appalachian Forest Coalition. 2000. Southern Blue Ridge ecoregion conservation plan. Durham (NC): The Nature Conservancy.

[TNC] The Nature Conservancy. 2024. Red Spruce Technical Advisory Board: Red Spruce Restoration Recommendations. 47pp.

[TVA] Tennessee Valley Authority. 2009. Mountain reservoirs land management plan, final environmental impact statement volume 1, project 2006-1. Tennessee Valley Authority, Knoxville, TN. [accessed 2025 July]. <https://www.tva.com/environment/environmental-stewardship/land-management/reservoir-land-management-plans/hiwassee-reservoir-land-management-plan>.

[TVA] Tennessee Valley Authority. 2021. Chatuge Reservoir ecological health rating. Tennessee Valley Authority, Knoxville, TN. [accessed 2025 July]. <https://www.tva.com/environment/environmental-stewardship/water-quality/reservoir-health-ratings/chatuge-reservoir>.

Taberlet P, Luikart G. 1999. Non-invasive genetic sampling and individual identification. *Biol J Linn Soc.* 68(1-2):41–55.

Tagliapietra D, Sigovini M, Ghirardini AV. 2009. A review of terms and definitions to categorize estuaries, lagoons and associated environments. *Mar Freshw Res* 60:497–509.

Taillie PJ, Marcus JF, Carpenter JP, Anderson SK. 2016. The distribution, persistence, and habitat associations of Bachman's Sparrow (*Peucaea aestivalis*) in North Carolina. *Chat* 80:57-71.

Taillie PJ, Peterson MN, Moorman CE. 2015. The relative importance of multiscale factors in the distribution of Bachman's Sparrow and the implications for ecosystem conservation. *The Condor: Ornithological Applications* 117(2):137-46.

Taylor CA, Schuster GA. 2004. The crayfishes of Kentucky. Special Publication no. 28. Champaign (IL): Illinois Natural History Survey. 219 p.

References

Taylor CA, Warren ML, Fitzpatrick JF, Hobbs HH, Jezerinac RF, Pflieger WL, Robison HW. 1996. Conservation status of crayfishes of the United States and Canada. *Fisheries* 21:25–38. [accessed 2025 July] <https://research.fs.usda.gov/treesearch/21421>. 13 p.

Taylor II JD, Jones JC. 2002. Quantifying amphibian richness in Southeastern forests. *Proc Ann Conf Southeast Assoc Fish Wildl Agencies* 56:301–311.

The Assembly. 2025. (web site). Durham, NC. [accessed 2025 July] <https://www.theassemblync.com/environment/wood-pellets-north-carolina>.

Thistle M. 2022. Thesis: Habitat Selection and Breeding Ecology of Bachman's Sparrow (*Peucaea aestivalis*) in a Wiregrass-Free Ecosystem. *Wildlife and Fisheries Biology*, Clemson University, SC.

Thoma RF. 2012. The life history and conservation status of the Grandfather Mountain crayfish (*Cambarus [Cambarus] eeseeohensis*) in North Carolina. MBI Technical Report MCI/2012-X-X. Columbus (OH): Center for Applied Bioassessment & Biocriteria, Midwest Biodiversity Institute. 14 p.

Thompson FR, DeGraaf RM. 2001. Conservation approaches for woody, early successional communities in the eastern United States. *Wildl Soc Bull* 29(2):483–494.

Thompson WL (ed.). 2004. Sampling rare or elusive species: concepts, designs, and techniques for estimating population parameters. Island Press, Washington DC. 428 p.

Thorp JH, Covich AP. 2001. Ecology and classification of North American freshwater invertebrates. 2nd ed. San Diego (CA): Academic Press. Chapter 2, An overview of freshwater habitats; p. 19–43.

Thorp JH, editor. 2002. Aquatic ecology series. London (UK): Academic Press 551 p.

Thurgate NY, Pechmann JHK. 2007. Canopy closure, competition, and the endangered dusky gopher frog. *Journal of Wildlife Management* 71(6):1845–1852.

Tittensor DP, Novaglio C, Harrison CS, Heneghan RF, Barrier N, Bianchi D, Bopp L, Bryndum-Buchholz A, Britten GL, Büchner M, Cheung WW. 2021. Next-generation ensemble projections reveal higher climate risks for marine ecosystems. *Nature Climate Change* 11(11):973–81.

Tracy BH, Rohde FC, Hogue GM. 2020. An Annotated Atlas of the Freshwater Fishes of North Carolina. *Southeastern Fishes Council Proceedings*: No. 60. Online <https://trace.tennessee.edu/sfcproceedings/vol1/iss60/1>.

Tracy BH, Rohde FC, Perkins MA, Lee LM, Carlson KB, McCutcheon M, Jones BK, Evans HK. 2024. A Long-Recognized but Undescribed New Species of Cyprinella (Cypriniformes: Leuciscidae) from North Carolina and South Carolina, United States. October 2024. *Southeastern Fishes Council Proceedings*: No. 64. Online <https://trace.tennessee.edu/sfcproceedings/vol1/iss64/4>

Tracy BH, Smith SA, Bissette JL, Rohde FC. 2021. Ahead by a whisker: freshwater catfish (Family Ictaluridae) diversity in North Carolina. [accessed 2025 March] Online <https://www.nanfa.org/ac/north-carolina-freshwater-catfish-diversity.pdf>.

Trani MK, Ford WM, Brian R. 2007. The land manager's guide to mammals of the South. Durham, NC: The Nature Conservancy; Atlanta, GA: US Forest Service. 546 p.

Trindade-Santos I, Moyes F, Magurran AE. 2022. Global patterns in functional rarity of marine fish. *Nature Communications* 13(1):877. <https://doi.org/10.1038/s41467-022-28488-1>.

Tuck GN, Phillips RA, Small C, Thomson RB, Klaer NL, Taylor F, Wanless RM, Arrizabalaga H. 2011. An assessment of seabird–fishery interactions in the Atlantic Ocean. *ICES J. Mar. Sci.* 68:1628–1637.

Turgeon DD, Quinn JF, Bogan AE, Coan EV, Hochberg FG, Lyons WG, Mikkelsen PM, Neves RJ, Roper CF, Rosenberg G, Roth B. 1998. Common and scientific names of aquatic invertebrates from the United States and Canada: Mollusks. American Fisheries Society Special Publication, Southeast Ecological Science Center. 536 pp.

Tuttle MD, Stevenson DE. 1978. Variation in the cave environment and its biological implications. Pages 108–120 In Zuber R, Chester J, Gilbert S, Rhodes D, editors. *National Cave Management Symposium Proceedings*. Speleobooks, Albuquerque, NM.

Twente JW Jr. 1955. Some aspects of habitat selection and other behavior of cavern-dwelling bats. *Ecology* 36:706–732.

U, V

U, V

[UNCC] University of NC Charlotte. 2019. Charlotte suburbs grow faster as developers seek cheap land. UNCC Urban Institute, Charlotte, NC. [accessed 2025 August]. <https://ui.charlotte.edu/story/charlotte-suburbs-grow-faster-developers-seek-cheap-land>.

[UNCC] University of NC Charlotte. 2012. Research looks at Triangle development patterns, foresees increase. Renaissance Computing Institute (RENCI), Charlotte, NC. [accessed 2025 August]. [Research looks at Triangle development patterns, foresees increase - Charlotte Urban Institute](#).

[UNCC] University of North Carolina at Charlotte. 2010. Nearly 570% increase in development in western NC mountains since 1976 [accessed 2025 July]. <https://ui.charlotte.edu/story/nearly-570-increase-development-western-nc-mountains-1976>.

[UNEP-WCMC] UN Environment Programme World Conservation Monitoring Centre. 2025. Checklist of CITES species . Geneva (Switzerland): CITES Secretariat; [accessed 2025 March]. <http://www.cites.org/eng/resources/pub/checklist11/index.html>.

[USACE] United States Army Corps of Engineers. 2003. Stream mitigation guidelines. Wilmington district. [accessed 2025 Aug.] <https://semspub.epa.gov/work/01/554373.pdf>.

[USCB] United States Census Bureau. 2025a. US Metro Areas experienced population growth between 2023 and 2024: April 17, 2025. Resource Library, Washington DC. US Census Bureau [accessed 2025 May] <https://www.census.gov/library/stories/2025/04/metro-area-trends.html>.

References

[USCB] United States Census Bureau. 2025b. Annual and Cumulative Estimates of Resident Population Change for Metropolitan Statistical Areas in the United States and Puerto Rico and Metropolitan Statistical Area Rankings: April 1, 2020 to July 1, 2024. . Resource Library, Washington DC. US Census Bureau [accessed 2025 July]
<https://view.officeapps.live.com/op/view.aspx?src=https%3A%2F%2Fwww2.census.gov%2Fprograms-surveys%2Fpopest%2Ftables%2F2020-2024%2Fmetro%2Ftotals%2Fcbsa-met-est2024-chg.xlsx&wdOrigin=BROWSELINK>.

[USCB] US Census Bureau. 2022. Annual estimates of resident population change for incorporated places of 50,000 or more. U.S. Census Bureau, Population. (Online)
<https://www.census.gov/data/tables/time-series/demo/popest/2010s-total-cities-and-towns.html>.

[USDA] United States Department of Agriculture. 2020. Summary Report: 2017 National Resources Inventory, Natural Resources Conservation Service, Washington, DC, and Center for Survey Statistics and Methodology, Iowa State University, Ames, IA. [accessed online 2025 Jan].
https://publicdashboards.dl.usda.gov/t/FPAC_PUB/views/RCADVLandUseDownloadNRI20171/LandUseDownload?%3Aembed=y&%3AisGuestRedirectFromVizportal=y

[USDHUD] United States Department of Housing and Urban Development. 2021. HUC PD&R Housing Market Profiles, Raleigh-Durham-Chapel Hill, North Carolina. Office of Policy Development and Research. [accessed 2025 Aug.].
<https://www.huduser.gov/portal/periodicals/USHMC/reg//RaleighNC-HMP-Nov21.pdf>.

[USDOI] United States Department of the Interior, Indian Affairs. 2025. Office of the Assistant Secretary for Indian Affairs. [accessed 2025 Jan.] <https://www.bia.gov/as-ia>.

[USEPA] United States Environmental Protection Agency. 2010. Overview of climate change adaptation in the Southeastern US with a focus on water and coastal resources. Draft Discussion Paper. Stratus Consulting, Boulder CO. 74 pp.

[USEPA] United States Environmental Protection Agency. 2012a. Primer for identifying coldwater refuges to protect and restore thermal diversity in riverine landscapes. EPA 910-C-12-001. Seattle (WA): Office of Water and Watersheds, Water Division 91 p.

[USEPA] United States Environmental Protection Agency. 2024. Classification and Types of Wetlands. Last accessed 10/29/2024. <https://www.epa.gov/wetlands/classification-and-types-wetlands#non-tidal>

[USEPA] United States Environmental Protection Agency. 2025a. NHDPlus in waters. [accessed 2025 July]
http://water.epa.gov/scitech/datait/tools/waters/docs/nhd_model.cfm.

[USEPA] United States Environmental Protection Agency. 2025b. WATERS Geospatial Data Downloads. [accessed 2025 July]. <https://www.epa.gov/waterdata/waters-geospatial-data-downloads>.

[USFS] United States Forest Service. 2021. Master List of Inventory and Monitoring Protocols. Resource Information Group, Ecosystem Management Coordination. USDA, Forest Service. [accessed 2025 Aug.] <https://www.fs.usda.gov/emc/rig/protocols/master.shtml>.

[USFWS and NMFS] United States Fish & Wildlife Service and National Marine Fisheries Service, . National Oceanic and Atmospheric Administration. 2012. Migratory Bird Conservation; Executive Order 13186. Federal Register Vol. 77, No. 192. RIN 0648-XC148 [accessed 2025 June] <https://www.govinfo.gov/content/pkg/FR-2012-10-03/pdf/2012-24433.pdf>.

[USFWS] United States Fish & Wildlife Service. 2000. Policy regarding controlled propagation of species listed under the Endangered Species Act. Fed Regist. 65:56916–56922.

[USFWS] United States Fish & Wildlife Service. 2001. Fish and Wildlife Service designates critical habitat for endangered spruce-fir moss spider. [accessed 2025 June] <https://ecos.fws.gov/ecp/species/4801>.

[USFWS] United States Fish & Wildlife Service. 2011a. Endangered and threatened wildlife and plants; 90-day finding on a petition to list the American eel as threatened. Fed Regist 76(189):60431-60444. [accessed 2025 June] <http://www.gpo.gov/fdsys/pkg/FR-2011-09-29/pdf/FR-2011-09-29.pdf>.

[USFWS] United States Fish & Wildlife Service. 2011b. Tribal Consultation Handbook. Monette DJ, Greenwood K, Gonzales-Rogers P, Durham P. Updated 2018 by Johnson J, Aikin S, Monette DJ. 96 pp.

[USFWS] United States Fish & Wildlife Service. 2014. Endangered and threatened wildlife and plants; threatened species status of the rufa red knot. 50 CFR Part 17. Fed Regist. 79(238):73706–73748.

[USFWS] United States Fish & Wildlife Service. 2016. Endangered and Threatened Wildlife and Plants; 5-Year Status Review of the Red Wolf. [FWS-R4-ES-2016-N161; FXES11130900000C2-167-FF09E32000]. Federal Register/Vol. 81, No. 210, Notices. [accessed 2025 June] <https://ecos.fws.gov/ecp/species/37>.

[USFWS] United States Fish & Wildlife Service. 2017. SWAP Revision Guidance, memorandum. [accessed 2025 June] https://www.fishwildlife.org/application/files/8615/2777/4174/SWAP_Revision_Guidance_Dec2017.pdf.

[USFWS] United States Fish & Wildlife Service. 2019. Species status assessment report for the Eastern Black Rail (*Laterallus jamaicensis jamaicensis*). Southeast Region, Atlanta, GA. 194 p. [accessed 2025 June] <https://iris.fws.gov/APPS/ServCat/DownloadFile/186791>.

[USFWS] United States Fish & Wildlife Service. 2021. Species status assessment report for the wood stork (*Mycteria americana*) US breeding population Distinct Population Segment, Version 1.0. April 2021. Atlanta, GA.

[USFWS] United States Fish & Wildlife Service. 2021a. Conservation in North Carolina. Threatened, endangered, and at-risk species. Available online <https://www.fws.gov/southeast/north-carolina>.

[USFWS] United States Fish & Wildlife Service. 2021b. Species with Recovery Plans. Environmental Conservation Online System. Available online <https://ecos.fws.gov/ecp/report/species-with-recovery-plans>.

References

[USFWS] United States Fish & Wildlife Service. 2022. Abundance and productivity estimates, 2021 update: Atlantic Coast piping plover population. Hadley, Massachusetts. 16 p. [accessed 2025 June] <https://www.fws.gov/sites/default/files/documents/piping-plover-abundance-and-productivity-update-2021.pdf>.

[USFWS] United States Fish & Wildlife Service. 2023a. Interior Department Applauds Proposed Delisting of the Wood Stork, press release February 14, 2023. [Accessed 2024 Dec.] <https://www.doi.gov/pressreleases/interior-department-applauds-proposed-delisting-wood-stork>.

[USFWS] United States Fish & Wildlife Service. 2023b. Revised Recovery Plan for the Red Wolf (*Canis rufus*). Third Revision, September 2023. U.S. Fish and Wildlife Service, Atlanta, Georgia. 34 pp. https://www.fws.gov/sites/default/files/documents/20230928_fRP_RW_508%20compliant_FINAL.pdf.

[USFWS] United States Fish & Wildlife Service. 2024. Eastern North Carolina Red Wolf Population: Release Plan. 8 pp. [accessed 2025 March] https://www.fws.gov/sites/default/files/documents/2024-11/20241121_enc-rwp_release-plan_2024-2025.pdf.

[USFWS] United States Fish & Wildlife Service. 2024. Endangered Species Status for Eastern Hellbender, 50 CFR Part 17 [Docket No. FWS-R3-ES-2024-0152; FXES1111090FEDR-256-FF09E21000] RIN 1018-BH79 Endangered and Threatened Wildlife and Plants (12/13/2024). Department of the Interior, Fish and Wildlife Service. Washington DC. [accessed 2025 June] <https://www.govinfo.gov/link/fr/89/100934>.

[USFWS] United States Fish & Wildlife Service. 2025. Candidate Conservation Agreements. [accessed 2025 Jan.] <https://www.fws.gov/service/candidate-conservation-agreements-assurances>.

[USFWS] United States Fish & Wildlife Service. 2025. Safe Harbor Agreements. [accessed 2025 Jan.] <https://www.fws.gov/service/safe-harbor-agreements>.

[USFWS] United States Fish & Wildlife Service. 2025a. (website) Southeast At-Risk Species Finder, North Carolina. [accessed 2025 March] https://experience.arcgis.com/experience/c578e0f4d7ab48a7a9648abe76296ec4/page/At-Risk-List?org=fws#data_s=id%3ADataSource_4-2%3A411.

[USFWS] United States Fish & Wildlife Service. 2025b. (website) Endangered and threatened species of North Carolina. Raleigh (NC): Eastern North Carolina Ecological Services Field Office; [accessed 2025 Jan]. <https://www.fws.gov/office/eastern-north-carolina-ecological-services/species>.

[USFWS] United States Fish & Wildlife Service. 2025b. Recovery Plans. [accessed 2025 Jan] <https://www.fws.gov/program/recovery/recovery-plans>.

[USFWS] United States Fish & Wildlife Service. 2025c. (website) Migratory Bird Program Administrative Flyways. Washington, DC. [accessed 2025 July] <https://www.fws.gov/partner/migratory-bird-program-administrative-flyways>.

[USFWS] United States Fish & Wildlife Service. 2025c. Critical Habitat for Threatened & Endangered Species, MapViewer. [access 2025 Jan]
<https://fws.maps.arcgis.com/home/webmap/viewer.html?webmap=9d8de5e265ad4fe09893cf75b8dbfb77>.

[USGS] United States Geological Survey. 1995. Ground-water quality protection, why it's important to you. Open-file report 95-376. Nashville (TN). [website]; [accessed 2015 August]
<http://pubs.usgs.gov/of/1995/ofr95376/>.

[USGS] United States Geological Survey. 2012a. Groundwater frequently asked questions: Piedmont and Mountains aquifers. Raleigh (NC): South Atlantic Water Science Center; [accessed 2014 August].
http://nc.water.usgs.gov/about/faq_ground.html#mtns.

[USGS] United States Geological Survey. 2012b. Coastal Carolina Project. [web page] [accessed 2025 June]. <https://www.usgs.gov/search?keywords=Coastal+Carolina+Project+>.

[USGS] United States Geological Survey. 2014a. USGS surface-water monthly statistics for North Carolina. National Water Information System; [accessed 2025 June]
http://waterdata.usgs.gov/nc/nwis/monthly/?referred_module=sw.

[USGS] United States Geological Survey. 2014b. [web page] Groundwater depletion. USGS Water Science School. Last updated 2014 March. [accessed 2025 June]
<http://water.usgs.gov/edu/gwdepletion.html>.

[USGS] United States Geological Survey. 2023. Mapping grassland bird community distribution across changing landscapes. Fort Collins Science Center. CO. [accessed 2025 Jan]
<https://www.usgs.gov/centers/fort-collins-science-center/science/mapping-grassland-bird-community-distribution-across>.

[USGS] United States Geological Survey. n.d. National hydrography dataset [online database]. US Geological Survey, Washington, DC. <http://nhd.usgs.gov>.

Ungemah D, Goodin G, Dusza C. 2007. Examining Incentives and Preferential Treatment of Carpools on Managed Lane Facilities. *Journal of Public Transportation* 10(4): 151-69.

Ury EA, Yang X, Wright JP, Bernhardt ES. 2021. Rapid deforestation of a coastal landscape driven by sea-level rise and extreme events. *Ecological applications* 31(5), e02339.

van Asch M, Visser ME. 2007. Phenology of forest caterpillars and their host trees: the importance of synchrony. *Annu. Rev. Entomol.* 52(1):37-55.

van der Kamp G. 1995. The hydrogeology of springs in relation to the biodiversity of spring fauna: a review. *J Kans Entomol Soc, Suppl: Spec Publ No. 1: Biodivers Aquat Insects Other Invertebr Springs* 68(2):4-17.

Vannote RL, Minshall GW, Cummins KW, Sedell JR, Gushing E. 1980. The river continuum concept. *Can J Fish Aquat Sci* 37: 130–137.

References

Vaughn CC, Hakenkamp CC. 2001. The functional role of burrowing bivalves in freshwater ecosystems. *Freshw Biol.* 46:1431–1446.

Vaughn CC, Taylor CM. 1999. Impoundments and the decline of freshwater mussels: a case study of an extinction gradient. *Conserv Biol* (13):912–920.

Vick RA 2011. Cherokee adaptation to the landscape of the west and overcoming the loss of culturally significant plants. *American Indian quarterly* 35:394–417.

Vogt RC. 1981. Food partitioning in three sympatric species of map turtle, genus *Graptemys* (Testudinata, Emydidae). *Am Midl Nat.* 105:102–111.

Vos CC, Chardon JP. 1998. Effects of habitat fragmentation and road densities on the distribution pattern of the moor frog (*Rana arvalis*). *J Appl Ecol* 35:44–56.

W

W

Waccamaw Siouan Tribe. 2022. Waccamaw Siouan Indians, People of the Falling Star. <https://waccamaw-siouan.org> [accessed 2025 Feb.]

Wagener T, Sivapalan M, Troch P, Woods R. 2007. Catchment classification and hydrologic similarity. *Geogr Compass* 1(4):901–931.

Waits LP, Paetkau D. 2005. Noninvasive genetic sampling tools for wildlife biologists: a review of applications and recommendations for accurate data collection. *J Wildl Manag.* 69(4):1419–1433.

Walburg CH, Novotny JF, Jacobs KE, Swink WD. 1983. Effects of reservoir releases on water quality, macroinvertebrates, and fish in tailwaters: Field study results. U.S. Army Environmental and Water Quality Operational Studies, Army Engineer Waterways Experiment Station, Vicksburg, MS. Technical Report E-83-6. 176 pp. National Technical Information Service, Springfield, VA. ADA-126770.

Walker AS, Amoroso JL, East MB. 2024. Natural Heritage Program List of the Rare Plant Species of North Carolina. North Carolina Natural Heritage Program, NC Department of Natural and Cultural Resources, Raleigh, NC. 63 pp. www.ncnhp.org.

Walls SC. 2014. Identifying monitoring gaps for amphibian populations in a North American biodiversity hotspot, the southeastern USA. *Biodiversity Conservation* 23:3341–3357.

Walrut BP. 2004. Domestication and absolute ownership of fish in the English common law. *Journal of Fish Biology* 65:325. <https://doi.org/10.1111/j.0022-1112.2004.559aa.x>.

Wang G, Li G, Liu Z. 2023. Wind farms dry surface soil in temporal and spatial variation. *Science of the total environment* 857:159293. <https://doi.org/10.1016/j.mex.2023.102000>.

References

Wang G, Ma P, Zhang Q, Lewis J, Lacey M, Furukawa Y, O'Reilly SE, Meaux S, McLachlan J, Zhang S. 2012. Endocrine disrupting chemicals in New Orleans surface waters and Mississippi Sound sediments. *J Environ Monit.* 14:1353–1364.

Wang L, Infante D, Lyons J, Stewart J, Cooper A. 2011. Effects of dams in river networks on fish assemblages in non-impoundment sections of rivers in Michigan and Wisconsin, USA. *River Res. Appl.* 27:473–487.

Wang L, Lyons J, Kanehl P, Bannerman R. 2001. Impacts of urbanization on stream habitat and fish across multiple spatial scales. *Environ Manag* 28(2):255–266.

Wang N, Ingersoll CG, Ivey CD, Hardesty DK, May TW, Augspurger T, Roberts AD, van Genderen E, Barnhart MC. 2010. Sensitivity of early life stages of freshwater mussels (Unionidae) to acute and chronic toxicity of lead, cadmium, and zinc in water. *Environ Toxicol Chem.* 29(9):2053–2063.

Warnell, K. 2020. Natural and Working Lands in North Carolina – Data and Methods Guide. NI Guide 20-01. Durham, NC: Duke University, Durham, NC. 29 pp. [accessed 2025 Jan] <https://nicholasinstitute.duke.edu/sites/default/files/nwl/Natural-and-Working-Lands-Data-and-Methods-Guide.pdf>.

Warren ML, Angermeier PL, Burr BM, Haag WR. 1997. Decline of a diverse fish fauna: patterns of imperilment and protection in the southeastern United States. Pages 105–164 in G. W. Benz and D. E. Collins, editors. *Aquatic fauna in peril: the southeastern perspective*. Southeast Aquatic Research Institute, Decatur, GA.

Warren RJ, Ford CF. 1997. Diets, nutrition and reproduction of feral hogs on Cumberland Island, Georgia. *Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies* 51:285–296.

Watkins BP, Petersen SL, Ryan PG. 2008. Interactions between seabirds and deep-water hake trawl gear: an assessment of impacts in South African waters. *Anim Conserv.* 11:247–254.

Watson C, Hayes C, McCauley J, Milliken A. 2005. The South Atlantic Migratory Bird Initiative – An Integrated Approach to Conservation of All Birds Across All Habitats. USDA Forest Service Gen. Tech. Rep. PSW-GTR-191. 11 p. [accessed 2025 June] <https://research.fs.usda.gov/treesearch/31665>.

Watson J, Hamilton-Smith E, Gillieson D, Kiernan K (editors). 1997. Guidelines for cave and karst protection. [IUCN World Commission on Protected Areas. Working Group on Cave and Karst Protection](https://iucn-protected-areas.org/working-groups/cave-and-karst-protection). Gland, Switzerland and Cambridge, UK. 63 pp.

Watson RT, Kolar PS, Ferrer M, Nygård T, Johnston N, Hunt WG, Smit-Robinson HA, Farmer CJ, Huso M, Katzner TE. 2018. Raptor interactions with wind energy: case studies from around the world. *Journal of Raptor Research* 52(1):1-8. [accessed 2025 July] <https://www.wind-watch.org/documents/raptor-interactions-with-wind-energy-case-studies-from-around-the-world>.

Watters GT, O'Dee SH, Chordas III S. 2001. Patterns of vertical migration in freshwater mussels (Bivalvia: Unionoida). *Ecol.* 16(4):541–550.

References

Watts BD, Paxton BJ. 2014. Status and distribution of colonial waterbirds in coastal Virginia: 2013 breeding season. Williamsburg (VA): Center for Conservation Biology, College of William and Mary/Virginia Commonwealth University. 23 p.

Weakley AS. 2020. Flora of the southeastern United States: North Carolina. University of North Carolina Herbarium, North Carolina Botanical Garden. 1076 pp. Available online <https://ncbg.unc.edu/research/unc-herbarium/flora-request>.

Weaver DM. 2010. Effects of stocked trout on native nongame riverine fishes [thesis]. North Carolina State University, Raleigh, NC.

Weigl PD. 2007. The Northern Flying Squirrel (*Glaucomys sabrinus*): a conservation challenge. *J Mammal*. 88(4):897–907.

Weinbach A, Cayuela H, Grolet O, Besnard A, Joly P. 2018. Resilience to climate variation in a spatially structured amphibian population. *Scientific Reports* 8(1):14607. [accessed 2025 June] <https://doi.org/10.1038/s41598-018-33111-9>.

Welch SM, Eversole AG. 2006. The occurrence of primary burrowing crayfish in terrestrial habitat. *Biol Conserv*. 130:458–464.

Welch SM. 2006. Multi-scale habitat associations of three primary burrowing crayfish [dissertation]. [Clemson (SC)]: Clemson University. 112 p.

Weller MW, Stegman JL. 1977. Evaluating and maintaining habitats for fish and wildlife. In *Transactions of the 42nd North American Wildlife and Natural Resources Conference*. Washington (DC): Wildlife Management Institute. p. 31–41

Welsh Jr. HH, Droege S. 2001. A case for using plethodontid salamanders for monitoring biodiversity and ecosystem integrity of North American forests. *Conservation Biology* 15(3):558-569.

Wenger S. 1999. A review of scientific literature on riparian buffer width, extent, and vegetation. Athens (GA): University of Georgia, Institute of Ecology.

Werner EE, Glennenmeier KS. 1999. Influence of forest canopy cover on the breeding pond distributions of several amphibian species. *Copeia* 1999:1-12.

Wharton CH, Kitchens WM, Pendleton EC, Sipe TW. 1982. The ecology of bottomland hardwood swamps of the southeast: a community profile. Biological Services Program FWS/OBS-81/37. 145 pp.

White Jr EE, Ury EA, Bernhardt ES, Yang X. 2022. Climate change driving widespread loss of coastal forested wetlands throughout the North American coastal plain. *Ecosystems* 25(4), 812-827.

White PB, van de Gevel SL, Soule PT. 2012. Succession and disturbance in an endangered red spruce-Fraser fir forest in the southern Appalachian Mountains, North Carolina, USA. *Endanger Species Res* 18(1):17–25.

References

Wiens JA. 1989. Spatial scaling in ecology. *Funct Ecol* 3:385–397.

Wikelski M, Davidson SC, Kays R. 2025. Movebank: archive, analysis and sharing of animal movement data. Hosted by the Max Planck Institute of Animal Behavior. [accessed 2025 March] www.movebank.org.

Williams JD, Bogan AE, Butler RS, Cummings KS, Garner JT, Harris JL, Johnson NA, Watters GT. 2017. A revised list of the freshwater mussels (Mollusca: Bivalvia: Unionida) of the United States and Canada. *Freshwater Mollusk Biology and Conservation* 20(2):33-58.

Williams JD, Warren ML, Cummings KS, Harris JL, Neves RJ. 1993. Conservation status of the freshwater mussels of the United States and Canada. *Fisheries* 18:6–22.

Willson JD, Dorcas ME. 2003. Effects of habitat disturbance on stream salamanders: implications for buffer zones and watershed management. *Conserv Biol.* 17(3):763–771.

Wilson DM, Naimo TJ, Wiener JG, Anderson RV, Sandheinrich MB, Sparks RE. 1995. Declining populations of the fingernail clam *Musculium transversum* in the upper Mississippi River. *Hydrobiol.* (34):209–220.

Wilson EO. 2005. Systematics and the future of biology. *Proc Natl Acad Sci U S Am.* 102:6520–6521.

Wilson RC, Henson T. 1993. History of cooperative management of North Carolina's colony-nesting waterbirds. *Proc Annu Conf Southeast Assoc Fish Wildl Agencies.* 47:328–332.

Wilson WAS. 2008. Bioaccumulation of trace elements by bivalves in the Altamaha River system [dissertation]. [Athens (GA)]: University of Georgia.

Winger PV. 1981. Physical and chemical characteristics of warmwater streams: a review. In: Krumholz LA, editor. *The warmwater streams symposium: a national symposium on fisheries aspects of warmwater streams.* Proceedings of a Symposium Held at the University of Tennessee, Knoxville, Knoxville, Tennessee, 9-11 March, 1980. Southern Division American Fisheries Society. p. 32–44.

Winn B, Brown S, Spiegel C, Reynolds D, Johnston S. 2013. *Atlantic Flyway shorebird conservation business strategy.* Manomet (MA): Manomet Center for Conservation Sciences. 27 p.

Winter TC, Harvey JW, Franke OL, Alley WM. 1998. Ground water and surface water, a single resource. US Geological Survey Circular 1139. Washington (DC): USGS 87 p. <http://pubs.usgs.gov/circ/circ1139/>.

Withrow JR, Smith EL, Koch FH, Yemshanov D. 2015. Managing outbreaks of invasive species – a new method to prioritize preemptive quarantine efforts across large geographic regions. *J Env Manag.* 150:367–377.

Wobeser G. 2002. Disease management strategies for wildlife. *Rev Sci Tech.* 21(1):159-78. doi: 10.20506/rst.21.1.1326. PMID: 11974627.

References

Wong MK, Guénard B, Lewis OT. 2019. Trait-based ecology of terrestrial arthropods. *Biological Reviews* 94(3):999-1022.

Wood PB, Sheehan J, Keyser P, Buehler D, Larkin J, Rodewald A, Stoleson S, Wigley TB, Mizel J, Boves T, et al. 2013. Management guidelines for enhancing Cerulean Warbler breeding habitat in Appalachian hardwood forests. American Bird Conservancy. The Plains, VA. [accessed 2025 June]. <http://woodlandstewards.osu.edu/sites/woodlands/files/d6/files/pubfiles/Cerulean%20Management%20Guide.pdf>. 28 p.

Woodard SH, Federman S, James RR, Danforth BN, Griswold TL, Inouye D, McFrederick QS, Morandin L, Paul DL, Sellers E, Strange JP. 2020. Towards a US national program for monitoring native bees. *Biological Conservation* 252:108821. [accessed 2025 March] <https://doi.org/10.1016/j.biocon.2020.108821>.

Woodward AR, Elsey RM. 2019. American Alligator *Alligator mississippiensis*. 10-11 Pp. In Crocodiles. Status Survey and Conservation Action Plan. Fourth Edition, ed. by SC Manolis and C Stevenson. Crocodile Specialist Group: Darwin. 6 pp. <https://portals.iucn.org/library/node/7401>.

Y, Z

Y, Z

Yack TM, Barlow J, Rankin S, Gillespie D. 2009. Integration of automated detection methods into NOAA Southwest Fisheries Science Center (SWFSC) acoustic marine mammal monitoring protocol. *The Journal of the Acoustical Society of America* 125(4_Supplement):2588--2588.

Yeager BL. 1993. Dams. In: Bryan CF, Rutherford DA, editors. *Impacts on warmwater streams: guidelines for evaluation*. Little Rock (AR): Southern Division, American Fisheries Society.p. 57-113.

Yeh YM, Huang HW, Dietrich KS, Melvin E. 2013. Estimates of seabird incidental catch by pelagic longline fisheries in the South Atlantic Ocean. *Anim Conserv*. 16:141–152.

Zale AV, Maughan OE, Orth DJ, Layher W. 1993. In: Bryan CF, Rutherford DA, editors. *Impacts on warmwater streams: guidelines for evaluation*. Little Rock (AR): Southern Division, American Fisheries Society. p. 271–285.

Zinsser E, Sanders FJ, Gerard P, Jodice PG. 2017. Daily survival rate and habitat characteristics of nests of Wilson's Plover. *Southeastern Naturalist* 16(2):149-56.